

## Appendix G. Ropes acquired by the Consortium

*Manufacturer:* Polysteel Atlantic LTD.

*Rope:* **Hydropro – Neutrally buoyant**

*Diameter:* 9/16”

*Appearance:* Light green/blue with yellow and pink tracer.

*Reported tensile strength:* According to the Polysteel website, this rope’s tensile strength is 7,950 lbs. (Tensile strengths are averages for new ropes tested under laboratory conditions and may vary by 10%).

*Contact information:*

Polysteel Atlantic LTD./East Coast Rope LTD., 468 Portsway Ave., Edwardsville, NS

B2A 4T8, Canada

T (902) 562 8889

F (902) 562 8887

[www.polysteel.ca](http://www.polysteel.ca)

*Manufacturer:* Polysteel Atlantic LTD.

*Rope:* **Polysteel - floating**

*Diameter:* 5/8”

*Appearance:* Light green/blue with white tracer.

*Reported tensile strength:* According to the Polysteel website, this rope’s tensile strength is 10,640 lbs. (Tensile strengths are averages for new ropes tested under laboratory conditions and may vary by 10%).

*Manufacturer:* Novabraid

*Rope:* **Novatech Duraflex lead line**

*Diameter:* 3/8” (9.5mm)

*Appearance:* Green, black, white braid.

*Reported tensile strength:* According to the Novabraid website, this rope’s average tensile strength is 2000 lbs.

*Contact information:*

Novabraid, 234 Water Street, Yarmouth, Nova Scotia, B5A 4P8, Canada

T 800 565 4212 or 902 742 4212

F 902 742 1832

[www.novabraid.com](http://www.novabraid.com)

*Manufacturer:* Cotesi

*Rope:* **Sinking, polyester and polyolefin.**

*Diameter:* 3/8”

*Appearance:* Light blue with dark blue tracer.

*Reported tensile strength:* According to the manufacturer, this rope’s average tensile strength is 4,850 lbs.

*Contact information:*

Cotesi, Suite 7, Harley House, Mill Fold – Ripponden, Sowerby Bridge, HX6 4DJ, West Yorkshire, England

T (01422) 821000

F (01422) 821007  
www.cotesi.co.uk

*Manufacturer:* Hyliner

*Diameter:* 5/16"

*Rope:* **Float**

*Appearance:* Yellow with purple tracer

*Reported tensile strength:* None; no website, very little information to be found.

*Contact information:*

Hyliner Rope Co., Spruce Head Rd., St. George, ME 04860

T 207 372 6300

*Manufacturer:* Hyliner

*Diameter:* 5/16"

*Rope:* **Gillnet head rope**

*Appearance:* Black with green tracer

*Reported tensile strength:* None; no website, very little information to be found.