

Georges Bank haddock catch by herring vessels using mid-water trawl gear

Report run on : March 13, 2014
 Data reported through: March 12, 2014
 Quota period: 5/1/13 to 4/30/14

Month	Monthly estimated haddock catch (mt)	Cumulative estimated haddock catch (mt)	Cumulative percent of quota (273 mt)
MAY	5.21	5.21	1.91%
JUNE	39.37	44.58	16.33%
JULY	42.20	86.78	31.79%
AUGUST	50.14	136.93	50.16%
SEPTEMBER	28.91	165.83	60.74%
OCTOBER	9.80	175.63	64.33%
NOVEMBER	0.00	175.63	64.33%
DECEMBER	2.22	177.85	65.15%
JANUARY	18.06	195.92	71.76%
FEBRUARY	30.63	226.55	82.98%
MARCH	6.93	233.48	85.52%

NOTICE: The Georges Bank (GB) haddock incidental catch cap is monitored based on the Northeast multispecies fishing year (May 1-April 30).

If the GB haddock incidental catch cap is caught, any vessel issued a herring permit and using midwater trawl gear may not fish for, possess, or land more than 2,000 lb of herring in the Herring GB Haddock Accountability Measure Area.

The method for estimating haddock catch by midwater trawl herring vessels has matches the method used for estimating catch and discards in the multispecies fisheries. This method replaces estimated pounds with observed pounds where available.

The cumulative method uses catch from the entire year to estimate a haddock catch ratio for each herring stock area. The haddock bycatch ratio is calculated for a stock area by dividing observed haddock catch for the year by the observed kept-all (total amount of all species) for the year.


Haddock pounds per unobserved trip are then estimated by multiplying the catch ratio by the kept all from all unobserved herring midwater trawl vessels fishing within that haddock stock area.

More information on this methodology can be found at [click here](#) and [click here](#)



**NOAA
FISHERIES**


These data are the best available to NOAA's National Marine Fisheries Service (NMFS) when this report was compiled. Data for this report are supplied to NMFS from vessels via the Vessel Monitoring System (VMS), the Vessel Trip Report System (VTR), and the Northeast Fisheries Observer Program. Data may be preliminary. Discrepancies with previous reports are due to corrections made to the database.



NOAA FISHERIES

These data are the best available to NOAA's National Marine Fisheries Service (NMFS) when this report was compiled. Data for this report are supplied to NMFS from vessels via the Vessel Monitoring System (VMS), the Vessel Trip Report System (VTR), and the Northeast Fisheries Observer Program. Data may be preliminary. Discrepancies with previous reports are due to corrections made to the database.

Georges Bank haddock catch by herring vessels using mid-water trawl gear



Gulf of Maine haddock catch by herring vessels using midwater trawl gear

Report run on : March 13, 2014
 Data reported through: March 12, 2014
 Quota period: 5/1/13 to 4/30/14

Month	Monthly estimated haddock catch (mt)	Cumulative estimated haddock catch (mt)	Cumulative percent of quota (3 mt)
MAY	0.000	0.000	0.00%
JUNE	0.000	0.000	0.00%
JULY	0.000	0.000	0.00%
AUGUST	0.000	0.000	0.00%
SEPTEMBER	0.000	0.000	0.00%
OCTOBER	0.064	0.064	2.12%
NOVEMBER	0.000	0.064	2.12%
DECEMBER	0.000	0.064	2.12%
JANUARY	0.000	0.064	2.12%
FEBRUARY	0.000	0.064	2.12%
MARCH	0.000	0.064	2.12%

Notice

The Gulf of Maine (GOM) haddock incidental catch cap is monitored based on the Northeast multispecies fishing year (May 1-April 30).

If the GOM haddock incidental catch cap is caught, any vessel issued a herring permit and using midwater trawl gear may not fish for, possess, or land more than 2,000 lb of herring in the Herring GOM Haddock Accountability Measure Area.



**NOAA
FISHERIES**

These data are the best available to NOAA's National Marine Fisheries Service (NMFS) when this report was compiled. Data for this report are supplied to NMFS from vessels via the Vessel Monitoring System (VMS), the Vessel Trip Report System (VTR), and the Northeast Fisheries Observer Program. Data may be preliminary. Discrepancies with previous reports are due to corrections made to the database.

