River herring / shad catch by Atlantic mackerel vessels

Report run on : September 8, 2016

Data reported through: September 7, 2016

Quota period: 1/1/16 to 12/31/16

Month	Monthly estimated river herring/shad catch (mt)	Cumulative estimated river herring/shad catch (mt)	Cumulative percent of quota (82 mt)
JANUARY	0.08	0.08	0.10%
FEBRUARY	0.00	0.08	0.10%
MARCH	0.33	0.41	0.50%
APRIL	0.00	0.41	0.50%
MAY	1.10	1.51	1.84%
JUNE	0.00	1.51	1.84%
JULY	0.00	1.51	1.84%
AUGUST	0.04	1.55	1.90%
SEPTEMBER	0.00	1.55	1.90%

Note:

The 2016 specifications are finalized. Effective May 26, 2016 the cap was reduced from 89 mt to 82 mt.

NOTICE

The river herring /shad (RHS) incidental catch cap is monitored based on the calendar year (January 1-December 31). Once the RHS incidental catch is caught, the Atlantic mackerel fishery will close for the remainder of the year.

The method for estimating river herring/shad (RHS) catch by Atlantic mackerel vessels is similar to the method for estimating catch and discards in the multispecies fisheries. This method replaces estimated pounds with observed pounds where available.

The cumulative method uses catch from the entire year to estimate a coast-wide RHS catch ratio. The RHS catch ratio is calculated by dividing observed RHS catch for the year by the observed kept-all (total amount of all species) for the year.

RHS pounds per unobserved trip are then estimated by multiplying the catch ratio by the kept all from unobserved Atlantic mackerel vessels.

For questions regarding Atlantic mackerel management, please contact the Sustainable Fisheries Division at 978-281-9315. For guidance on the most recent notification and reporting requirements please **click here**.

More information on this methodology can be found at **click here**.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS) when this report was compiled. Data for this report are supplied to NMFS from vessels via the Vessel Monitoring System (VMS), the Vessel Trip Report System (VTR), dealer reports, and the Northeast Fisheries Observer Program. Data may be preliminary. Discrepancies with previous reports are due to corrections made to the database.