

Northeast Multispecies Fishery

Final Year-End Results for Fishing Year 2010

- Tables 1 through 5: Year-end total groundfish caught, landed, and discard estimates
- Tables 25 through 28: U.S./Canada total groundfish caught

November 29, 2011

Table 1: FY 2010 End of Year Accounting of NE Multispecies Catch (mt)

Stock	Total Groundfish	NE Multispecies Catch by Fishery Component							
		Commercial Groundfish	Sector	Common Pool	Recreational ¹	Herring Fishery	Scallop Fishery	State Water ²	Other
	A to G	A+B+C	A	B	C	D	E	F	G
GB cod	3,028.9	2,829.7	2,745.8	84.0				27.7	171.4
GOM cod	5,745.2	5,497.1	3,617.1	226.0	1,654.0			190.3	57.8
GB Haddock	8,542.0	8,340.2	8,248.0	92.2		69.2		1.6	131.0
GOM Haddock	784.6	774.0	370.5	7.1	396.3	0.5		8.5	1.6
GB Yellowtail Flounder	809.7	757.6	739.0	18.6			17.6	0.0	34.4
SNE Yellowtail Flounder	314.7	171.9	152.5	19.4			113.0	6.7	23.1
CC/GOM Yellowtail Flounder	671.4	596.7	559.8	36.9				33.2	41.6
Plaice	1,607.7	1,536.4	1,503.7	32.8				25.1	46.2
Witch Flounder	832.5	725.3	695.4	30.0				23.5	83.7
GB Winter Flounder	1,531.3	1,391.2	1,382.4	8.8				0.0	140.1
GOM Winter Flounder	193.5	106.1	80.7	25.4				64.2	23.2
SNE Winter Flounder	370.1	47.4	42.3	5.1				181.0	141.8
Redfish	2,166.9	2,151.2	2,143.3	7.9				10.5	5.2
White Hake	2,344.7	2,259.8	2,215.6	44.2				25.3	59.6
Pollock	7,532.0	5,601.1	5,449.8	151.2				1,059.8	871.1
Northern Windowpane	162.6	153.5	151.7	1.8				0.0	9.1
Southern Windowpane	534.9	73.6	52.7	20.9				31.0	430.3
Ocean Pout	102.4	65.2	56.5	8.7				0.0	37.1
Halibut	36.2	27.8	25.6	2.2				6.6	1.8
Wolffish	22.5	22.4	18.9	3.5				0.0	0.1

¹Discard estimate not available

²Recreational discard estimate only; commercial discard estimate not available

Values in live weight

Includes estimate of missing dealer reports

Source: NMFS Northeast Regional Office

Updated November 10, 2011

Any value for a non-allocated species may be due to landings of that stock; misreporting of species and/or stock area; and/or estimated landings (in lieu of missing reports) based on vessel histories. These include SNE winter flounder, northern windowpane, southern windowpane, ocean pout, halibut, and wolffish.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting. Differences with previous reports are due to corrections made to the database.

Table 2: FY 2010 End of Year Accounting of NE Multispecies Landings (mt)

Stock	Total Groundfish	NE Multispecies Landings by Fishery Component							
		Commercial Groundfish	Sector	Common Pool	Recreational	Herring Fishery	Scallop Fishery	State Water	Other
	A to G	A+B+C	A	B	C	D	E	F	G
GB cod	2,881.6	2,693.2	2,627.7	65.5				27.7	160.6
GOM cod	5,625.6	5,386.4	3,537.1	195.2	1,654.0			190.3	49.0
GB Haddock	8,430.8	8,299.2	8,207.4	91.8		69.2		1.6	60.9
GOM Haddock	781.2	771.1	367.8	6.9	396.3	0.5		8.5	1.2
GB Yellowtail Flounder	681.6	680.1	672.3	7.8			0.2	0.0	1.2
SNE Yellowtail Flounder	174.8	162.5	147.8	14.7			2.7	6.7	2.8
CC/GOM Yellowtail Flounder	552.9	518.3	500.1	18.2				33.2	1.4
Plaice	1,383.4	1,354.2	1,331.9	22.3				25.1	4.1
Witch Flounder	689.3	664.1	638.2	26.0				23.5	1.7
GB Winter Flounder	1,371.1	1,370.5	1,364.6	5.9				0.0	0.7
GOM Winter Flounder	163.6	101.3	79.1	22.2				61.9	0.3
SNE Winter Flounder	161.9	10.6	7.9	2.6				144.2	7.2
Redfish	2,009.3	1,998.2	1,991.6	6.6				10.5	0.6
White Hake	2,296.3	2,223.9	2,184.1	39.8				25.3	47.2
Pollock	7,443.5	5,515.5	5,371.5	143.9				1,059.8	868.3
Northern Windowpane	0.4	0.3	0.3	0.0				0.0	0.1
Southern Windowpane	46.6	7.6	0.1	7.5				31.0	8.0
Ocean Pout	1.0	0.5	0.1	0.5				0.0	0.5
Halibut	14.9	8.0	6.1	1.9				6.6	0.4
Wolffish	0.3	0.2	0.2	0.0				0.0	0.0

Values in live weight

Includes estimate of missing dealer reports

Source: NMFS Northeast Regional Office

Updated November 10, 2011

Any value for a non-allocated species may be due to landings of that stock; misreporting of species and/or stock area; and/or estimated landings (in lieu of missing reports) based on vessel histories. These include SNE winter flounder, northern windowpane, southern windowpane, ocean pout, halibut, and wolffish.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting. Differences with previous reports are due to corrections made to the database.

Table 3: FY 2010 End of Year Accounting of NE Multispecies Discards (mt)

Stock	Total Groundfish	NE Multispecies Discards by Fishery Component							
		Commercial Groundfish	Sector	Common Pool	Recreational	Herring Fishery	Scallop Fishery	State Water ¹	Other
		A+B+C	A	B	C	D	E	F	G
	A to G								
GB cod	147.3	136.5	118.0	18.5				0.0	10.8
GOM cod	119.6	110.7	79.9	30.8	NA			0.0	8.9
GB Haddock	111.2	41.0	40.6	0.5		0.0		0.0	70.1
GOM Haddock	3.4	2.9	2.7	0.2	NA	0.0		0.0	0.5
GB Yellowtail Flounder	128.1	77.5	66.7	10.8			17.4	0.0	33.2
SNE Yellowtail Flounder	140.0	9.4	4.6	4.7			110.3	0.0	20.3
CC/GOM Yellowtail Flounder	118.5	78.4	59.7	18.7				0.0	40.2
Plaice	224.3	182.3	171.8	10.5				0.0	42.1
Witch Flounder	143.2	61.2	57.2	4.0				0.0	82.0
GB Winter Flounder	160.2	20.8	17.9	2.9				0.0	139.4
GOM Winter Flounder	29.9	4.8	1.6	3.2				2.3	22.8
SNE Winter Flounder	208.3	36.8	34.3	2.5				36.8	134.6
Redfish	157.6	153.0	151.8	1.3				0.0	4.6
White Hake	48.3	35.9	31.5	4.4				0.0	12.4
Pollock	88.4	85.6	78.3	7.3				0.0	2.8
Northern Windowpane	162.3	153.2	151.4	1.8				0.0	9.0
Southern Windowpane	488.3	66.0	52.6	13.4				0.0	422.3
Ocean Pout	101.3	64.7	56.4	8.3				0.0	36.7
Halibut	21.3	19.9	19.5	0.4				0.0	1.4
Wolffish	22.2	22.1	18.7	3.5				0.0	0.1

¹Recreational estimate only; commercial discard estimate not available

Values in live weight

Includes estimate of missing dealer reports

Source: NMFS Northeast Regional Office

Updated November 10, 2011

Any value for a non-allocated species may be due to landings of that stock; misreporting of species and/or stock area; and/or estimated landings (in lieu of missing reports) based on vessel histories. These include SNE winter flounder, northern windowpane, southern windowpane, ocean pout, halibut, and wolffish.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting. Differences with previous reports are due to corrections made to the database.

Table 4: FY 2010 End of Year Accounting of NE Multispecies Catch TACs (mt)

Stock	ACLs and sub-ACLs; (with accountability measures (AMs))							sub-components: No AMs	
	Total Groundfish ACL	Commercial Groundfish Sub-ACL	Sector Sub-ACL	Common Pool Sub-ACL	Recreational Sub-ACL	Herring Fishery Sub-ACL	Scallop Fishery Sub-ACL	State Water	Other
	A to G	A+B+C	A	B	C	D	E	F	G
GB cod	3,620	3,430	3,302	128				38	152
GOM cod	8,088	7,240	4,327	240	2,673			566	283
GB Haddock	42,768	40,440	40,186	254		84		449	1,796
GOM Haddock	1,197	1,149	799	26	324	2		9	37
GB Yellowtail Flounder	1,021	823	803	20			146	0	52
SNE Yellowtail Flounder	470	310	235	75			135	5	20
CC/GOM Yellowtail Flounder	822	779	729	50				9	35
Plaice	3,006	2,848	2,748	100				32	126
Witch Flounder	899	852	827	25				9	38
GB Winter Flounder	1,955	1,852	1,823	29				0	103
GOM Winter Flounder	231	158	133	25				60	12
SNE Winter Flounder	605	520	NA	NA				53	32
Redfish	7,226	6,846	6,756	90				76	303
White Hake	2,697	2,556	2,505	51				28	113
Pollock	18,929	16,553	16,178	375				1,188	1,188
Northern Windowpane	161	110	NA	NA				2	49
Southern Windowpane	225	154	NA	NA				2	69
Ocean Pout	253	239	NA	NA				3	11
Halibut	69	30	NA	NA				36	4
Wolffish	77	73	NA	NA				1	3

Values in live weight

Includes estimate of missing dealer reports

Source: NMFS Northeast Regional Office

Updated November 10, 2011

Any value for a non-allocated species may be due to landings of that stock; misreporting of species and/or stock area; and/or estimated landings (in lieu of missing reports) based on vessel histories. These include SNE winter flounder, northern windowpane, southern windowpane, ocean pout, halibut, and wolffish.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting. Differences with previous reports are due to corrections made to the database.

Table 5: FY 2010 End of Year Accounting of NE Multispecies Catch - Percent of TAC Used (%)

Stock	ACLs and sub-ACLs; (with accountability measures (AMs))							sub-components: No AMs	
	% of Total Groundfish ACL	% of Commercial Groundfish Sub-ACL	% of Sector Sub-ACL	% of Common Pool Sub-ACL	% of Recreational Sub-ACL	% of Herring Fishery Sub-ACL	% of Scallop Fishery Sub-ACL	% of State Water	% of Other
	A to G	A+B+C	A	B	C	D	E	F	G
GB cod	83.7	82.5	83.2	65.6				73.0	112.8
GOM cod	71.0	75.9	83.6	94.2	61.9			33.6	20.4
GB Haddock	20.0	20.6	20.5	36.3		82.3		0.3	7.3
GOM Haddock	65.5	67.4	46.4	27.4	122.3	25.5		94.6	4.4
GB Yellowtail Flounder	79.3	92.1	92.0	93.1			12.1	NA	66.2
SNE Yellowtail Flounder	67.0	55.4	64.9	25.9			83.7	134.4	115.5
CC/GOM Yellowtail Flounder	81.7	76.6	76.8	73.8				368.6	118.7
Plaice	53.5	53.9	54.7	32.8				78.3	36.7
Witch Flounder	92.6	85.1	84.1	119.9				261.2	220.2
GB Winter Flounder	78.3	75.1	75.8	30.3				NA	136.0
GOM Winter Flounder	83.8	67.2	60.7	101.6				107.1	192.9
SNE Winter Flounder	61.2	9.1	NA	NA				341.4	443.1
Redfish	30.0	31.4	31.7	8.8				13.9	1.7
White Hake	86.9	88.4	88.4	86.6				90.2	52.8
Pollock	39.8	33.8	33.7	40.3				89.2	73.3
Northern Windowpane	101.0	139.5	NA	NA				0.4	18.6
Southern Windowpane	237.7	47.8	NA	NA				1,550.1	623.6
Ocean Pout	40.5	27.3	NA	NA				1.1	337.4
Halibut	52.5	92.8	NA	NA				18.2	45.9
Wolffish	29.2	30.7	NA	NA				2.7	2.7

Values in percent live weight (%)
Includes estimate of missing dealer reports
Source: NMFS Northeast Regional Office
Updated November 10, 2011

Any value for a non-allocated species may be due to landings of that stock; misreporting of species and/or stock area; and/or estimated landings (in lieu of missing reports) based on vessel histories. These include SNE winter flounder, northern windowpane, southern windowpane, ocean pout, halibut, and wolffish.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting. Differences with previous reports are due to corrections made to the database.

Table 25: FY 2010 End of Year Accounting of U.S./Canada Multispecies - U.S. Catch (mt)

Stock	U.S. Catch	U.S. Catch by Fishery Component							
		Groundfish	Sector	Common Pool	Recreational	Herring Fishery	Scallop Fishery	State Water	Other
	A to G	A+B+C	A	B	C	D	E	F	G
Eastern U.S./Canada Cod	253.8	253.5	253.5	0.0				0.0	0.3
Eastern U.S./Canada Haddock	1,882.2	1,823.1	1,823.1	0.0		34.4		0.0	24.7
U.S./Canada Yellowtail Flounder	809.7	757.6	739.0	18.6			17.6	0.0	34.4

Values in live weight

Includes estimate of missing dealer reports

Updated November 10, 2011

Table 26: FY 2010 End of Year Northeast Multispecies Trips, Vessels, Observers, and A DAS Used in the U.S./Canada Area

Area ¹	Number of Vessels		Number of Trips		A DAS Used		Number of Observed Trips	
	Sector	Common Pool	Sector	Common Pool	Sector	Common Pool	Sector	Common Pool
Eastern U.S./Canada Area	65	0	393	0	850	0	99	0
Western U.S./Canada Area	199	4	1,370	10	2,483	59	286	3
Total	199	4	1,507	10	2,675	59	322	3

¹Area based on area fished. Totals don't sum due to multi-area trips

Source: NMFS Northeast Regional Office

Run Date: June 29, 2011

Any value for a non-allocated species may be due to landings of that stock; misreporting of species and/or stock area; and/or estimated landings (in lieu of missing reports) based on vessel histories.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting. Differences with previous reports are due to corrections made to the database.

Table 27: FY 2010 End of Year Accounting of U.S./Canada Multispecies - U.S. Catch TACs (mt)

Stock	U.S. TAC	Fishery Component U.S. TAC							
		Groundfish	Sector	Common Pool	Recreational	Herring Fishery	Scallop Fishery	State Water	Other
	A to G	A+B+C	A	B	C	D	E	F	G
Eastern U.S./Canada Cod	338	338	325	13				0	0
Eastern U.S./Canada Haddock	11,988	11,988	11,913	75		NA		0	0
U.S./Canada Yellowtail Flounder	1,021	823	803	20			146	0	52

Values in live weight

Includes estimate of missing dealer reports

Source: NMFS Northeast Regional Office

Updated November 10, 2011

Any value for a non-allocated species may be due to landings of that stock; misreporting of species and/or stock area; and/or estimated landings (in lieu of missing reports) based on vessel histories.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting. Differences with previous reports are due to corrections made to the database.

Table 28: FY 2010 End of Year Accounting of U.S./Canada Multispecies - Percent of U.S. TAC Caught (%)

Stock	% of U.S. TAC	Percent of Each Fishery Component U.S. TAC Caught							
		Groundfish	Sector	Common Pool	Recreational	Herring Fishery	Scallop Fishery	State Water	Other
	A to G	A+B+C	A	B	C	D	E	F	G
Eastern U.S./Canada Cod	75.2	75.1	78.0	0.0				NA	NA
Eastern U.S./Canada Haddock	15.7	15.2	15.3	0.0		NA		NA	NA
U.S./Canada Yellowtail Flounder	79.3	92.1	92.0	93.1			12.1	NA	66.2

Values in percent live weight (%)

Includes estimate of missing dealer reports

Source: NMFS Northeast Regional Office

Updated November 10, 2011

Any value for a non-allocated species may be due to landings of that stock; misreporting of species and/or stock area; and/or estimated landings (in lieu of missing reports) based on vessel histories.

These data are the best available to NOAA's National Marine Fisheries Service (NMFS). Data sources for this report include: (1) Vessels via VMS; (2) Vessels via vessel logbook reports; (3) Dealers via Dealer Electronic reporting. Differences with previous reports are due to corrections made to the database.