

Table 1.A. - Preliminary Cod Landings by Stock Area

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01		2000/2001*	
															May00-Apr01 as a % of Target TAC	Target TAC
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	1000 Lbs	1000 Lbs
GULF OF MAINE	1,293	1,228	779	510	372	418	630	1,102	377	202	422	427	7,758	28%	183%	4,229
OTTER TRAWL	833	701	310	131	103	133	352	729	190	113	289	231	4,114	15%	97%	
GILLNET	384	479	436	365	249	266	270	263	154	72	102	177	3,217	12%	76%	
HOOK	14	13	3	2	6	4	0	53	14	11	13	14	148	1%	4%	
OTHER GEARS	62	35	29	11	15	15	9	57	19	6	17	4	279	1%	7%	
GEORGES BANK	1,221	2,631	1,479	1,319	988	1,112	1,192	809	1,672	1,207	2,435	4,122	20,187	72%	221%	9,138
OTTER TRAWL	1,054	1,125	396	705	534	676	1,017	519	706	615	1,825	3,335	12,507	45%	137%	
GILLNET	86	1,228	968	244	211	356	54	52	260	167	125	151	3,904	14%	43%	
HOOK	41	101	28	291	161	35	56	131	281	205	282	272	1,884	7%	21%	
OTHER GEARS	41	177	88	78	82	45	65	106	424	220	203	363	1,892	7%	21%	
ALL AREAS	2,514	3,858	2,258	1,828	1,360	1,530	1,823	1,911	2,048	1,409	2,857	4,549	27,945	100%	209%	13,367
OTTER TRAWL	1,886	1,826	706	836	637	809	1,368	1,249	896	727	2,114	3,566	16,621	59%	124%	
GILLNET	470	1,707	1,404	609	460	622	324	315	414	239	227	329	7,121	25%	53%	
HOOK	55	113	31	294	167	38	56	184	295	216	296	287	2,032	7%	15%	
OTHER GEARS	103	212	117	89	97	60	74	163	443	226	220	367	2,171	8%	16%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.
 * Fishing Year is May 1 through April 30.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY00-APR01	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,243	1,401	62%	842	38%	1,562	70%	642	29%	12	1%	27	1%
Gloucester, MA	5,200	2,696	52%	2,504	48%	3,438	66%	1,488	29%	164	3%	111	2%
Boston, MA	727	140	19%	588	81%	727	100%	0	0%	0	0%	0	0%
New Bedford, MA	7,910	88	1%	7,822	99%	7,907	100%	2	0%	0	0%	1	0%
Point Judith, RI	133	0	0%	133	100%	124	93%	0	0%	0	0%	9	6%
MAINE	2,765	1,922	70%	843	30%	1,914	69%	798	29%	14	1%	39	1%
NEW HAMPSHIRE	1,805	1,726	96%	79	4%	715	40%	1,056	59%	1	0%	33	2%
MASSACHUSETTS	22,470	4,106	18%	18,364	82%	13,339	59%	5,163	23%	1,927	9%	2,042	9%
RHODE ISLAND	568	3	1%	565	99%	424	75%	99	18%	0	0%	44	8%
CONNECTICUT	219	0	0%	219	100%	214	98%	1	1%	3	1%	0	0%
NEW YORK	118	0	0%	118	100%	16	13%	2	2%	86	73%	13	11%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	27,945	7,758	28%	20,187	72%	16,621	59%	7,121	25%	2,032	7%	2,171	8%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01		2000/2001*	
															May00-Apr01 as a % of Target TAC	Target TAC
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent		1000 Lbs
GULF OF MAINE	51	92	114	127	107	132	109	331	175	113	209	100	1,659	16%		
OTTER TRAWL	34	55	95	107	82	88	88	325	159	93	155	74	1,355	13%		
GILLNET	11	24	18	17	22	44	21	5	13	20	52	16	262	2%		
HOOK	3	9	1	3	2	0	0	0	3	1	2	10	34	0%		
OTHER GEARS	2	3	0	0	0	0	0	0	0	0	1	0	8	0%		
GEORGES BANK	533	694	390	555	286	742	263	422	1,205	932	1,426	1,370	8,816	84%	64%	13,784
OTTER TRAWL	521	680	335	535	273	733	259	420	1,155	921	1,371	1,311	8,514	81%	62%	
GILLNET	3	12	52	5	7	8	2	1	45	9	52	57	253	2%	2%	
HOOK	4	2	3	15	6	1	1	0	4	2	2	3	44	0%	0%	
OTHER GEARS	6	0	0	0	0	0	0	0	0	0	0	0	6	0%	0%	
SNE/ MID-ATLANTIC	0	0	0	0	6	0	0	0	0	0	19	0	25	0%		
OTTER TRAWL	0	0	0	0	6	0	0	0	0	0	19	0	25	0%		
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
ALL AREAS	584	786	504	683	399	874	371	752	1,380	1,045	1,653	1,470	10,501	100%		
OTTER TRAWL	555	735	430	642	361	821	347	745	1,314	1,014	1,544	1,385	9,894	94%		
GILLNET	14	36	69	22	29	52	23	7	58	29	104	72	515	5%		
HOOK	7	11	4	18	9	1	1	0	7	3	4	13	78	1%		
OTHER GEARS	8	3	0	0	0	0	0	0	0	0	1	0	14	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 2000 - APRIL 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,162	970	45%	1,192	55%	0	0%	2,080	96%	68	3%	10	0%	4	0%
Gloucester, MA	3,115	396	13%	2,714	87%	6	0%	2,980	96%	107	3%	25	1%	4	0%
Boston, MA	743	39	5%	704	95%	0	0%	743	100%	0	0%	0	0%	0	0%
New Bedford, MA	3,690	10	0%	3,661	99%	19	1%	3,689	100%	0	0%	0	0%	0	0%
Point Judith, RI	46	0	0%	46	100%	0	0%	46	100%	0	0%	0	0%	0	0%
MAINE	2,231	1,039	47%	1,192	53%	0	0%	2,142	96%	75	3%	10	0%	5	0%
NEW HAMPSHIRE	140	125	89%	15	10%	0	0%	23	17%	114	81%	0	0%	3	2%
MASSACHUSETTS	7,955	495	6%	7,436	93%	24	0%	7,554	95%	327	4%	68	1%	7	0%
RHODE ISLAND	130	0	0%	130	100%	0	0%	130	100%	0	0%	0	0%	0	0%
CONNECTICUT	33	0	0%	33	99%	0	0%	33	100%	0	0%	0	0%	0	0%
NEW YORK	12	0	0%	12	100%	0	0%	12	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	10,501	1,659	16%	8,816	84%	25	0%	9,894	94%	515	5%	78	1%	14	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological : (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01		2000/2001*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May00-Apr01 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	29	71	19	7	13	13	13	5	8	5	50	29	264	2%		
OTTER TRAWL	25	64	19	7	13	12	11	4	8	5	50	25	243	2%		
GILLNET	4	8	0	0	0	1	2	0	0	0	0	4	20	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	1	0	0	0	0	1	0%		
CAPE COD	1,008	554	322	198	339	252	168	744	138	119	248	91	4,181	26%		
OTTER TRAWL	692	399	266	175	338	251	167	732	134	114	241	78	3,587	22%		
GILLNET	312	149	55	22	1	1	0	11	0	1	3	10	566	4%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	3	6	1	0	1	0	0	1	4	4	4	3	28	0%		
GEORGES BANK	768	426	227	155	74	204	1,336	1,295	1,353	625	1,244	969	8,677	54%	85%	10,181
OTTER TRAWL	764	399	178	148	74	204	1,335	1,293	1,347	625	1,244	969	8,580	54%	84%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	4	28	49	7	0	1	0	2	6	0	0	0	97	1%	1%	
SNE/ MID-ATLANTIC	84	116	296	187	108	73	184	212	502	379	457	269	2,868	18%	137%	2,097
OTTER TRAWL	81	112	296	186	108	73	184	212	502	379	456	266	2,856	18%	136%	
GILLNET	2	2	0	0	0	0	0	0	0	0	0	1	5	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	1	1	0	1	0	0	0	0	0	0	0	2	7	0%	0%	
ALL AREAS	1,889	1,168	864	547	535	542	1,701	2,256	2,001	1,128	2,000	1,359	15,990	100%		
OTTER TRAWL	1,563	973	759	517	533	539	1,697	2,241	1,991	1,123	1,992	1,339	15,266	95%		
GILLNET	318	159	56	22	1	2	3	11	0	1	3	15	591	4%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%		
OTHER GEARS	8	35	50	8	1	1	1	3	10	4	5	6	133	1%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	90	14	15%	24	26%	52	58%	0	0%	85	94%	2	2%	0	0%	3	3%
Gloucester, MA	1,336	58	4%	953	71%	324	24%	1	0%	1,141	85%	182	14%	0	0%	13	1%
Boston, MA	206	8	4%	175	85%	23	11%	0	0%	206	100%	0	0%	0	0%	0	0%
New Bedford, MA	9,716	3	0%	1,580	16%	7,372	76%	761	8%	9,635	99%	0	0%	0	0%	81	1%
Point Judith, RI	1,352	7	1%	1	0%	302	22%	1,042	77%	1,351	100%	0	0%	0	0%	1	0%
MAINE	106	27	26%	25	24%	53	50%	1	0%	100	94%	2	2%	0	0%	4	4%
NEW HAMPSHIRE	176	150	86%	21	12%	0	0%	4	2%	160	91%	15	8%	0	0%	0	0%
MASSACHUSETTS	12,850	79	1%	4,119	32%	7,838	61%	814	6%	12,164	95%	573	4%	0	0%	113	1%
RHODE ISLAND	1,853	7	0%	14	1%	602	32%	1,230	66%	1,850	100%	0	0%	0	0%	3	0%
CONNECTICUT	313	0	0%	0	0%	163	52%	150	48%	306	98%	0	0%	0	0%	6	2%
NEW YORK	611	0	0%	0	0%	17	3%	593	97%	610	100%	0	0%	0	0%	0	0%
NEW JERSEY	81	0	0%	0	0%	5	7%	76	93%	75	93%	0	0%	0	0%	6	7%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	15,990	264	2%	4,181	26%	8,677	54%	2,868	18%	15,266	95%	591	4%	1	0%	133	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
SNE/ NORTH	643	646	816	780	561	758	482	366	450	449	439	490	6,879	99%
OTTER TRAWL	417	286	321	387	355	490	374	302	364	388	399	380	4,462	64%
GILLNET	212	351	491	386	200	265	107	63	86	61	41	110	2,374	34%
HOOK	14	0	4	6	2	1	1	0	0	0	0	0	28	0%
OTHER GEARS	0	8	0	0	4	2	0	0	0	0	0	0	15	0%
MID-ATLANTIC	5	6	2	2	5	0	7	10	10	3	2	1	53	1%
OTTER TRAWL	5	6	1	0	5	0	7	10	6	3	2	1	46	1%
GILLNET	0	0	0	2	0	0	0	0	0	0	0	0	2	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	0	0	0	0	0	0	4	0	0	0	4	0%
ALL AREAS	648	652	818	782	566	758	489	376	460	452	441	490	6,932	100%
OTTER TRAWL	422	292	322	387	360	490	381	313	370	391	401	380	4,508	65%
GILLNET	212	351	491	388	200	265	107	63	86	61	41	110	2,376	34%
HOOK	14	0	4	6	2	1	1	0	0	0	0	0	28	0%
OTHER GEARS	0	9	0	0	4	2	0	0	4	0	0	0	20	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	3,379	3,377	100%	2	0%	2,536	75%	821	24%	14	0%	8	0%
Gloucester, MA	1,321	1,316	100%	5	0%	661	50%	657	50%	3	0%	0	0%
Boston, MA	488	488	100%	0	0%	488	100%	0	0%	0	0%	0	0%
New Bedford, MA	331	328	99%	2	1%	331	100%	0	0%	0	0%	0	0%
Point Judith, RI	22	19	87%	3	13%	22	100%	0	0%	0	0%	0	0%
MAINE	3,818	3,816	100%	2	0%	2,818	74%	977	26%	14	0%	8	0%
NEW HAMPSHIRE	693	693	100%	0	0%	38	5%	655	94%	0	0%	0	0%
MASSACHUSETTS	2,295	2,288	100%	7	0%	1,535	67%	744	32%	10	0%	7	0%
RHODE ISLAND	81	68	84%	13	16%	81	100%	0	0%	0	0%	0	0%
CONNECTICUT	22	8	37%	14	63%	17	79%	0	0%	0	0%	4	21%
NEW YORK	23	7	28%	17	72%	19	83%	0	0%	4	16%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,932	6,879	99%	53	1%	4,508	65%	2,376	34%	28	0%	20	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	749	1,339	1,308	973	754	895	735	647	808	407	564	728	9,909	100%
OTTER TRAWL	711	1,311	1,301	971	752	895	735	645	806	405	554	707	9,793	98%
GILLNET	36	19	6	2	1	0	0	0	0	0	2	19	86	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	1	10	1	0	1	0	0	2	2	2	8	2	30	0%
SNE / MID-ATLANTIC	10	4	3	2	3	6	2	0	3	1	1	5	40	0%
OTTER TRAWL	6	3	3	2	3	6	2	0	3	1	1	4	34	0%
GILLNET	4	1	0	0	0	0	0	0	0	0	0	1	6	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	758	1,344	1,311	975	757	901	737	648	812	408	565	733	9,949	100%
OTTER TRAWL	716	1,314	1,304	973	756	901	736	646	809	406	555	711	9,827	99%
GILLNET	40	20	6	2	1	0	0	0	0	0	2	20	92	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	1	10	1	0	1	0	0	2	2	2	8	2	30	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	4,289	4,284	100%	5	0%	4,287	100%	1	0%	0	0%	1	0%
Gloucester, MA	1,295	1,292	100%	3	0%	1,235	95%	41	3%	0	0%	19	1%
Boston, MA	836	836	100%	0	0%	836	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,409	1,406	100%	4	0%	1,406	100%	0	0%	0	0%	3	0%
Point Judith, RI	37	32	86%	5	14%	37	99%	0	0%	0	0%	0	0%
MAINE	5,650	5,638	100%	12	0%	5,646	100%	2	0%	0	0%	1	0%
NEW HAMPSHIRE	204	199	97%	6	3%	176	86%	27	13%	0	0%	1	1%
MASSACHUSETTS	3,810	3,801	100%	9	0%	3,720	98%	62	2%	0	0%	27	1%
RHODE ISLAND	221	213	96%	8	4%	221	100%	0	0%	0	0%	0	0%
CONNECTICUT	59	54	91%	6	9%	59	100%	0	0%	0	0%	0	0%
NEW YORK	5	5	97%	0	0%	5	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	9,949	9,909	100%	40	0%	9,827	99%	92	1%	0	0%	30	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	280	93	94	63	80	71	56	199	23	16	68	95	1,138	8%
OTTER TRAWL	124	56	74	47	77	66	54	195	23	14	63	91	885	6%
GILLNET	156	36	21	15	3	4	2	4	0	1	3	3	248	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	0	0	0	0	1	0	0	1	1	1	5	0%
GEORGES BANK	469	702	300	386	313	338	519	281	98	120	143	548	4,215	31%
OTTER TRAWL	462	701	298	385	313	319	512	274	92	120	142	547	4,166	30%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	7	0	2	1	0	19	7	7	6	0	0	0	49	0%
SNE/ MID-ATLANTIC	760	657	637	1,172	1,073	1,108	914	500	325	183	425	690	8,443	61%
OTTER TRAWL	733	620	628	1,166	1,061	1,085	910	465	321	182	423	659	8,251	60%
GILLNET	18	30	8	4	9	13	1	0	1	1	2	28	114	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
OTHER GEARS	9	6	2	1	3	10	4	35	3	0	1	4	76	1%
ALL AREAS	1,509	1,451	1,031	1,621	1,466	1,517	1,489	980	446	318	635	1,333	13,796	100%
OTTER TRAWL	1,318	1,378	999	1,598	1,451	1,471	1,475	934	436	316	628	1,297	13,302	96%
GILLNET	174	66	28	20	12	18	2	5	1	2	5	31	363	3%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
OTHER GEARS	16	7	3	3	3	29	12	42	9	1	2	5	131	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	31	6	18%	13	41%	13	40%	25	79%	0	0%	0	0%	7	21%
Gloucester, MA	482	313	65%	89	19%	79	16%	363	75%	115	24%	0	0%	4	1%
Boston, MA	61	25	40%	21	35%	15	25%	61	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,130	179	2%	3,792	47%	4,159	51%	8,083	99%	0	0%	0	0%	47	1%
Point Judith, RI	1,437	5	0%	18	1%	1,414	98%	1,400	97%	1	0%	0	0%	36	3%
MAINE	34	8	22%	13	38%	14	40%	28	81%	0	0%	0	0%	7	19%
NEW HAMPSHIRE	37	32	85%	2	4%	4	11%	23	63%	12	32%	0	0%	2	5%
MASSACHUSETTS	9,635	1,092	11%	4,083	42%	4,461	46%	9,226	96%	336	3%	1	0%	72	1%
RHODE ISLAND	1,822	5	0%	75	4%	1,742	96%	1,768	97%	13	1%	0	0%	41	2%
CONNECTICUT	471	0	0%	38	8%	433	92%	464	99%	0	0%	0	0%	6	1%
NEW YORK	1,163	1	0%	5	0%	1,157	99%	1,161	100%	1	0%	0	0%	1	0%
NEW JERSEY	628	0	0%	0	0%	627	100%	625	100%	0	0%	0	0%	2	0%
OTHER NORTHEAST	6	1	16%	0	0%	5	84%	6	93%	0	0%	0	0%	0	0%
TOTAL	13,796	1,138	8%	4,215	31%	8,443	61%	13,302	96%	363	3%	1	0%	131	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	374	727	545	499	379	439	337	326	585	353	498	689	5,752	97%
OTTER TRAWL	356	695	525	488	364	438	336	325	584	353	498	689	5,652	95%
GILLNET	16	22	18	10	4	0	0	0	0	0	0	0	71	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	2	10	2	0	10	1	1	0	2	0	0	0	29	0%
SNE/ MID-ATLANTIC	25	16	22	28	9	17	14	5	9	10	24	9	189	3%
OTTER TRAWL	22	15	22	28	9	17	14	5	9	10	24	9	184	3%
GILLNET	3	1	0	0	0	0	0	0	0	0	0	0	4	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	400	743	567	527	387	456	351	331	595	364	523	698	5,941	100%
OTTER TRAWL	378	710	547	516	373	455	350	331	593	363	522	698	5,836	98%
GILLNET	20	23	18	10	4	0	0	0	0	0	0	0	76	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	2	10	2	0	10	1	1	0	2	0	0	0	29	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,786	1,777	99%	9	1%	1,786	100%	0	0%	0	0%	0	0%
Gloucester, MA	1,008	1,005	100%	4	0%	956	95%	45	4%	0	0%	7	1%
Boston, MA	603	603	100%	0	0%	603	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,070	1,045	98%	25	2%	1,061	99%	0	0%	0	0%	8	1%
Point Judith, RI	73	27	37%	46	63%	73	100%	0	0%	0	0%	0	0%
MAINE	2,421	2,411	100%	10	0%	2,419	100%	1	0%	0	0%	1	0%
NEW HAMPSHIRE	94	90	96%	4	4%	82	87%	13	13%	0	0%	0	0%
MASSACHUSETTS	3,114	3,076	99%	38	1%	3,025	97%	62	2%	0	0%	27	1%
RHODE ISLAND	182	129	71%	52	29%	182	100%	0	0%	0	0%	0	0%
CONNECTICUT	52	43	82%	9	18%	52	99%	0	0%	0	0%	1	0%
NEW YORK	22	2	7%	20	93%	22	100%	0	0%	0	0%	0	0%
NEW JERSEY	44	0	0%	43	99%	43	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	12	0	0%	12	100%	12	100%	0	0%	0	0%	0	0%
TOTAL	5,941	5,752	97%	189	3%	5,836	98%	76	1%	0	0%	29	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	18	7	2	3	2	5	17	3	12	16	32	22	140	32%
OTTER TRAWL	18	7	2	3	2	5	16	3	12	16	32	22	138	32%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	2	0%
SNE/ MID-ATLANTIC	50	7	10	4	2	2	7	15	50	37	57	52	291	68%
OTTER TRAWL	50	7	10	4	2	2	7	15	50	37	57	52	291	68%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	68	14	12	7	4	7	23	18	61	53	89	74	431	100%
OTTER TRAWL	68	14	12	7	4	7	23	18	61	53	89	74	428	99%
GILLNET	1	0	0	0	0	0	0	0	0	0	0	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	2	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	140	116	83%	24	17%	138	99%	0	0%	0	0%	2	1%
Point Judith, RI	53	9	17%	44	83%	53	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	144	120	84%	24	16%	142	99%	0	0%	0	0%	2	1%
RHODE ISLAND	58	13	22%	45	78%	58	100%	0	0%	0	0%	0	0%
CONNECTICUT	18	6	31%	12	69%	18	100%	0	0%	0	0%	0	0%
NEW YORK	105	1	0%	104	99%	104	100%	0	0%	0	0%	0	0%
NEW JERSEY	106	0	0%	106	100%	106	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	431	140	32%	291	68%	428	99%	1	0%	0	0%	2	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01		2000/2001*	
		1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent		May00-Apr01 as a % of Target TAC	Target TAC 1000 Lbs
ATLANTIC POLLOCK	2000/2001	632	952	1,003	746	534	700	641	714	903	426	651	600	8,501	18%	15%	
REDFISH	2000/2001	100	67	50	56	61	81	54	45	71	37	43	59	723	2%	1%	
WHITE HAKE	2000/2001	648	652	818	782	566	758	489	376	460	452	441	490	6,932	15%	12%	
AMERICAN PLAICE	2000/2001	758	1,344	1,311	975	757	901	737	648	812	408	565	733	9,949	22%	18%	
WINTER FLOUNDER	2000/2001	1,509	1,451	1,031	1,621	1,466	1,517	1,489	980	446	318	635	1,333	13,796	30%	25%	
WITCH FLOUNDER	2000/2001	400	743	567	527	387	456	351	331	595	364	523	698	5,941	13%	11%	
WINDOWPANE FLDR	2000/2001	68	14	12	7	4	7	23	18	61	53	89	74	431	1%	1%	
TOTAL	2000/2001	4,115	5,222	4,792	4,714	3,775	4,420	3,785	3,112	3,347	2,058	2,947	3,986	46,273		82%	56,200

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	9	229	1,006	1,044	787	1,296	815	146	191	182	145	12	5,862	21%
OTTER TRAWL	6	208	971	1,010	765	1,167	760	85	186	182	143	12	5,495	20%
GILLNET	2	20	33	32	15	19	14	15	6	1	2	0	160	1%
HOOK	0	0	1	1	0	0	0	0	0	0	0	0	3	0%
OTHER GEARS	0	0	0	0	7	110	40	46	0	0	0	0	204	1%
SNE/ MID-ATLANTIC	2,035	1,928	1,593	1,887	1,971	955	791	1,194	2,611	2,071	2,459	2,003	21,497	79%
OTTER TRAWL	2,033	1,927	1,593	1,887	1,971	955	783	1,190	2,606	2,070	2,457	1,998	21,468	78%
GILLNET	0	0	0	0	0	0	9	3	0	1	2	2	17	0%
HOOK	2	0	0	1	0	0	0	0	0	1	0	0	5	0%
OTHER GEARS	0	0	0	0	0	0	0	0	5	0	0	2	8	0%
ALL AREAS	2,044	2,157	2,599	2,931	2,758	2,251	1,606	1,340	2,802	2,253	2,604	2,015	27,359	100%
OTTER TRAWL	2,039	2,135	2,564	2,897	2,735	2,122	1,543	1,275	2,791	2,251	2,599	2,010	26,963	99%
GILLNET	2	21	33	32	15	19	23	19	6	1	4	2	177	1%
HOOK	2	0	1	1	0	0	0	0	0	1	0	0	7	0%
OTHER GEARS	0	1	0	0	7	110	40	46	5	0	0	2	212	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	17	14	86%	2	14%	13	79%	1	0%	3	17%	0	0%
Gloucester, MA	2,304	2,304	100%	0	0%	2,197	95%	102	4%	0	0%	5	0%
Boston, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
New Bedford, MA	1,057	457	43%	600	57%	1,057	100%	1	0%	0	0%	0	0%
Point Judith, RI	9,588	588	6%	9,000	94%	9,585	100%	2	0%	1	0%	0	0%
MAINE	20	17	88%	2	12%	16	81%	1	0%	3	14%	0	0%
NEW HAMPSHIRE	365	362	99%	2	1%	327	90%	38	10%	0	0%	0	0%
MASSACHUSETTS	4,916	4,299	87%	617	13%	4,587	93%	124	3%	2	0%	204	4%
RHODE ISLAND	10,783	609	6%	10,173	94%	10,773	100%	9	0%	1	0%	0	0%
CONNECTICUT	4,855	566	12%	4,289	88%	4,850	100%	0	0%	0	0%	5	0%
NEW YORK	5,574	8	0%	5,566	100%	5,571	100%	0	0%	2	0%	0	0%
NEW JERSEY	831	0	0%	831	100%	829	100%	1	0%	0	0%	0	0%
OTHER NORTHEAST	17	0	0%	17	100%	10	59%	5	27%	0	0%	2	14%
TOTAL	27,359	5,862	21%	21,497	79%	26,963	99%	177	1%	7	0%	212	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR - 2001	APR - 2001	MAY 00 - APR 01		2000/2001*	
													1000 Lbs	Percent	May00-Apr01 as a % of Target TAC	Target TAC 1000 Lbs
NORTHERN	1,438	2,044	2,033	2,209	2,141	2,659	2,202	2,092	2,399	1,863	2,291	2,775	26,145	60%	209%	12,507
OTTER TRAWL	1,137	1,351	1,125	1,176	1,396	1,760	1,196	1,272	2,053	1,779	2,162	2,570	18,977	43%	152%	
GILLNET	233	606	816	974	713	793	914	736	300	83	128	200	6,497	15%	52%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	67	87	92	59	32	106	91	83	45	1	1	5	670	2%	5%	
SOUTHERN	2,185	1,890	864	609	717	1,425	3,005	1,984	1,586	1,214	919	1,151	17,549	40%	132%	13,281
OTTER TRAWL	295	262	211	193	492	973	1,736	618	643	918	617	445	7,404	17%	56%	
GILLNET	1,488	1,134	217	35	33	233	1,077	1,046	799	173	196	527	6,959	16%	52%	
HOOK	0	0	0	1	0	0	0	0	0	0	1	0	3	0%	0%	
OTHER GEARS	402	494	437	380	192	218	191	319	144	123	105	179	3,184	7%	24%	
ALL AREAS	3,623	3,935	2,897	2,818	2,858	4,084	5,206	4,076	3,985	3,077	3,209	3,926	43,694	100%	169%	25,787
OTTER TRAWL	1,433	1,613	1,336	1,370	1,888	2,733	2,932	1,890	2,696	2,697	2,779	3,015	26,381	60%	102%	
GILLNET	1,721	1,740	1,033	1,009	746	1,026	1,991	1,783	1,099	256	324	727	13,456	31%	52%	
HOOK	0	0	0	1	0	0	0	0	0	0	1	0	3	0%	0%	
OTHER GEARS	469	581	528	439	224	325	283	403	189	125	106	184	3,854	9%	15%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 2000 - April 2001

PORT/ STATE	MAY 00 - APR 01	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	7,362	7,286	99%	76	1%	6,860	93%	499	7%	0	0%	3	0%
Gloucester, MA	3,946	3,888	99%	59	1%	1,946	49%	1,921	49%	0	0%	79	2%
Boston, MA	1,890	1,829	97%	60	3%	1,867	99%	0	0%	0	0%	23	1%
New Bedford, MA	11,642	5,923	51%	5,719	49%	8,020	69%	971	8%	0	0%	2,651	23%
Point Judith, RI	3,191	56	2%	3,136	98%	2,320	73%	826	26%	0	0%	45	1%
MAINE	10,105	9,988	99%	117	1%	9,279	92%	807	8%	0	0%	19	0%
NEW HAMPSHIRE	1,880	1,793	95%	87	5%	164	9%	1,702	91%	0	0%	14	1%
MASSACHUSETTS	19,820	13,405	68%	6,414	32%	12,229	62%	4,787	24%	1	0%	2,803	14%
RHODE ISLAND	5,023	550	11%	4,473	89%	3,108	62%	1,828	36%	0	0%	87	2%
CONNECTICUT	1,130	358	32%	772	68%	775	69%	229	20%	0	0%	126	11%
NEW YORK	778	19	2%	759	98%	273	35%	496	64%	2	0%	6	1%
NEW JERSEY	3,724	31	1%	3,693	99%	322	9%	2,850	77%	0	0%	552	15%
OTHER NORTHEAST	1,236	1	0%	1,235	100%	231	19%	758	61%	0	0%	247	20%
TOTAL	43,694	26,145	60%	17,549	40%	26,381	60%	13,456	31%	3	0%	3,854	9%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	MAR - 2000	APR - 2000	MAY - 2000	JUN - 2000	JUL - 2000	AUG - 2000	SEP - 2000	OCT - 2000	NOV - 2000	DEC - 2000	JAN - 2001	FEB - 2001	MAR 00 - FEB 01	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	44	11	31	14	25	29	8	19	29	80	30	41	361	1%
OTTER TRAWL	1	0	0	1	2	1	1	1	1	1	1	0	10	0%
DREDGE	43	11	31	12	23	28	7	18	28	77	29	40	348	1%
OTHER GEARS	0	0	0	0	0	0	0	0	0	2	0	1	3	0%
SOUTH CHANNEL	118	366	542	558	486	1,082	723	1,302	692	945	1,204	227	8,244	24%
OTTER TRAWL	2	0	7	0	0	10	11	0	0	1	0	0	33	0%
DREDGE	115	366	535	558	486	1,072	702	1,301	692	945	1,203	227	8,201	24%
OTHER GEARS	0	0	0	0	0	0	9	0	0	0	0	0	10	0%
GEORGES BANK NORTH	49	127	220	703	1,047	320	47	25	16	3	1	0	2,556	7%
OTTER TRAWL	0	0	0	0	0	0	0	0	0	1	1	0	2	0%
DREDGE	48	127	219	703	1,047	320	47	25	15	2	0	0	2,553	7%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
GEORGES BANK SOUTH	40	18	126	337	120	105	63	152	59	52	121	0	1,195	3%
OTTER TRAWL	1	0	0	0	0	0	0	0	0	2	3	0	7	0%
DREDGE	39	18	126	337	120	105	63	152	59	50	119	0	1,188	3%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
S. NEW ENGLAND	20	48	0	0	9	32	21	1	0	12	20	20	183	1%
OTTER TRAWL	0	1	0	0	1	1	1	1	0	0	0	0	6	0%
DREDGE	20	47	0	0	8	31	20	0	0	12	15	20	173	1%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	4	0	4	0%
NEW YORK BIGHT	1,680	1,450	1,688	857	652	799	975	862	497	425	487	1,132	11,503	34%
OTTER TRAWL	9	100	61	30	1	45	17	13	19	45	38	67	446	1%
DREDGE	1,670	1,314	1,627	827	651	753	958	849	478	380	449	1,065	11,021	32%
OTHER GEARS	0	36	0	0	0	0	0	0	0	0	0	0	36	0%
DE / MD / VA	278	1,064	2,010	1,578	1,426	1,238	807	462	310	331	146	240	9,889	29%
OTTER TRAWL	45	79	370	433	479	330	265	133	65	24	3	13	2,238	7%
DREDGE	232	973	1,641	1,145	947	908	541	329	244	307	144	226	7,638	22%
OTHER GEARS	0	12	0	0	0	0	0	0	0	0	0	0	13	0%
VA / NC	19	30	121	38	64	41	37	22	7	0	0	0	379	1%
OTTER TRAWL	1	1	44	16	31	23	18	3	2	0	0	0	140	0%
DREDGE	18	28	77	22	33	19	19	19	4	0	0	0	239	1%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	2,247	3,115	4,738	4,084	3,830	3,645	2,679	2,845	1,609	1,848	2,009	1,660	34,309	100%
OTTER TRAWL	60	182	483	480	514	410	313	151	89	73	45	81	2,881	8%
DREDGE	2,187	2,884	4,256	3,604	3,315	3,236	2,357	2,694	1,521	1,773	1,959	1,578	31,363	91%
OTHER GEARS	0	48	0	0	0	0	9	0	0	2	5	1	66	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is March 1 through February 28.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March 2000 - February 2001

PORT/ STATE	MAR 00 - FEB 01	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		NEW YORK BIGHT		SOUTHERN NEW ENGLAND		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	17,187	68	0%	6,906	40%	2,178	13%	1,027	6%	157	1%	6,283	37%	568	3%	0	0%
Cape May, NJ	3,061	0	0%	119	4%	0	0%	30	1%	9	0%	1,268	41%	1,567	51%	69	2%
Norfolk, VA	9,396	0	0%	157	2%	23	0%	16	0%	0	0%	1,402	15%	7,488	80%	309	3%
								0									
MAINE	630	144	23%	307	49%	89	14%	89	14%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	82	2	2%	56	68%	11	13%	0	0%	0	0%	14	17%	0	0%	0	0%
MASSACHUSETTS	17,643	204	1%	7,159	41%	2,219	13%	1,040	6%	159	1%	6,290	36%	572	3%	0	0%
RHODE ISLAND	255	2	1%	88	35%	52	20%	0	0%	3	1%	74	29%	36	14%	0	0%
CONNECTICUT	862	10	1%	195	23%	41	5%	20	2%	1	0%	596	69%	0	0%	0	0%
NEW JERSEY	5,167	0	0%	281	5%	120	2%	30	1%	19	0%	2,951	57%	1,697	33%	69	1%
VIRGINIA	9,447	0	0%	157	2%	23	0%	16	0%	0	0%	1,403	15%	7,538	80%	309	3%
OTHER NORTHEAST	223	0	0%	0	0%	0	0%	0	0%	1	0%	175	79%	46	21%	1	0%
TOTAL	34,309	361	1%	8,244	24%	2,556	7%	1,195	3%	183	1%	11,503	34%	9,889	29%	379	1%

PORT/ STATE	MAR 00 - FEB 01	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	17,187	41	0%	17,095	99%	50	0%
Cape May, NJ	3,061	718	23%	2,342	77%	0	0%
Norfolk, VA	9,396	1,812	19%	7,572	81%	12	0%
MAINE	630	1	0%	626	99%	3	0%
NEW HAMPSHIRE	82	1	2%	81	98%	0	0%
MASSACHUSETTS	17,643	48	0%	17,544	99%	50	0%
RHODE ISLAND	255	6	2%	249	98%	0	0%
CONNECTICUT	862	27	3%	835	97%	0	0%
NEW JERSEY	5,167	783	15%	4,383	85%	1	0%
VIRGINIA	9,447	1,826	19%	7,609	81%	12	0%
OTHER NORTHEAST	223	187	84%	36	16%	0	0%
TOTAL	34,309	2,881	8%	31,363	91%	66	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.