

Table 1.A. - Preliminary Cod Landings by Stock Area

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02		2001/2002*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May01-Apr02 as a % of Target TAC	Target TAC* 1000 Lbs
GULF OF MAINE	1,383	1,656	1,011	675	491	448	803	1,356	760	546	690	654	10,474	29%	248%	4,229
OTTER TRAWL	924	963	444	225	206	199	536	897	390	256	408	386	5,833	16%	138%	
GILLNET	360	582	510	421	263	200	221	320	278	214	216	250	3,834	11%	91%	
HOOK	25	20	4	1	2	1	15	57	53	41	45	13	278	1%	7%	
OTHER GEARS	73	91	53	29	21	48	31	82	38	36	22	5	528	1%	12%	
GEORGES BANK	1,346	2,924	2,154	1,660	1,515	1,551	1,759	1,605	1,746	1,988	2,426	4,363	25,037	71%	232%	10,803
OTTER TRAWL	1,223	1,575	984	706	1,090	1,364	1,508	1,209	761	1,191	1,943	3,911	17,465	49%	162%	
GILLNET	41	1,183	674	320	98	128	116	76	346	182	31	144	3,340	9%	31%	
HOOK	7	38	364	470	230	21	38	169	347	360	239	193	2,477	7%	23%	
OTHER GEARS	75	127	132	164	97	39	96	150	292	254	213	114	1,755	5%	16%	
ALL AREAS	2,728	4,580	3,165	2,335	2,006	2,000	2,562	2,961	2,505	2,534	3,117	5,017	35,510	100%	236%	15,032
OTTER TRAWL	2,147	2,538	1,428	930	1,296	1,563	2,044	2,106	1,151	1,447	2,351	4,298	23,298	66%	155%	
GILLNET	401	1,765	1,184	741	361	327	337	396	624	396	247	394	7,174	20%	48%	
HOOK	32	58	368	471	232	22	53	226	400	402	284	206	2,755	8%	18%	
OTHER GEARS	148	219	185	193	118	87	127	232	330	290	235	119	2,283	6%	15%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

* NOAA recently discovered that the TACs previously stated in this Table were erroneous because they were not consistent with the TACs published for 2001-/02 at 66 FR 15813. The target TACs and the associated percentages have been revised to correct this inadvertent error.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2001 - April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,638	1,736	66%	902	34%	1,885	71%	743	28%	9	0%	1	0%
Gloucester, MA	6,936	4,093	59%	2,842	41%	4,842	70%	1,673	24%	192	3%	228	3%
Boston, MA	1,160	140	12%	1,019	88%	1,132	98%	0	0%	27	2%	1	0%
New Bedford, MA	11,615	204	2%	11,411	98%	11,596	100%	8	0%	0	0%	11	0%
Point Judith, RI	183	3	2%	180	98%	164	89%	9	5%	0	0%	11	6%
MAINE	3,326	2,420	73%	905	27%	2,304	69%	995	30%	12	0%	15	0%
NEW HAMPSHIRE	2,127	2,064	97%	63	3%	963	45%	1,051	49%	3	0%	111	5%
MASSACHUSETTS	29,528	5,982	20%	23,546	80%	19,572	66%	5,080	17%	2,740	9%	2,136	7%
RHODE ISLAND	445	7	2%	439	98%	389	87%	46	10%	0	0%	11	2%
CONNECTICUT	67	0	0%	66	100%	66	100%	0	0%	0	0%	0	0%
NEW YORK	17	0	0%	17	100%	5	30%	1	0%	0	0%	11	62%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	35,510	10,474	29%	25,037	71%	23,298	66%	7,174	20%	2,755	8%	2,283	6%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02		2001/2002*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	MAY01-APR02 as % of Target TAC	Target TAC ⁺ 1000 Lbs
GULF OF MAINE	85	121	110	120	183	269	288	383	301	425	432	83	2,800	20%		
OTTER TRAWL	75	87	87	98	164	251	278	375	214	286	222	52	2,189	15%		
GILLNET	7	29	22	21	18	18	8	6	60	120	178	26	513	4%		
HOOK	3	5	0	0	1	0	1	1	24	18	28	4	86	1%		
OTHER GEARS	0	0	1	0	0	0	0	0	2	1	4	1	11	0%		
GEORGES BANK	635	719	711	884	1,022	881	366	515	1,273	1,576	987	1,964	11,533	80%	45%	25,751
OTTER TRAWL	632	705	663	840	1,007	869	357	505	1,192	1,531	947	1,954	11,204	78%	44%	
GILLNET	2	11	11	18	8	10	8	7	75	31	19	7	207	1%	1%	
HOOK	0	3	37	26	6	1	1	3	6	14	20	3	120	1%	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	1	2	0%	0%	
SNE/ MID-ATLANTIC	0	0	1	0	0	1	0	0	0	2	0	4	9	0%		
OTTER TRAWL	0	0	0	0	0	1	0	0	0	1	0	4	7	0%		
GILLNET	0	0	1	0	0	0	0	0	0	1	0	0	1	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
ALL AREAS	720	840	822	1,004	1,205	1,151	654	898	1,574	2,003	1,419	2,051	14,341	100%		
OTTER TRAWL	707	792	751	938	1,171	1,121	635	880	1,407	1,818	1,170	2,010	13,401	93%		
GILLNET	9	40	33	39	26	28	16	13	135	152	197	33	722	5%		
HOOK	3	8	37	26	8	1	2	4	30	32	48	7	206	1%		
OTHER GEARS	1	1	1	0	0	0	0	1	3	1	4	1	12	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

* NOAA recently discovered that the TACs previously stated in this Table were erroneous because they were not consistent with the TACs published for 2001-/02 at 66 FR 15813. The target TACs and the associated percentages have been revised to correct this inadvertent error.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 2001- April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,768	1,543	56%	1,223	44%	2	0%	2,722	98%	41	1%	6	0%	0	0%
Gloucester, MA	3,151	879	28%	2,273	72%	0	0%	2,672	85%	407	13%	66	2%	7	0%
Boston, MA	738	29	4%	708	96%	0	0%	738	100%	0	0%	0	0%	0	0%
New Bedford, MA	6,565	62	1%	6,497	99%	6	0%	6,562	100%	2	0%	0	0%	0	0%
Point Judith, RI	69	2	2%	68	98%	0	0%	64	92%	5	8%	0	0%	0	0%
MAINE	2,892	1,667	58%	1,223	42%	2	0%	2,826	98%	59	2%	6	0%	0	0%
NEW HAMPSHIRE	107	92	86%	15	14%	0	0%	26	24%	80	74%	0	0%	1	1%
MASSACHUSETTS	10,971	1,038	9%	9,926	90%	7	0%	10,183	93%	577	5%	200	2%	11	0%
RHODE ISLAND	308	2	1%	306	99%	0	0%	302	98%	5	2%	0	0%	0	0%
CONNECTICUT	63	0	0%	63	100%	0	0%	63	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	14,341	2,800	20%	11,533	80%	9	0%	13,401	93%	722	5%	206	1%	12	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02		2001/2002*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May01-Apr02 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	19	65	10	3	4	26	23	7	27	6	30	11	232	2%		
OTTER TRAWL	17	60	9	3	4	25	23	7	27	6	30	10	220	2%		
GILLNET	2	6	1	0	0	1	0	0	0	0	0	1	12	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
CAPE COD	1,076	491	373	283	462	394	296	803	134	168	220	133	4,834	33%		
OTTER TRAWL	791	344	324	269	458	392	295	800	132	168	211	114	4,299	29%		
GILLNET	285	146	48	14	1	2	1	3	0	1	8	18	526	4%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	1	0	3	0	0	0	2	0	0	2	9	0%		
GEORGES BANK	1,275	836	312	479	56	428	536	716	704	545	1,052	840	7,778	53%	52%	15,003
OTTER TRAWL	1,259	835	311	477	56	428	536	657	704	545	1,052	840	7,701	53%	51%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	16	0	1	1	0	0	0	59	0	0	0	0	77	1%	1%	
SNE/ MID-ATLANTIC	42	61	101	89	61	65	96	92	463	308	227	155	1,760	12%	84%	2,092
OTTER TRAWL	40	60	101	88	61	65	96	92	463	307	227	154	1,754	12%	84%	
GILLNET	1	0	0	0	0	0	0	0	0	1	0	0	2	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	0	0	1	0	0	0	0	0	0	0	1	1	3	0%	0%	
ALL AREAS	2,412	1,452	796	853	583	913	951	1,618	1,328	1,027	1,529	1,140	14,604	100%		
OTTER TRAWL	2,107	1,300	745	838	579	910	950	1,556	1,325	1,026	1,519	1,118	13,974	96%		
GILLNET	289	152	49	14	1	3	1	3	0	1	8	19	540	4%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	16	1	2	2	3	0	1	60	2	0	1	2	90	1%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
 3. State landings for 2002 have been updated and are complete.
 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 2001- April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	73	9	12%	12	17%	52	72%	0	0%	73	100%	0	0%	0	0%	0	0%
Gloucester, MA	1,201	62	5%	961	80%	176	15%	1	0%	980	82%	220	18%	0	0%	0	0%
Boston, MA	148	2	1%	113	76%	33	22%	0	0%	148	100%	0	0%	0	0%	0	0%
New Bedford, MA	10,237	26	0%	2,590	25%	7,033	69%	587	6%	10,156	99%	0	0%	0	0%	81	1%
Point Judith, RI	813	0	0%	4	0%	148	18%	661	81%	813	100%	0	0%	0	0%	0	0%
MAINE	83	16	20%	14	17%	52	63%	0	0%	83	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	142	119	84%	23	16%	0	0%	0	0%	129	91%	12	9%	0	0%	0	0%
MASSACHUSETTS	12,834	96	1%	4,792	37%	7,349	57%	596	5%	12,220	95%	527	4%	0	0%	87	1%
RHODE ISLAND	1,100	0	0%	4	0%	274	25%	822	75%	1,099	100%	1	0%	0	0%	0	0%
CONNECTICUT	166	0	0%	0	0%	98	59%	68	41%	164	99%	0	0%	0	0%	2	1%
NEW YORK	272	0	0%	0	0%	5	2%	267	98%	272	100%	0	0%	0	0%	0	0%
NEW JERSEY	7	0	0%	0	0%	0	0%	7	100%	7	97%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	14,604	232	2%	4,834	33%	7,778	53%	1,760	12%	13,974	96%	540	4%	0	0%	90	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
SNE/ NORTH	567	679	962	785	711	767	661	630	655	659	690	515	8,279	99%
OTTER TRAWL	428	453	502	416	515	592	577	576	625	640	657	451	6,431	77%
GILLNET	130	225	456	367	195	175	83	54	30	19	31	49	1,812	22%
HOOK	9	0	1	1	1	0	0	0	1	0	2	16	30	0%
OTHER GEARS	0	0	3	1	1	0	0	0	0	0	0	0	5	0%
MID-ATLANTIC	3	3	10	37	0	0	0	0	2	5	3	1	65	1%
OTTER TRAWL	3	3	0	37	0	0	0	0	2	5	3	1	54	1%
GILLNET	0	0	8	0	0	0	0	0	0	0	0	0	8	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	2	0	0	0	0	0	0	0	0	0	2	0%
ALL AREAS	571	681	972	822	711	768	661	630	656	664	693	516	8,344	100%
OTTER TRAWL	431	456	502	453	515	592	577	576	626	645	660	452	6,486	78%
GILLNET	130	225	464	367	195	175	83	54	30	19	31	49	1,821	22%
HOOK	9	0	1	1	1	0	0	0	1	0	2	16	30	0%
OTHER GEARS	0	0	5	1	1	0	0	0	0	0	0	0	7	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 2001 - April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	4,281	4,268	100%	13	0%	3,582	84%	691	16%	8	0%	0	0%
Gloucester, MA	1,832	1,832	100%	0	0%	1,353	74%	478	26%	1	0%	0	0%
Boston, MA	478	478	100%	0	0%	478	100%	0	0%	0	0%	0	0%
New Bedford, MA	488	488	100%	0	0%	488	100%	0	0%	0	0%	0	0%
Point Judith, RI	23	19	82%	4	18%	21	93%	0	0%	0	0%	2	7%
MAINE	4,789	4,776	100%	13	0%	3,893	81%	869	18%	26	1%	0	0%
NEW HAMPSHIRE	495	495	100%	0	0%	85	17%	408	83%	0	0%	1	0%
MASSACHUSETTS	2,909	2,909	100%	0	0%	2,360	81%	543	19%	4	0%	2	0%
RHODE ISLAND	81	77	95%	4	5%	79	98%	0	0%	0	0%	2	2%
CONNECTICUT	67	22	33%	44	67%	64	96%	0	0%	0	0%	2	4%
NEW YORK	5	1	0%	4	79%	4	87%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	8,344	8,279	99%	65	1%	6,486	78%	1,821	22%	30	0%	7	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	873	1,509	1,213	797	799	676	647	689	837	489	578	816	9,923	99%
OTTER TRAWL	833	1,483	1,205	795	798	675	647	688	836	489	576	810	9,836	99%
GILLNET	40	26	7	1	1	0	0	1	1	0	2	5	84	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
OTHER GEARS	0	0	1	0	0	0	0	0	0	0	0	1	3	0%
SNE / MID-ATLANTIC	4	5	13	0	2	7	0	1	2	8	2	11	55	1%
OTTER TRAWL	4	5	13	0	2	7	0	1	2	8	2	11	54	1%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	878	1,514	1,226	798	801	682	647	690	839	497	580	827	9,978	100%
OTTER TRAWL	837	1,488	1,218	796	800	682	647	689	838	497	578	821	9,890	99%
GILLNET	40	26	7	2	1	0	0	1	1	0	2	5	85	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
OTHER GEARS	0	0	1	0	0	0	0	0	0	0	0	1	3	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 2001 - April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	3,948	3,937	100%	11	0%	3,946	100%	2	0%	0	0%	0	0%
Gloucester, MA	1,287	1,286	100%	1	0%	1,245	97%	42	3%	0	0%	0	0%
Boston, MA	802	796	99%	7	1%	802	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,825	1,822	100%	3	0%	1,825	100%	0	0%	0	0%	0	0%
Point Judith, RI	26	20	79%	5	21%	26	100%	0	0%	0	0%	0	0%
MAINE	5,470	5,450	100%	19	0%	5,464	100%	6	0%	0	0%	0	0%
NEW HAMPSHIRE	169	169	100%	0	0%	151	89%	18	11%	0	0%	0	0%
MASSACHUSETTS	4,199	4,187	100%	11	0%	4,135	98%	60	1%	1	0%	3	0%
RHODE ISLAND	114	95	83%	19	17%	114	100%	0	0%	0	0%	0	0%
CONNECTICUT	26	22	83%	5	17%	26	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	9,978	9,923	99%	55	1%	9,890	99%	85	1%	1	0%	3	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	403	120	75	67	84	69	63	247	40	31	86	82	1,367	9%
OTTER TRAWL	245	66	54	48	77	59	62	244	39	29	76	69	1,069	7%
GILLNET	158	53	21	19	7	11	1	2	0	2	10	12	297	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
GEORGES BANK	466	1,066	360	592	353	313	329	231	65	143	102	414	4,434	29%
OTTER TRAWL	466	1,065	359	592	352	313	329	230	65	143	102	414	4,429	29%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	1	0	0	0	0	2	0	0	0	0	4	0%
SNE/ MID-ATLANTIC	787	740	1,009	915	999	1,384	1,077	796	389	480	306	700	9,582	62%
OTTER TRAWL	774	722	1,003	905	966	1,380	1,074	795	386	477	284	638	9,404	61%
GILLNET	9	18	4	8	1	4	2	1	0	0	20	58	127	1%
HOOK	0	0	0	1	0	0	0	0	0	0	0	0	2	0%
OTHER GEARS	3	1	1	0	32	0	1	0	3	2	2	4	49	0%
ALL AREAS	1,656	1,926	1,444	1,574	1,437	1,766	1,469	1,274	495	654	494	1,195	15,383	100%
OTTER TRAWL	1,485	1,853	1,416	1,545	1,396	1,751	1,465	1,269	491	649	461	1,121	14,903	97%
GILLNET	168	71	25	27	8	15	3	3	1	2	31	70	424	3%
HOOK	0	0	0	1	0	0	0	0	0	0	0	0	2	0%
OTHER GEARS	3	1	2	1	32	0	1	2	3	2	2	4	54	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. State landings for 2002 have been updated and are complete.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 2001 - April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	30	7	23%	20	66%	3	11%	30	100%	0	0%	0	0%	0	0%
Gloucester, MA	664	405	61%	134	20%	125	19%	504	76%	160	24%	0	0%	1	0%
Boston, MA	213	11	5%	101	47%	101	47%	213	100%	0	0%	0	0%	0	0%
New Bedford, MA	10,137	243	2%	3,911	39%	5,984	59%	10,099	100%	0	0%	0	0%	38	0%
Point Judith, RI	1,095	3	0%	31	3%	1,060	97%	1,094	100%	1	0%	0	0%	0	0%
MAINE	35	11	32%	20	57%	4	10%	35	99%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	41	40	98%	0	0%	1	0%	24	60%	16	39%	0	0%	1	0%
MASSACHUSETTS	11,991	1,312	11%	4,270	36%	6,409	53%	11,550	96%	390	3%	2	0%	49	0%
RHODE ISLAND	1,473	3	0%	83	6%	1,387	94%	1,456	99%	17	1%	0	0%	0	0%
CONNECTICUT	405	0	0%	59	15%	346	85%	404	100%	0	0%	0	0%	0	0%
NEW YORK	961	0	0%	2	0%	959	100%	957	100%	1	0%	0	0%	3	0%
NEW JERSEY	476	0	0%	1	0%	475	100%	475	100%	0	0%	0	0%	1	0%
OTHER NORTHEAST	1	0	0%	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
TOTAL	15,383	1,367	9%	4,434	29%	9,582	62%	14,903	97%	424	3%	2	0%	54	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	478	894	701	544	513	375	373	503	567	587	677	908	7,121	98%
OTTER TRAWL	461	867	686	534	504	375	372	502	566	587	677	908	7,040	97%
GILLNET	17	27	12	9	3	1	0	1	0	0	0	0	71	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	4	1	5	0	0	0	0	0	0	0	10	0%
SNE/ MID-ATLANTIC	16	17	10	30	18	5	0	0	7	7	5	9	126	2%
OTTER TRAWL	16	17	10	30	18	4	0	0	7	7	5	9	124	2%
GILLNET	0	0	0	0	0	1	0	0	0	0	0	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	495	911	711	574	531	381	373	503	573	594	682	918	7,246	100%
OTTER TRAWL	477	884	696	564	523	379	372	502	573	594	682	917	7,164	99%
GILLNET	17	27	12	9	3	2	0	1	0	0	0	0	73	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	4	1	5	0	0	0	0	0	0	0	10	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 2001- April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,923	1,913	99%	10	1%	1,923	100%	0	0%	0	0%	0	0%
Gloucester, MA	1,217	1,214	100%	3	0%	1,177	97%	40	3%	0	0%	0	0%
Boston, MA	604	602	100%	2	0%	604	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,926	1,920	100%	6	0%	1,925	100%	0	0%	0	0%	1	0%
Point Judith, RI	91	38	42%	53	58%	91	100%	0	0%	0	0%	0	0%
MAINE	2,648	2,636	100%	13	0%	2,648	100%	1	0%	0	0%	0	0%
NEW HAMPSHIRE	122	122	100%	0	0%	107	87%	15	13%	0	0%	0	0%
MASSACHUSETTS	4,216	4,204	100%	12	0%	4,151	98%	55	1%	0	0%	10	0%
RHODE ISLAND	200	145	72%	56	28%	200	100%	0	0%	0	0%	0	0%
CONNECTICUT	20	14	68%	6	32%	20	98%	0	0%	0	0%	0	0%
NEW YORK	10	1	0%	10	93%	10	100%	0	0%	0	0%	0	0%
NEW JERSEY	27	0	0%	27	100%	26	96%	1	4%	0	0%	0	0%
OTHER NORTHEAST	2	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
TOTAL	7,246	7,121	98%	126	2%	7,164	99%	73	1%	0	0%	10	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	4	2	1	0	0	1	7	2	1	4	5	5	32	12%
OTTER TRAWL	4	2	1	0	0	1	7	2	1	4	5	5	32	12%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
SNE/ MID-ATLANTIC	8	4	8	15	15	5	8	24	43	29	25	44	228	88%
OTTER TRAWL	8	4	8	15	15	5	8	24	43	29	25	44	227	87%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	12	6	9	15	15	6	16	25	44	33	29	49	261	100%
OTTER TRAWL	12	6	9	15	15	6	16	25	44	33	29	49	259	99%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 2001- April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	33	26	78%	7	22%	33	100%	0	0%	0	0%	0	0%
Point Judith, RI	21	1	6%	20	94%	21	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	35	28	79%	7	21%	35	99%	0	0%	0	0%	0	0%
RHODE ISLAND	28	2	8%	26	92%	28	99%	0	0%	0	0%	0	0%
CONNECTICUT	5	1	0%	4	82%	5	100%	0	0%	0	0%	0	0%
NEW YORK	100	0	0%	100	100%	100	100%	0	0%	0	0%	0	0%
NEW JERSEY	91	0	0%	91	100%	91	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	261	32	12%	228	88%	259	99%	1	0%	0	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02		2001/2002*	
		1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May01-Apr02 as a % of Target TAC	Target TAC 1000 Lbs
ATLANTIC POLLOCK	2001/2002	427	524	590	561	488	425	610	815	906	876	1,303	689	8,213	16%	15%	
REDFISH	2001/2002	62	61	31	37	49	40	38	43	72	57	148	39	676	1%	1%	
WHITE HAKE	2001/2002	571	681	972	822	711	768	661	630	656	664	693	516	8,344	17%	15%	
AMERICAN PLAICE	2001/2002	878	1,514	1,226	798	801	682	647	690	839	497	580	827	9,978	20%	18%	
WINTER FLOUNDER	2001/2002	1,656	1,926	1,444	1,574	1,437	1,766	1,469	1,274	495	654	494	1,195	15,383	31%	27%	
WITCH FLOUNDER	2001/2002	495	911	711	574	531	381	373	503	573	594	682	918	7,246	14%	13%	
WINDOWPANE FLDR	2001/2002	12	6	9	15	15	6	16	25	44	33	29	49	261	1%	0%	
ALL 7 SPECIES - TOTAL	2001/2002	4,100	5,623	4,985	4,381	4,031	4,068	3,814	3,980	3,585	3,375	3,928	4,233	50,101	100%	89%	56,200

1. Landings in live weight.

2. State landings for 2002 have been updated and are complete.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	155	213	1,112	1,919	1,827	1,068	934	327	80	42	15	10	7,704	31%
OTTER TRAWL	153	208	1,102	1,914	1,807	1,003	880	281	79	42	15	9	7,493	30%
GILLNET	2	5	10	4	2	5	2	1	1	0	0	1	35	0%
HOOK	0	0	0	1	4	2	0	0	0	0	0	0	7	0%
OTHER GEARS	0	0	0	0	15	58	52	45	0	0	0	0	169	1%
SNE/ MID-ATLANTIC	2,528	2,535	1,676	1,306	621	998	751	834	1,087	1,901	1,538	1,108	16,881	69%
OTTER TRAWL	2,527	2,534	1,676	1,306	621	998	751	826	1,086	1,898	1,535	1,107	16,863	69%
GILLNET	0	1	0	0	0	0	0	0	0	2	1	0	6	0%
HOOK	1	0	0	0	0	0	0	0	0	1	1	0	3	0%
OTHER GEARS	0	0	0	0	0	0	0	8	0	0	0	0	9	0%
ALL AREAS	2,683	2,748	2,788	3,225	2,449	2,066	1,685	1,161	1,167	1,943	1,553	1,118	24,585	100%
OTTER TRAWL	2,680	2,742	2,778	3,220	2,428	2,001	1,631	1,107	1,165	1,940	1,550	1,116	24,356	99%
GILLNET	3	6	10	4	2	5	2	1	1	2	2	2	41	0%
HOOK	1	0	0	1	4	2	0	0	0	1	1	0	10	0%
OTHER GEARS	0	0	0	0	15	58	52	53	0	0	0	0	178	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.
 3. State landings for 2002 have been updated and are complete.
 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 2001 - April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	27	27	100%	0	0%	20	72%	1	0%	7	25%	0	0%
Gloucester, MA	1,008	989	98%	19	2%	999	99%	7	1%	2	0%	0	0%
Boston, MA	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,739	1,771	65%	967	35%	2,738	100%	0	0%	0	0%	0	0%
Point Judith, RI	7,173	949	13%	6,224	87%	7,172	100%	1	0%	0	0%	0	0%
MAINE	32	32	100%	0	0%	24	74%	2	5%	7	21%	0	0%
NEW HAMPSHIRE	293	293	100%	1	0%	272	93%	21	7%	0	0%	0	0%
MASSACHUSETTS	5,536	4,541	82%	996	18%	5,345	97%	12	0%	2	0%	178	3%
RHODE ISLAND	8,139	1,212	15%	6,926	85%	8,137	100%	2	0%	0	0%	0	0%
CONNECTICUT	4,401	1,116	25%	3,285	75%	4,401	100%	0	0%	0	0%	0	0%
NEW YORK	5,549	509	9%	5,040	91%	5,546	100%	2	0%	1	0%	0	0%
NEW JERSEY	624	2	0%	622	100%	623	100%	1	0%	0	0%	0	0%
OTHER NORTHEAST	11	0	0%	11	100%	8	73%	3	26%	0	0%	0	0%
TOTAL	24,585	7,704	31%	16,881	69%	24,356	99%	41	0%	10	0%	178	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	MAY - 2001	JUN - 2001	JUL - 2001	AUG - 2001	SEP - 2001	OCT - 2001	NOV - 2001	DEC - 2001	JAN - 2002	FEB - 2002	MAR - 2002	APR - 2002	MAY 01 - APR 02		2001/2002*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May01-Apr02 as a % of Target TAC	Target TAC 1000 Lbs
NORTHERN	1,602	2,922	2,748	2,570	2,682	2,845	2,209	3,097	2,913	2,456	3,132	3,567	32,745	57%	262%	12,507
OTTER TRAWL	1,290	1,846	1,533	1,302	1,849	1,895	1,373	2,350	2,638	2,239	3,001	3,227	24,543	43%	196%	
GILLNET	291	1,021	1,080	1,128	765	908	756	648	251	210	131	340	7,530	13%	60%	
HOOK	0	0	0	0	0	0	1	0	0	0	0	0	2	0%	0%	
OTHER GEARS	21	55	135	140	68	41	79	98	25	6	0	1	669	1%	5%	
SOUTHERN	2,899	2,493	979	746	614	1,622	3,644	3,483	2,478	1,813	1,325	2,309	24,404	43%	184%	13,281
OTTER TRAWL	579	528	381	436	388	633	627	608	392	451	576	195	5,793	10%	44%	
GILLNET	1,916	1,610	187	36	46	758	2,726	2,522	1,916	1,103	535	1,635	14,989	26%	113%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	403	355	412	274	180	231	291	353	170	259	213	480	3,622	6%	27%	
ALL AREAS	4,500	5,415	3,727	3,316	3,296	4,467	5,853	6,580	5,392	4,269	4,457	5,876	57,148	100%	222%	25,788
OTTER TRAWL	1,869	2,374	1,914	1,738	2,237	2,529	2,000	2,958	3,030	2,690	3,577	3,422	30,336	53%	118%	
GILLNET	2,207	2,632	1,267	1,164	811	1,666	3,482	3,170	2,167	1,314	666	1,975	22,519	39%	87%	
HOOK	0	0	0	0	0	0	1	0	0	0	0	0	3	0%	0%	
OTHER GEARS	424	410	546	414	248	273	371	451	195	266	214	480	4,291	8%	17%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
 3. State landings for 2002 have been updated and are complete.
 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 2001 - April 2002

PORT/ STATE	MAY 01 - APR 02	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	9,094	9,067	100%	27	0%	8,554	94%	539	6%	0	0%	0	0%
Gloucester, MA	5,367	5,280	98%	87	2%	3,079	57%	2,260	42%	1	0%	27	1%
Boston, MA	2,517	2,509	100%	8	0%	2,512	100%	0	0%	0	0%	5	0%
New Bedford, MA	13,654	8,199	60%	5,455	40%	8,198	60%	2,584	19%	0	0%	2,873	21%
Point Judith, RI	3,919	119	3%	3,800	97%	2,655	68%	1,196	31%	0	0%	67	2%
MAINE	11,714	11,673	100%	41	0%	10,882	93%	807	7%	0	0%	24	0%
NEW HAMPSHIRE	2,542	2,501	98%	41	2%	219	9%	2,303	91%	0	0%	20	1%
MASSACHUSETTS	24,476	17,613	72%	6,863	28%	14,357	59%	7,095	29%	2	0%	3,022	12%
RHODE ISLAND	6,864	828	12%	6,037	88%	3,473	51%	3,324	48%	0	0%	67	1%
CONNECTICUT	1,348	112	8%	1,236	92%	520	39%	587	44%	0	0%	240	18%
NEW YORK	1,324	13	1%	1,311	99%	428	32%	896	68%	0	0%	0	0%
NEW JERSEY	7,144	4	0%	7,140	100%	163	2%	6,253	88%	0	0%	727	10%
OTHER NORTHEAST	1,737	1	0%	1,736	100%	293	17%	1,253	72%	0	0%	190	11%
TOTAL	57,148	32,745	57%	24,404	43%	30,336	53%	22,519	39%	3	0%	4,291	8%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.