

Table 1.A. - Preliminary Cod Landings by Stock Area

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03		2002/2003*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May02-Apr03 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	223	755	770	607	541	425	774	1,321	696	508	913	264	7,798	31%	184%	4,229
OTTER TRAWL	110	445	386	227	209	171	457	818	435	259	447	118	4,082	16%	97%	
GILLNET	104	284	351	363	315	242	295	396	190	186	314	129	3,170	12%	75%	
HOOK	0	8	5	3	6	1	3	50	51	45	93	16	281	1%	7%	
OTHER GEARS	8	18	28	15	11	11	19	57	19	18	59	2	265	1%	6%	
GEORGES BANK	1,789	2,206	1,686	1,203	792	803	712	1,159	974	733	2,281	3,229	17,568	69%	163%	10,803
OTTER TRAWL	1,742	1,634	1,016	578	523	648	578	772	652	515	1,964	3,030	13,651	54%	126%	
GILLNET	37	505	500	453	173	93	66	146	202	85	23	112	2,393	9%	22%	
HOOK	1	1	97	108	78	52	28	136	69	67	147	33	817	3%	8%	
OTHER GEARS	9	67	74	64	18	10	40	106	50	66	148	54	707	3%	7%	
ALL AREAS	2,012	2,962	2,456	1,810	1,333	1,229	1,486	2,481	1,669	1,242	3,194	3,493	25,366	100%	169%	15,032
OTTER TRAWL	1,852	2,079	1,401	805	732	819	1,035	1,590	1,087	774	2,411	3,147	17,733	70%	118%	
GILLNET	141	789	851	816	488	335	360	542	392	271	337	241	5,563	22%	37%	
HOOK	2	9	102	110	84	53	31	186	120	113	239	49	1,098	4%	7%	
OTHER GEARS	17	85	102	79	30	21	59	163	70	84	206	56	972	4%	6%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30. The 2002/2003 Fishing Year Target TAC is the same as the 2001/2002 Target TAC because no 2002/2003 Target TAC numbers are available.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY 02 - APR 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,966	1,229	63%	737	37%	1,308	67%	632	32%	11	1%	14	1%
Gloucester, MA	5,421	3,023	56%	2,398	44%	3,638	67%	1,519	28%	160	3%	104	2%
Boston, MA	951	90	9%	861	91%	944	99%	0	0%	7	1%	0	0%
New Bedford, MA	8,964	230	3%	8,733	97%	8,957	100%	5	0%	0	0%	2	0%
Point Judith, RI	203	2	1%	201	99%	200	99%	1	0%	0	0%	1	1%
MAINE	2,434	1,696	70%	737	30%	1,584	65%	805	33%	15	1%	30	1%
NEW HAMPSHIRE	1,374	1,327	97%	47	3%	560	41%	751	55%	6	0%	57	4%
MASSACHUSETTS	20,950	4,765	23%	16,185	77%	15,090	72%	3,953	19%	1,037	5%	869	4%
RHODE ISLAND	529	9	2%	519	98%	472	89%	53	10%	2	0%	2	0%
CONNECTICUT	24	0	0%	24	100%	24	99%	0	0%	0	0%	0	0%
NEW YORK	55	0	0%	55	100%	4	6%	1	0%	37	67%	14	25%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	25,366	7,798	31%	17,568	69%	17,733	70%	5,563	22%	1,098	4%	972	4%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03		2002/2003*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May02-Apr03 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	32	120	97	75	142	94	147	222	258	196	286	85	1,754	11%		
OTTER TRAWL	25	104	83	60	127	81	142	202	200	146	168	41	1,378	9%		
GILLNET	6	12	13	10	6	11	3	14	14	17	27	7	141	1%		
HOOK	0	3	2	4	9	2	2	5	44	33	90	37	231	1%		
OTHER GEARS	0	2	0	0	0	0	0	0	0	0	0	0	4	0%		
													0			
GEORGES BANK	1,546	1,681	1,515	884	1,006	1,224	399	386	736	1,313	1,400	2,355	14,444	89%	56%	25,751
OTTER TRAWL	1,545	1,580	1,341	864	992	1,210	396	380	725	1,311	1,397	2,345	14,086	87%	55%	
GILLNET	1	98	147	10	3	10	2	1	6	1	1	3	283	2%	1%	
HOOK	0	1	17	11	11	4	1	3	4	1	2	0	54	0%	0%	
OTHER GEARS	0	2	10	0	0	0	0	1	1	0	0	7	22	0%	0%	
													0			
SNE/ MID-ATLANTIC	5	0	0	0	1	0	0	0	0	9	0	1	16	0%		
OTTER TRAWL	5	0	0	0	0	0	0	0	0	9	0	1	16	0%		
GILLNET	0	0	0	0	1	0	0	0	0	0	0	0	1	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
													0			
ALL AREAS	1,583	1,802	1,612	960	1,149	1,317	547	607	994	1,518	1,686	2,441	16,214	100%		
OTTER TRAWL	1,576	1,684	1,424	924	1,119	1,291	538	583	924	1,466	1,565	2,387	15,480	95%		
GILLNET	7	110	160	20	10	21	6	16	20	18	28	10	424	3%		
HOOK	0	4	18	15	19	6	3	8	48	34	92	37	285	2%		
OTHER GEARS	0	4	10	0	0	0	0	1	1	0	0	7	25	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30. The 2002/2003 Fishing Year Target TAC is the same as the 2001/2002 Target TAC because no 2002/2003 Target TAC numbers are available.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY 02 - APR 03	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,714	748	44%	966	56%	1	0%	1,661	97%	23	1%	21	1%	9	1%
Gloucester, MA	3,275	660	20%	2,614	80%	1	0%	2,990	91%	89	3%	196	6%	1	0%
Boston, MA	1,126	53	5%	1,073	95%	0	0%	1,126	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,758	42	0%	8,703	99%	13	0%	8,758	100%	1	0%	0	0%	0	0%
Point Judith, RI	139	0	0%	138	99%	1	0%	139	100%	0	0%	0	0%	0	0%
MAINE	1,791	824	46%	966	54%	1	0%	1,727	96%	31	2%	22	1%	11	1%
NEW HAMPSHIRE	82	77	94%	5	6%	0	0%	42	52%	32	39%	7	9%	1	0%
MASSACHUSETTS	13,754	852	6%	12,888	94%	14	0%	13,123	95%	361	3%	256	2%	14	0%
RHODE ISLAND	572	1	0%	570	100%	1	0%	572	100%	0	0%	0	0%	0	0%
CONNECTICUT	13	0	0%	13	100%	0	0%	13	100%	0	0%	0	0%	0	0%
NEW YORK	2	0	0%	2	78%	0	0%	2	83%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	16,214	1,754	11%	14,444	89%	16	0%	15,480	95%	424	3%	285	2%	25	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03		2002/2003*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May02-Apr03 as a % of Target TAC	Target TAC
																1000 Lbs
GULF OF MAINE	4	2	42	8	12	8	16	22	40	8	30	23	217	2%		
OTTER TRAWL	4	2	42	8	12	8	16	22	40	8	29	21	213	2%		
GILLNET	0	0	0	0	0	0	0	0	0	0	1	2	4	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
CAPE COD	96	632	379	363	519	560	133	778	409	212	614	40	4,735	40%		
OTTER TRAWL	95	554	338	355	519	560	133	776	407	189	366	28	4,317	37%		
GILLNET	2	78	39	8	1	0	0	1	1	23	248	12	413	3%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	1	1	0	0	0	0	1	0	0	0	1	5	0%		
GEORGES BANK	1,187	468	91	97	104	114	195	371	531	747	794	1,050	5,749	49%	38%	15,003
OTTER TRAWL	1,187	468	91	97	104	114	195	371	531	746	794	1,050	5,749	49%	38%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
SNE/ MID-ATLANTIC	72	54	64	16	44	27	22	277	180	204	50	100	1,110	9%	53%	2,092
OTTER TRAWL	72	54	64	16	44	27	22	277	179	204	49	99	1,107	9%	53%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	2	0%	0%	
ALL AREAS	1,359	1,157	577	485	681	710	365	1,448	1,159	1,170	1,488	1,214	11,811	100%		
OTTER TRAWL	1,357	1,077	535	476	679	709	365	1,446	1,158	1,147	1,238	1,199	11,387	96%		
GILLNET	2	78	39	9	1	0	0	1	1	23	250	14	417	4%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	1	2	0	1	0	0	1	0	0	0	1	7	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30. The 2002/2003 Fishing Year Target TAC is the same as the 2001/2002 Target TAC because no 2002/2003 Target TAC numbers are available.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY 02 - APR 03	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	211	18	8%	22	10%	171	81%	0	0%	210	100%	1	0%	0	0%	0	0%
Gloucester, MA	1,395	63	5%	1,128	81%	203	15%	1	0%	1,178	84%	215	15%	0	0%	1	0%
Boston, MA	102	2	2%	50	49%	51	50%	0	0%	102	100%	0	0%	0	0%	0	0%
New Bedford, MA	7,549	27	0%	2,279	30%	4,965	66%	279	4%	7,548	100%	0	0%	0	0%	2	0%
Point Judith, RI	596	9	1%	16	3%	153	26%	418	70%	595	100%	0	0%	0	0%	0	0%
MAINE	214	21	10%	22	10%	171	80%	0	0%	213	100%	1	0%	0	0%	0	0%
NEW HAMPSHIRE	126	92	73%	34	27%	0	0%	0	0%	123	98%	3	2%	0	0%	0	0%
MASSACHUSETTS	10,331	95	1%	4,649	45%	5,298	51%	288	3%	9,912	96%	412	4%	0	0%	6	0%
RHODE ISLAND	906	9	1%	28	3%	254	28%	614	68%	905	100%	0	0%	0	0%	0	0%
CONNECTICUT	84	0	0%	1	0%	25	29%	58	70%	83	99%	1	0%	0	0%	0	0%
NEW YORK	126	0	0%	1	1%	1	1%	123	98%	126	100%	0	0%	0	0%	0	0%
NEW JERSEY	26	0	0%	0	0%	0	0%	26	100%	25	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	11,811	217	2%	4,735	40%	5,749	49%	1,110	9%	11,387	96%	417	4%	0	0%	7	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
SNE/ NORTH	378	502	685	706	666	600	531	578	798	635	1,010	588	7,675	100%
OTTER TRAWL	315	275	421	290	454	410	390	464	754	567	930	433	5,704	74%
GILLNET	42	201	252	399	206	190	141	114	43	68	80	155	1,891	25%
HOOK	20	24	12	13	6	0	0	0	0	0	0	0	75	1%
OTHER GEARS	0	1	0	3	0	0	0	0	0	0	0	0	5	0%
MID-ATLANTIC	4	0	0	0	0	0	0	0	4	2	1	0	13	0%
OTTER TRAWL	4	0	0	0	0	0	0	0	4	2	1	0	13	0%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	382	502	685	706	666	600	531	578	801	637	1,011	589	7,688	100%
OTTER TRAWL	320	276	421	290	454	410	390	464	758	569	931	433	5,716	74%
GILLNET	42	201	252	399	206	190	141	114	43	68	80	155	1,891	25%
HOOK	20	24	12	13	6	0	0	0	0	0	0	0	75	1%
OTHER GEARS	0	1	0	3	0	0	0	0	0	0	0	0	5	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY02 - APR 03	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	4,363	4,363	100%	0	0%	3,463	79%	859	20%	41	1%	0	0%
Gloucester, MA	1,596	1,596	100%	0	0%	1,011	63%	582	36%	2	0%	0	0%
Boston, MA	463	463	100%	0	0%	463	100%	0	0%	0	0%	0	0%
New Bedford, MA	306	306	100%	0	0%	300	98%	6	2%	0	0%	0	0%
Point Judith, RI	16	15	97%	1	0%	16	100%	0	0%	0	0%	0	0%
MAINE	4,816	4,816	100%	0	0%	3,804	79%	940	20%	72	1%	0	0%
NEW HAMPSHIRE	387	387	100%	0	0%	49	13%	337	87%	0	0%	1	0%
MASSACHUSETTS	2,420	2,420	100%	0	0%	1,799	74%	614	25%	3	0%	4	0%
RHODE ISLAND	48	47	99%	1	0%	48	100%	0	0%	0	0%	0	0%
CONNECTICUT	10	5	50%	5	50%	10	100%	0	0%	0	0%	0	0%
NEW YORK	7	0	0%	7	99%	7	99%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	7,688	7,675	100%	13	0%	5,716	74%	1,891	25%	75	1%	5	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	468	657	756	681	710	555	470	480	459	261	425	298	6,220	100%
OTTER TRAWL	467	644	747	680	709	555	470	480	459	260	407	292	6,170	99%
GILLNET	1	9	3	1	0	0	0	1	0	2	18	5	39	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	4	6	0	0	0	0	0	0	0	0	1	11	0%
SNE / MID-ATLANTIC	3	9	1	0	0	0	0	0	0	0	2	2	18	0%
OTTER TRAWL	3	9	1	0	0	0	0	0	0	0	2	2	18	0%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	471	665	757	682	710	555	470	481	459	262	427	300	6,238	100%
OTTER TRAWL	470	653	748	681	710	555	470	480	459	260	409	294	6,187	99%
GILLNET	1	9	3	1	0	0	0	1	0	2	18	5	40	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	4	6	0	0	0	0	0	0	0	0	1	11	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY 02-APR 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,331	2,330	100%	1	0%	2,326	100%	1	0%	0	0%	3	0%
Gloucester, MA	694	694	100%	0	0%	676	97%	18	3%	0	0%	0	0%
Boston, MA	652	652	100%	0	0%	652	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,059	1,053	99%	6	1%	1,059	100%	0	0%	0	0%	0	0%
Point Judith, RI	46	44	95%	2	5%	46	100%	0	0%	0	0%	0	0%
MAINE	3,436	3,435	100%	1	0%	3,428	100%	5	0%	0	0%	3	0%
NEW HAMPSHIRE	111	106	96%	5	4%	101	91%	10	9%	0	0%	0	0%
MASSACHUSETTS	2,594	2,587	100%	7	0%	2,562	99%	25	1%	0	0%	7	0%
RHODE ISLAND	93	91	97%	2	3%	93	100%	0	0%	0	0%	0	0%
CONNECTICUT	3	1	36%	2	64%	3	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,238	6,220	100%	18	0%	6,187	99%	40	1%	0	0%	11	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	42	135	97	126	83	44	76	398	155	51	225	40	1,473	12%
OTTER TRAWL	41	109	81	113	78	41	74	395	154	48	132	31	1,297	11%
GILLNET	1	26	16	13	5	3	2	3	1	3	94	9	175	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
GEORGES BANK	979	1,304	835	234	301	161	416	247	123	65	132	355	5,153	43%
OTTER TRAWL	979	1,304	835	233	301	161	416	247	123	65	132	355	5,151	43%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	1	0	0	0	0	0	0	0	0	2	0%
SNE/ MID-ATLANTIC	613	402	328	501	922	924	512	466	170	105	137	315	5,396	45%
OTTER TRAWL	604	391	319	493	919	919	511	464	170	102	134	279	5,305	44%
GILLNET	4	9	7	7	2	1	0	1	0	2	2	34	72	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
OTHER GEARS	4	2	1	0	0	4	1	1	1	0	1	2	17	0%
ALL AREAS	1,633	1,841	1,261	861	1,306	1,130	1,004	1,111	449	221	495	709	12,021	100%
OTTER TRAWL	1,624	1,804	1,235	839	1,299	1,122	1,001	1,105	447	215	398	665	11,753	98%
GILLNET	5	35	24	20	7	4	2	4	1	6	96	43	247	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
OTHER GEARS	4	2	1	2	0	4	1	1	1	0	1	2	20	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY02 - APR 03	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	77	20	26%	28	36%	29	38%	76	99%	1	0%	0	0%	0	0%
Gloucester, MA	778	530	68%	142	18%	106	14%	662	85%	116	15%	0	0%	0	0%
Boston, MA	60	22	37%	27	45%	11	18%	60	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,342	274	3%	4,806	58%	3,261	39%	8,334	100%	0	0%	0	0%	7	0%
Point Judith, RI	874	3	0%	40	5%	832	95%	874	100%	0	0%	0	0%	0	0%
MAINE	79	21	27%	28	36%	29	37%	77	98%	1	1%	0	0%	0	0%
NEW HAMPSHIRE	25	25	97%	0	0%	1	0%	18	69%	8	31%	0	0%	0	0%
MASSACHUSETTS	9,985	1,414	14%	5,003	50%	3,568	36%	9,741	98%	227	2%	1	0%	16	0%
RHODE ISLAND	1,142	12	1%	102	9%	1,028	90%	1,134	99%	8	1%	0	0%	0	0%
CONNECTICUT	212	0	0%	15	7%	197	93%	211	100%	0	0%	0	0%	1	0%
NEW YORK	391	0	0%	5	1%	386	99%	387	99%	1	0%	0	0%	3	1%
NEW JERSEY	185	0	0%	0	0%	185	100%	184	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	2	0	0%	0	0%	2	100%	1	0%	1	61%	0	0%	0	0%
TOTAL	12,021	1,473	12%	5,153	43%	5,396	45%	11,753	98%	247	2%	1	0%	20	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	356	684	932	677	557	348	331	310	315	531	659	384	6,085	99%
OTTER TRAWL	356	664	904	668	556	346	330	309	315	531	659	384	6,022	98%
GILLNET	0	19	17	9	1	1	1	1	0	0	0	0	48	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	2	12	1	0	1	0	0	0	0	0	0	16	0%
SNE/ MID-ATLANTIC	5	24	9	7	4	11	3	0	4	5	7	6	85	1%
OTTER TRAWL	5	24	9	7	4	11	3	0	4	5	7	5	84	1%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	361	708	942	684	561	359	334	310	319	536	666	390	6,170	100%
OTTER TRAWL	361	688	913	675	560	357	333	309	319	536	666	389	6,106	99%
GILLNET	0	19	17	9	1	1	1	1	0	0	0	1	48	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	2	12	1	0	1	0	0	0	0	0	0	16	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY 02 - APR 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,278	1,276	100%	2	0%	1,277	100%	0	0%	0	0%	1	0%
Gloucester, MA	1,618	1,618	100%	0	0%	1,592	98%	26	2%	0	0%	0	0%
Boston, MA	524	524	100%	0	0%	524	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,304	1,284	98%	20	2%	1,304	100%	0	0%	0	0%	0	0%
Point Judith, RI	51	35	70%	15	30%	51	100%	0	0%	0	0%	0	0%
MAINE	1,829	1,827	100%	2	0%	1,827	100%	0	0%	0	0%	1	0%
NEW HAMPSHIRE	213	212	100%	1	0%	206	97%	6	3%	0	0%	0	0%
MASSACHUSETTS	3,982	3,949	99%	33	1%	3,926	99%	41	1%	0	0%	15	0%
RHODE ISLAND	113	94	84%	18	16%	113	100%	0	0%	0	0%	0	0%
CONNECTICUT	6	2	34%	4	66%	6	99%	0	0%	0	0%	0	0%
NEW YORK	6	0	0%	6	97%	6	94%	0	0%	0	0%	0	0%
NEW JERSEY	19	0	0%	19	100%	19	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	2	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
TOTAL	6,170	6,085	99%	85	1%	6,106	99%	48	1%	0	0%	16	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE/ GB	6	1	0	2	0	0	1	1	2	8	10	6	37	26%
OTTER TRAWL	6	1	0	2	0	0	1	1	2	8	10	6	37	26%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
SNE/ MID-ATLANTIC	12	6	3	0	2	2	3	18	18	8	5	25	104	74%
OTTER TRAWL	12	6	3	0	2	2	3	18	18	8	5	25	103	73%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	19	7	3	2	2	2	4	19	20	16	15	31	141	100%
OTTER TRAWL	19	7	3	2	2	2	4	19	20	16	15	31	141	100%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY 02 - APR 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	29	29	98%	1	0%	29	100%	0	0%	0	0%	0	0%
Point Judith, RI	24	3	13%	21	87%	24	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	31	30	98%	1	0%	31	100%	0	0%	0	0%	0	0%
RHODE ISLAND	29	5	18%	24	82%	29	100%	0	0%	0	0%	0	0%
CONNECTICUT	4	2	39%	3	61%	4	100%	0	0%	0	0%	0	0%
NEW YORK	42	0	0%	42	100%	42	100%	0	0%	0	0%	0	0%
NEW JERSEY	35	0	0%	35	100%	35	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	141	37	26%	104	74%	141	100%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - Apr 03		2002/2003*	
		1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May02-Apr03 as a % of Target TAC	Target TAC 1000 Lbs
ATLANTIC POLLOCK	2002/2003	427	524	590	561	488	425	610	815	906	877	1,305	692	8,220	20%	15%	
REDFISH	2002/2003	62	61	31	37	49	40	38	43	72	57	97	39	625	2%	1%	
WHITE HAKE	2002/2003	382	502	685	706	666	600	531	578	801	637	1,011	589	7,688	19%	14%	
AMERICAN PLAICE	2002/2003	471	665	757	682	710	555	470	481	459	262	427	300	6,238	15%	11%	
WINTER FLOUNDER	2002/2003	1,633	1,841	1,261	861	1,306	1,130	1,004	1,111	449	221	495	709	12,021	29%	21%	
WITCH FLOUNDER	2002/2003	361	708	942	684	561	359	334	310	319	536	666	390	6,170	15%	11%	
WINDOWPANE FLDR	2002/2003	19	7	3	2	2	2	4	19	20	16	15	31	141	0%	0%	
ALL 7 SPECIES - TOTAL	2002/ 2003	3,355	4,309	4,269	3,532	3,782	3,110	2,991	3,356	3,025	2,606	4,017	2,749	41,102	100%	73%	56,200

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	2	141	1,073	1,487	1,531	997	437	125	31	5	21	3	5,852	36%
OTTER TRAWL	2	137	1,064	1,478	1,506	981	396	117	29	5	21	2	5,737	36%
GILLNET	0	2	4	8	4	3	5	3	3	0	0	0	32	0%
HOOK	0	2	4	1	19	14	11	1	0	0	0	0	52	0%
OTHER GEARS	0	0	0	0	2	0	25	3	0	0	0	0	31	0%
SNE/ MID-ATLANTIC	1,793	1,217	618	198	289	423	710	796	1,146	1,051	1,216	796	10,253	64%
OTTER TRAWL	1,792	1,217	618	198	289	423	710	794	1,145	1,051	1,216	790	10,242	64%
GILLNET	0	0	0	0	0	0	0	2	0	0	0	1	4	0%
HOOK	1	0	0	0	0	0	0	0	0	0	0	0	2	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	6	6	0%
ALL AREAS	1,795	1,359	1,691	1,685	1,820	1,420	1,146	921	1,177	1,056	1,236	799	16,105	100%
OTTER TRAWL	1,794	1,354	1,682	1,675	1,795	1,403	1,106	911	1,174	1,056	1,236	792	15,979	99%
GILLNET	1	2	4	8	4	3	5	4	3	0	0	1	35	0%
HOOK	1	2	5	1	19	14	11	2	0	0	0	0	54	0%
OTHER GEARS	0	0	0	0	2	0	25	3	0	0	0	6	37	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY02 - APR03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	33	4	11%	30	89%	32	97%	0	0%	1	0%	0	0%
Gloucester, MA	1,043	1,041	100%	2	0%	968	93%	21	2%	52	5%	2	0%
Boston, MA	20	14	72%	6	28%	20	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,426	1,486	61%	940	39%	2,426	100%	0	0%	0	0%	0	0%
Point Judith, RI	3,707	1,128	30%	2,579	70%	3,706	100%	1	0%	0	0%	0	0%
MAINE	35	6	16%	30	84%	33	95%	1	0%	1	0%	0	0%
NEW HAMPSHIRE	171	171	100%	0	0%	167	97%	4	2%	0	0%	0	0%
MASSACHUSETTS	4,800	3,820	80%	980	20%	4,690	98%	27	1%	52	1%	31	1%
RHODE ISLAND	4,095	1,131	28%	2,963	72%	4,093	100%	1	0%	0	0%	0	0%
CONNECTICUT	2,418	500	21%	1,919	79%	2,418	100%	0	0%	0	0%	0	0%
NEW YORK	3,827	219	6%	3,607	94%	3,826	100%	0	0%	1	0%	0	0%
NEW JERSEY	754	5	1%	749	99%	747	99%	1	0%	0	0%	6	1%
OTHER NORTHEAST	6	0	0%	6	100%	4	76%	1	0%	0	0%	0	0%
TOTAL	16,105	5,852	36%	10,253	64%	15,979	99%	35	0%	54	0%	37	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR - 2003	APR - 2003	MAY 02 - APR 03		2002/2003*	
															May02-Apr03 as a % of Target TAC	Target TAC
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent		1000 Lbs
NORTHERN	1,170	2,258	2,484	2,630	3,076	2,836	2,290	2,497	2,785	2,756	4,907	2,257	31,947	66%	124%	25,737
OTTER TRAWL	997	1,291	1,206	1,369	2,119	2,137	1,559	1,910	2,570	2,674	4,833	2,131	24,795	51%	96%	
GILLNET	173	949	1,223	1,191	936	693	706	583	213	82	74	126	6,948	14%	27%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	0	18	55	70	20	6	25	4	2	0	1	1	202	0%	1%	
SOUTHERN	2,300	2,356	800	417	284	787	1,979	2,361	1,928	1,138	910	1,227	16,487	34%	94%	17,463
OTTER TRAWL	156	158	150	92	125	178	207	272	277	338	354	148	2,456	5%	14%	
GILLNET	1,756	1,983	339	51	73	477	1,580	1,962	1,555	708	438	892	11,814	24%	68%	
HOOK	0	0	0	0	0	0	1	0	0	0	0	0	2	0%	0%	
OTHER GEARS	388	216	311	274	85	133	191	126	96	91	119	187	2,216	5%	13%	
ALL AREAS	3,470	4,614	3,284	3,047	3,360	3,623	4,270	4,858	4,713	3,894	5,817	3,485	48,434	100%	112%	43,200
OTTER TRAWL	1,154	1,449	1,357	1,461	2,244	2,315	1,766	2,182	2,847	3,012	5,187	2,279	27,251	56%	63%	
GILLNET	1,928	2,932	1,561	1,242	1,010	1,170	2,287	2,545	1,767	790	511	1,018	18,762	39%	43%	
HOOK	0	0	0	0	0	0	1	0	0	0	0	0	3	0%	0%	
OTHER GEARS	388	234	365	344	105	139	216	131	99	91	119	188	2,418	5%	6%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 2002 - Apr. 2003

PORT/ STATE	MAY 02 - APR 03	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	10,098	10,068	100%	29	0%	9,552	95%	525	5%	0	0%	21	0%
Gloucester, MA	5,102	5,033	99%	69	1%	2,586	51%	2,513	49%	0	0%	3	0%
Boston, MA	3,432	3,415	99%	17	1%	3,432	100%	0	0%	0	0%	0	0%
New Bedford, MA	9,976	6,629	66%	3,347	34%	6,352	64%	2,245	22%	0	0%	1,380	14%
Point Judith, RI	2,386	125	5%	2,261	95%	1,080	45%	1,212	51%	0	0%	93	4%
MAINE	12,376	12,346	100%	30	0%	11,577	94%	778	6%	0	0%	21	0%
NEW HAMPSHIRE	1,770	1,752	99%	18	1%	254	14%	1,508	85%	0	0%	8	0%
MASSACHUSETTS	21,366	17,171	80%	4,195	20%	13,015	61%	6,880	32%	1	0%	1,470	7%
RHODE ISLAND	4,711	613	13%	4,098	87%	1,646	35%	2,875	61%	0	0%	191	4%
CONNECTICUT	758	36	5%	722	95%	88	12%	402	53%	0	0%	268	35%
NEW YORK	1,296	3	0%	1,293	100%	322	25%	972	75%	1	0%	1	0%
NEW JERSEY	4,946	26	1%	4,919	99%	80	2%	4,540	92%	1	0%	325	7%
OTHER NORTHEAST	1,212	0	0%	1,212	100%	270	22%	807	67%	0	0%	135	11%
TOTAL	48,434	31,947	66%	16,487	34%	27,251	56%	18,762	39%	3	0%	2,418	5%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562

Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	MAR - 2002	APR - 2002	MAY - 2002	JUN - 2002	JUL - 2002	AUG - 2002	SEP - 2002	OCT - 2002	NOV - 2002	DEC - 2002	JAN - 2003	FEB - 2003	MAR 02 - FEB 03		Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	115	112	108	103	70	66	14	12	38	79	35	39	791	2%	
OTTER TRAWL	2	4	0	2	1	1	1	0	1	2	2	2	20	0%	
DREDGE	114	108	105	100	68	65	13	11	37	76	33	37	768	1%	
OTHER GEARS	0	1	2	0	0	0	0	0	0	1	0	0	4	0%	
SOUTH CHANNEL	200	176	431	1,611	1,354	1,449	1,181	689	600	840	484	384	9,400	18%	
OTTER TRAWL	0	1	0	2	1	1	1	1	0	0	0	0	9	0%	
DREDGE	200	175	431	1,608	1,352	1,447	1,181	688	600	840	484	384	9,392	18%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
GEORGES BANK NOR	69	27	0	0	93	128	24	1	14	0	34	0	390	1%	
OTTER TRAWL	1	0	0	0	0	0	0	0	1	0	0	0	2	0%	
DREDGE	67	27	0	0	93	128	24	1	13	0	34	0	388	1%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
GEORGES BANK SOU	11	24	134	327	594	1,119	569	146	44	39	17	54	3,077	6%	
OTTER TRAWL	1	0	0	0	25	25	24	5	0	0	0	0	81	0%	
DREDGE	10	23	134	327	569	1,093	545	140	44	39	17	54	2,997	6%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
S. NEW ENGLAND	18	0	1	0	21	0	0	16	1	0	1	1	58	0%	
OTTER TRAWL	0	0	0	0	0	0	0	0	1	0	0	0	1	0%	
DREDGE	18	0	1	0	21	0	0	16	0	0	1	1	57	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
NEW YORK BIGHT	2,384	3,230	2,930	1,449	1,404	1,069	748	1,129	1,370	1,072	826	956	18,566	36%	
OTTER TRAWL	20	58	6	0	1	5	5	25	37	33	9	9	209	0%	
DREDGE	2,363	3,171	2,924	1,449	1,403	1,064	743	1,104	1,333	1,039	817	947	18,357	35%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	
DE / MD / VA	587	1,832	2,522	3,233	2,525	2,453	2,145	1,709	1,052	536	204	505	19,303	37%	
OTTER TRAWL	45	298	556	661	484	478	373	178	83	24	2	28	3,209	6%	
DREDGE	542	1,535	1,966	2,572	2,040	1,975	1,772	1,531	957	512	202	477	16,081	31%	
OTHER GEARS	0	0	0	0	0	0	0	0	13	0	0	0	13	0%	
VA / NC	3	0	47	24	50	14	18	12	0	0	0	1	170	0%	
OTTER TRAWL	3	0	19	24	15	14	2	4	0	0	0	1	83	0%	
DREDGE	0	0	28	0	35	0	16	8	0	0	0	0	87	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
ALL AREAS	3,386	5,402	6,173	6,747	6,110	6,298	4,700	3,714	3,119	2,567	1,601	1,940	51,757	100%	
OTTER TRAWL	72	362	582	690	528	526	406	214	122	60	13	40	3,614	7%	
DREDGE	3,314	5,039	5,589	6,057	5,582	5,773	4,294	3,500	2,985	2,506	1,588	1,900	48,126	93%	
OTHER GEARS	0	1	2	0	0	0	0	0	13	1	0	0	17	0%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is March 1 through February 28.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March 2002 - February 2003

PORT/ STATE	MAR 02 - FEB 03	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	23,927	66	0%	8,861	37%	383	2%	3,029	13%	56	0%	10,101	42%	1,425	6%	7	0%
Cape May, NJ	5,385	0	0%	15	0%	0	0%	0	0%	0	0%	1,749	32%	3,593	67%	28	1%
Norfolk, VA	15,558	25	0%	8	0%	0	0%	0	0%	0	0%	2,760	18%	12,639	81%	126	1%
								0									
MAINE	238	137	58%	80	34%	0	0%	0	0%	0	0%	20	9%	0	0%	0	0%
NEW HAMPSHIRE	177	13	8%	164	92%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	24,724	612	2%	9,089	37%	390	2%	3,043	12%	56	0%	10,102	41%	1,425	6%	7	0%
RHODE ISLAND	21	0	0%	0	0%	0	0%	0	0%	2	11%	18	87%	0	0%	0	0%
CONNECTICUT	1,570	0	0%	44	3%	0	0%	35	2%	0	0%	1,402	89%	88	6%	0	0%
NEW JERSEY	8,631	3	0%	15	0%	0	0%	0	0%	0	0%	4,151	48%	4,436	51%	28	0%
VIRGINIA	15,976	25	0%	8	0%	0	0%	0	0%	0	0%	2,848	18%	12,962	81%	133	1%
OTHER NORTHEAST	420	0	0%	0	0%	0	0%	0	0%	0	0%	25	6%	392	93%	2	1%
TOTAL	51,757	791	2%	9,400	18%	390	1%	3,077	6%	58	0%	18,566	36%	19,303	37%	170	0%

PORT/ STATE	MAR 02 - FEB 03	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	23,927	180	1%	23,748	99%	0	0%
Cape May, NJ	5,385	1,101	20%	4,284	80%	0	0%
Norfolk, VA	15,558	2,115	14%	13,443	86%	0	0%
MAINE	238	8	3%	228	96%	1	1%
NEW HAMPSHIRE	177	1	1%	176	99%	0	0%
MASSACHUSETTS	24,724	192	1%	24,530	99%	3	0%
RHODE ISLAND	21	2	9%	19	90%	0	0%
CONNECTICUT	1,570	1	0%	1,568	100%	0	0%
NEW JERSEY	8,631	1,145	13%	7,473	87%	13	0%
VIRGINIA	15,976	2,209	14%	13,767	86%	0	0%
OTHER NORTHEAST	420	54	13%	366	87%	0	0%
TOTAL	51,757	3,614	7%	48,126	93%	17	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.