

**Table 1.A. - Preliminary Cod Landings by Stock Area**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00		1999/2000*	
															May99-Apr00 as a % of Target TAC	Target TAC
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	Target TAC 1000 Lbs	
<b>GULF OF MAINE</b>	<b>605</b>	<b>153</b>	<b>113</b>	<b>148</b>	<b>125</b>	<b>108</b>	<b>130</b>	<b>203</b>	<b>546</b>	<b>273</b>	<b>405</b>	<b>284</b>	<b>3,093</b>	<b>15%</b>	<b>179%</b>	<b>1,724</b>
OTTER TRAWL	348	90	36	58	37	36	60	103	354	187	218	163	1,690	8%	98%	
GILLNET	201	54	70	80	73	58	51	72	125	53	140	106	1,083	5%	63%	
HOOK	15	3	2	5	6	5	4	7	26	25	23	6	126	1%	7%	
OTHER GEARS	41	7	4	5	10	8	15	21	41	8	24	9	194	1%	11%	
<b>GEORGES BANK</b>	<b>3,274</b>	<b>2,194</b>	<b>1,497</b>	<b>1,461</b>	<b>907</b>	<b>745</b>	<b>655</b>	<b>1,028</b>	<b>851</b>	<b>1,132</b>	<b>2,022</b>	<b>2,463</b>	<b>18,230</b>	<b>85%</b>	<b>154%</b>	<b>11,804</b>
OTTER TRAWL	2,086	1,289	592	576	517	456	424	548	338	408	1,495	2,046	10,775	51%	91%	
GILLNET	580	751	469	329	207	209	91	109	192	196	63	132	3,329	16%	28%	
HOOK	379	77	364	471	135	22	81	238	219	330	414	195	2,925	14%	25%	
OTHER GEARS	228	76	72	85	47	58	59	132	102	198	51	90	1,201	6%	10%	
<b>ALL AREAS</b>	<b>3,879</b>	<b>2,347</b>	<b>1,610</b>	<b>1,609</b>	<b>1,032</b>	<b>853</b>	<b>786</b>	<b>1,231</b>	<b>1,397</b>	<b>1,405</b>	<b>2,427</b>	<b>2,747</b>	<b>21,323</b>	<b>100%</b>	<b>158%</b>	<b>13,528</b>
OTTER TRAWL	2,434	1,379	628	634	554	492	484	651	692	595	1,713	2,209	12,465	58%	92%	
GILLNET	782	806	539	409	280	267	142	182	317	249	203	238	4,412	21%	33%	
HOOK	394	80	367	475	142	27	85	246	244	355	436	201	3,051	14%	23%	
OTHER GEARS	270	83	77	91	57	67	75	153	144	205	75	100	1,395	7%	10%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY99-APR00	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,545	690	45%	855	55%	1,185	77%	281	18%	20	1%	59	4%
Gloucester, MA	4,121	1,296	31%	2,825	69%	2,614	63%	746	18%	593	14%	167	4%
Boston, MA	1,284	58	5%	1,226	95%	1,270	99%	0	0%	2	0%	12	1%
New Bedford, MA	5,989	22	0%	5,967	100%	5,893	98%	1	0%	2	0%	93	2%
Point Judith, RI	398	2	0%	397	100%	365	92%	15	4%	0	0%	18	5%
MAINE	1,708	842	49%	866	51%	1,305	76%	320	19%	20	1%	62	4%
NEW HAMPSHIRE	426	369	87%	57	13%	121	28%	297	70%	1	0%	7	2%
MASSACHUSETTS	18,117	1,880	10%	16,236	90%	10,274	57%	3,582	20%	2,992	17%	1,268	7%
RHODE ISLAND	880	2	0%	878	100%	641	73%	214	24%	2	0%	24	3%
CONNECTICUT	74	0	0%	74	100%	73	99%	0	0%	0	0%	0	0%
NEW YORK	119	0	0%	119	100%	51	43%	0	0%	35	29%	33	28%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>21,323</b>	<b>3,093</b>	<b>15%</b>	<b>18,230</b>	<b>85%</b>	<b>12,465</b>	<b>58%</b>	<b>4,412</b>	<b>21%</b>	<b>3,050</b>	<b>14%</b>	<b>1,395</b>	<b>7%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 2.A. - Preliminary Haddock Landings by Stock Area**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00		1999/2000*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May99-Apr00 as a % of Target TAC	Target TAC 1000 Lbs
<b>GULF OF MAINE</b>	<b>24</b>	<b>70</b>	<b>132</b>	<b>81</b>	<b>87</b>	<b>101</b>	<b>158</b>	<b>66</b>	<b>119</b>	<b>107</b>	<b>193</b>	<b>41</b>	<b>1,178</b>	<b>13%</b>		
OTTER TRAWL	13	44	101	58	64	77	101	54	110	81	75	17	795	9%		
GILLNET	7	19	21	15	16	19	53	10	8	20	87	18	294	3%		
HOOK	4	5	4	5	5	4	3	1	0	6	21	6	66	1%		
OTHER GEARS	1	2	6	3	2	0	0	0	0	0	9	0	23	0%		
<b>GEORGES BANK</b>	<b>731</b>	<b>557</b>	<b>667</b>	<b>541</b>	<b>507</b>	<b>520</b>	<b>175</b>	<b>679</b>	<b>425</b>	<b>1,058</b>	<b>1,233</b>	<b>693</b>	<b>7,786</b>	<b>87%</b>	<b>63%</b>	<b>12,346</b>
OTTER TRAWL	594	507	627	518	488	508	171	675	409	1,028	1,135	597	7,257	81%	59%	
GILLNET	103	42	27	10	2	4	1	1	13	24	80	85	393	4%	3%	
HOOK	15	7	13	8	3	0	0	2	2	3	18	5	77	1%	1%	
OTHER GEARS	19	0	0	6	14	7	3	0	1	3	0	7	59	1%	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>23</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>34</b>	<b>0%</b>		
OTTER TRAWL	0	0	0	0	23	7	1	0	0	0	0	1	33	0%		
GILLNET	0	1	0	0	0	0	0	0	0	0	0	0	1	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
<b>ALL AREAS</b>	<b>756</b>	<b>628</b>	<b>800</b>	<b>622</b>	<b>617</b>	<b>628</b>	<b>333</b>	<b>745</b>	<b>544</b>	<b>1,165</b>	<b>1,426</b>	<b>735</b>	<b>8,999</b>	<b>100%</b>		
OTTER TRAWL	607	551	729	576	575	592	272	730	519	1,109	1,211	615	8,085	90%		
GILLNET	110	62	49	24	18	24	55	12	22	44	166	103	689	8%		
HOOK	19	12	16	13	8	5	4	4	2	10	39	11	143	2%		
OTHER GEARS	20	2	6	8	15	7	3	0	1	3	9	7	82	1%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY99 - APR00	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,821	661	36%	1,158	64%	1	0%	1,742	96%	45	2%	27	1%	7	0%
Gloucester, MA	2,696	359	13%	2,314	86%	23	1%	2,395	89%	193	7%	52	2%	56	2%
Boston, MA	983	16	2%	962	98%	5	1%	983	100%	0	0%	0	0%	1	0%
New Bedford, MA	2,640	2	0%	2,634	100%	4	0%	2,628	100%	0	0%	0	0%	11	0%
Point Judith, RI	84	4	5%	80	95%	0	0%	84	100%	0	0%	0	0%	0	0%
MAINE	1,839	677	37%	1,160	63%	2	0%	1,757	96%	47	3%	27	1%	8	0%
NEW HAMPSHIRE	122	102	84%	19	16%	0	0%	8	7%	113	93%	0	0%	0	0%
MASSACHUSETTS	6,796	395	6%	6,368	94%	32	0%	6,077	89%	528	8%	117	2%	74	1%
RHODE ISLAND	201	4	2%	197	98%	0	0%	201	100%	0	0%	0	0%	0	0%
CONNECTICUT	25	0	0%	25	100%	0	0%	25	100%	0	0%	0	0%	0	0%
NEW YORK	16	0	0%	16	100%	0	0%	16	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>8,999</b>	<b>1,178</b>	<b>13%</b>	<b>7,786</b>	<b>87%</b>	<b>34</b>	<b>0%</b>	<b>8,085</b>	<b>90%</b>	<b>689</b>	<b>8%</b>	<b>143</b>	<b>2%</b>	<b>82</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.

**Table 3.A. - Preliminary Yellowtail Landings by Stock Area**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00		1999/2000*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May99-Apr00 as a % of Target TAC	Target TAC 1000 Lbs
<b>GULF OF MAINE</b>	<b>41</b>	<b>60</b>	<b>10</b>	<b>4</b>	<b>1</b>	<b>6</b>	<b>7</b>	<b>7</b>	<b>24</b>	<b>1</b>	<b>30</b>	<b>34</b>	<b>225</b>	<b>2%</b>		
OTTER TRAWL	38	42	5	2	0	6	6	7	24	1	29	24	185	2%		
GILLNET	3	17	6	1	0	0	0	0	0	0	1	10	38	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	1	0	0	1	0	0	0	0	0	2	0%		
													0			
<b>CAPE COD</b>	<b>400</b>	<b>311</b>	<b>128</b>	<b>110</b>	<b>115</b>	<b>128</b>	<b>300</b>	<b>435</b>	<b>573</b>	<b>95</b>	<b>190</b>	<b>46</b>	<b>2,832</b>	<b>24%</b>		
OTTER TRAWL	199	180	101	105	113	118	289	407	429	89	179	22	2,231	19%		
GILLNET	197	124	24	5	2	6	8	27	138	3	8	20	561	5%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	4	7	3	0	0	4	4	1	6	2	3	5	40	0%		
													0			
<b>GEORGES BANK</b>	<b>559</b>	<b>213</b>	<b>116</b>	<b>58</b>	<b>37</b>	<b>123</b>	<b>140</b>	<b>1,618</b>	<b>685</b>	<b>442</b>	<b>1,245</b>	<b>1,483</b>	<b>6,719</b>	<b>58%</b>	<b>112%</b>	<b>6,008</b>
OTTER TRAWL	532	207	63	45	26	100	115	1,617	653	442	1,244	1,477	6,522	56%	109%	
GILLNET	0	0	0	0	0	0	0	0	31	0	0	0	32	0%	1%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	28	6	53	13	11	23	24	1	0	0	0	6	165	1%	3%	
													0			
<b>SNE/ MID-ATLANTIC</b>	<b>115</b>	<b>206</b>	<b>147</b>	<b>109</b>	<b>72</b>	<b>71</b>	<b>75</b>	<b>124</b>	<b>171</b>	<b>323</b>	<b>269</b>	<b>143</b>	<b>1,826</b>	<b>16%</b>	<b>74%</b>	<b>2,458</b>
OTTER TRAWL	110	205	146	107	71	68	75	121	170	322	252	140	1,787	15%	73%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	1	2	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	4	1	1	2	1	2	1	3	1	2	17	2	37	0%	2%	
													0			
<b>ALL AREAS</b>	<b>1,115</b>	<b>789</b>	<b>402</b>	<b>281</b>	<b>225</b>	<b>328</b>	<b>522</b>	<b>2,185</b>	<b>1,453</b>	<b>861</b>	<b>1,734</b>	<b>1,707</b>	<b>11,601</b>	<b>100%</b>		
OTTER TRAWL	879	634	315	259	211	293	484	2,153	1,276	854	1,704	1,663	10,725	92%		
GILLNET	200	141	30	6	2	6	8	27	170	3	9	31	632	5%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	36	14	57	16	12	29	30	5	7	4	21	13	244	2%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
Cape Cod: 514, 521  
Georges Bank: 522, 525, 542-543, 551-552, 561-562  
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.  
\* Fishing Year is May 1 through April 30.

**Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY99 - APR00	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	43	8	19%	2	5%	32	76%	0	0%	33	77%	0	0%	0	0%	10	23%
Gloucester, MA	1,208	52	4%	950	79%	205	17%	1	0%	1,005	83%	175	15%	0	0%	28	2%
Boston, MA	184	19	10%	98	53%	65	35%	3	1%	183	99%	0	0%	0	0%	1	1%
New Bedford, MA	6,915	25	0%	764	11%	5,621	81%	506	7%	6,747	98%	32	0%	0	0%	136	2%
Point Judith, RI	957	0	0%	0	0%	390	41%	567	59%	938	98%	0	0%	0	0%	19	2%
MAINE	51	16	31%	2	4%	33	64%	0	0%	41	79%	0	0%	0	0%	11	21%
NEW HAMPSHIRE	155	105	68%	46	30%	1	0%	2	2%	118	76%	36	23%	0	0%	1	0%
MASSACHUSETTS	9,365	103	1%	2,784	30%	5,947	64%	531	6%	8,585	92%	596	6%	0	0%	184	2%
RHODE ISLAND	1,292	0	0%	0	0%	583	45%	709	55%	1,270	98%	0	0%	0	0%	22	2%
CONNECTICUT	150	0	0%	0	0%	80	54%	69	46%	137	92%	0	0%	0	0%	12	8%
NEW YORK	563	0	0%	0	0%	65	12%	498	88%	560	99%	0	0%	0	0%	3	1%
NEW JERSEY	25	0	0%	0	0%	8	33%	17	67%	14	57%	0	0%	0	0%	11	43%
OTHER NORTHEAST	1	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	1	0%
<b>TOTAL</b>	<b>11,601</b>	<b>225</b>	<b>2%</b>	<b>2,832</b>	<b>24%</b>	<b>6,719</b>	<b>58%</b>	<b>1,826</b>	<b>16%</b>	<b>10,725</b>	<b>92%</b>	<b>632</b>	<b>5%</b>	<b>0</b>	<b>0%</b>	<b>244</b>	<b>2%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
Cape Cod: 514, 521  
Georges Bank: 522, 525, 542-543, 551-552, 561-562  
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 4.A. - Preliminary Prorated White Hake Landings**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
<b>SNE/ NORTH</b>	<b>395</b>	<b>734</b>	<b>820</b>	<b>722</b>	<b>629</b>	<b>454</b>	<b>380</b>	<b>268</b>	<b>272</b>	<b>342</b>	<b>425</b>	<b>419</b>	<b>5,858</b>	<b>99%</b>
OTTER TRAWL	177	401	357	295	277	344	336	224	202	284	369	318	3,586	60%
GILLNET	211	287	408	382	308	108	42	44	26	51	42	70	1,979	33%
HOOK	6	46	20	41	39	2	2	0	43	6	13	0	217	4%
OTHER GEARS	0	0	36	3	5	0	0	0	0	1	0	32	77	1%
<b>MID-ATLANTIC</b>	<b>0</b>	<b>28</b>	<b>2</b>	<b>0</b>	<b>3</b>	<b>5</b>	<b>3</b>	<b>6</b>	<b>1</b>	<b>10</b>	<b>5</b>	<b>5</b>	<b>69</b>	<b>1%</b>
OTTER TRAWL	0	4	0	0	3	5	2	6	1	10	5	5	43	1%
GILLNET	0	24	2	0	1	0	0	0	0	0	0	0	27	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
<b>ALL AREAS</b>	<b>395</b>	<b>762</b>	<b>822</b>	<b>722</b>	<b>633</b>	<b>459</b>	<b>383</b>	<b>274</b>	<b>273</b>	<b>352</b>	<b>429</b>	<b>424</b>	<b>5,928</b>	<b>100%</b>
OTTER TRAWL	177	405	357	295	280	350	338	230	204	294	374	323	3,628	61%
GILLNET	211	311	409	382	309	108	43	44	26	51	42	70	2,006	34%
HOOK	6	46	20	41	39	2	2	0	43	6	13	0	217	4%
OTHER GEARS	0	0	36	3	5	0	0	0	0	1	0	32	77	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY 99 - APR 00	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,877	2,852	99%	25	1%	2,028	70%	636	22%	147	5%	66	2%
Gloucester, MA	1,456	1,456	100%	0	0%	731	50%	656	45%	68	5%	0	0%
Boston, MA	279	275	99%	4	1%	279	100%	0	0%	0	0%	0	0%
New Bedford, MA	206	204	99%	2	1%	206	100%	0	0%	0	0%	0	0%
Point Judith, RI	24	23	95%	1	5%	24	100%	0	0%	0	0%	0	0%
MAINE	3,188	3,162	99%	26	1%	2,235	70%	740	23%	147	5%	66	2%
NEW HAMPSHIRE	624	622	100%	2	0%	47	8%	576	92%	0	0%	0	0%
MASSACHUSETTS	2,012	2,004	100%	8	0%	1,243	62%	688	34%	70	3%	10	1%
RHODE ISLAND	58	56	97%	2	3%	58	100%	0	0%	0	0%	0	0%
CONNECTICUT	6	3	61%	2	39%	5	93%	0	0%	0	0%	0	0%
NEW YORK	40	11	27%	29	73%	39	97%	1	3%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>5,928</b>	<b>5,858</b>	<b>99%</b>	<b>69</b>	<b>1%</b>	<b>3,628</b>	<b>61%</b>	<b>2,006</b>	<b>34%</b>	<b>217</b>	<b>4%</b>	<b>77</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.



**Table 5.A. - Preliminary Prorated American Plaice Landings**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
<b>GULF OF MAINE/ GB</b>	<b>799</b>	<b>1,095</b>	<b>735</b>	<b>579</b>	<b>502</b>	<b>351</b>	<b>482</b>	<b>565</b>	<b>365</b>	<b>411</b>	<b>523</b>	<b>548</b>	<b>6,953</b>	<b>99%</b>
OTTER TRAWL	711	1,046	723	572	497	347	480	565	359	406	504	526	6,735	96%
GILLNET	64	33	9	6	3	0	1	0	0	0	6	14	136	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	25	16	3	1	2	4	1	0	6	5	12	8	82	1%
<b>SNE / MID-ATLANTIC</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>1</b>	<b>9</b>	<b>13</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>7</b>	<b>50</b>	<b>1%</b>
OTTER TRAWL	3	3	5	1	8	12	1	5	1	0	1	7	47	1%
GILLNET	0	0	0	0	1	1	0	0	0	0	0	0	3	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
<b>ALL AREAS</b>	<b>802</b>	<b>1,099</b>	<b>740</b>	<b>580</b>	<b>511</b>	<b>364</b>	<b>482</b>	<b>570</b>	<b>365</b>	<b>411</b>	<b>524</b>	<b>555</b>	<b>7,003</b>	<b>100%</b>
OTTER TRAWL	714	1,049	728	573	505	359	481	570	359	406	505	533	6,782	97%
GILLNET	64	33	9	6	4	1	1	0	0	0	6	14	139	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	25	16	3	1	2	4	1	0	6	5	12	8	82	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY 99 - APR 00	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,451	2,440	100%	11	0%	2,433	99%	1	0%	0	0%	16	1%
Gloucester, MA	1,277	1,276	100%	1	0%	1,175	92%	64	5%	0	0%	38	3%
Boston, MA	572	561	98%	12	2%	564	99%	0	0%	0	0%	9	1%
New Bedford, MA	1,087	1,080	99%	7	1%	1,077	99%	0	0%	0	0%	10	1%
Point Judith, RI	92	88	96%	4	4%	92	100%	0	0%	0	0%	0	0%
MAINE	3,260	3,246	100%	14	0%	3,242	99%	1	0%	0	0%	18	1%
NEW HAMPSHIRE	189	189	100%	0	0%	152	80%	37	20%	0	0%	0	0%
MASSACHUSETTS	3,260	3,239	99%	20	1%	3,098	95%	99	3%	0	0%	63	2%
RHODE ISLAND	276	267	97%	9	3%	276	100%	0	0%	0	0%	0	0%
CONNECTICUT	13	11	84%	2	16%	13	99%	0	0%	0	0%	0	0%
NEW YORK	6	0	0%	5	93%	3	55%	2	38%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>7,003</b>	<b>6,953</b>	<b>99%</b>	<b>50</b>	<b>1%</b>	<b>6,782</b>	<b>97%</b>	<b>139</b>	<b>2%</b>	<b>0</b>	<b>0%</b>	<b>82</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.

**Table 6.A. - Preliminary Prorated Winter Flounder Landings**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
<b>GULF OF MAINE</b>	<b>161</b>	<b>76</b>	<b>21</b>	<b>34</b>	<b>93</b>	<b>61</b>	<b>68</b>	<b>91</b>	<b>55</b>	<b>25</b>	<b>44</b>	<b>23</b>	<b>751</b>	<b>7%</b>
OTTER TRAWL	73	39	15	27	88	59	66	86	52	22	34	9	570	6%
GILLNET	87	37	6	7	5	2	1	4	3	3	9	15	178	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	1	0	0	0	1	0	3	0%
<b>GEORGES BANK</b>	<b>367</b>	<b>298</b>	<b>98</b>	<b>168</b>	<b>170</b>	<b>137</b>	<b>325</b>	<b>184</b>	<b>29</b>	<b>35</b>	<b>110</b>	<b>324</b>	<b>2,245</b>	<b>22%</b>
OTTER TRAWL	359	297	97	161	167	130	295	182	29	33	110	304	2,166	21%
GILLNET	0	0	0	0	0	1	0	0	0	0	0	0	2	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	8	0	1	7	2	5	30	2	0	2	0	20	77	1%
<b>SNE/ MID-ATLANTIC</b>	<b>653</b>	<b>674</b>	<b>837</b>	<b>984</b>	<b>876</b>	<b>784</b>	<b>872</b>	<b>575</b>	<b>143</b>	<b>140</b>	<b>220</b>	<b>613</b>	<b>7,370</b>	<b>71%</b>
OTTER TRAWL	603	637	815	974	871	721	859	570	140	109	202	554	7,056	68%
GILLNET	38	32	20	8	3	27	10	2	1	0	12	43	198	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	2	0%
OTHER GEARS	11	5	1	2	1	36	2	2	2	31	6	16	114	1%
<b>ALL AREAS</b>	<b>1,180</b>	<b>1,048</b>	<b>956</b>	<b>1,186</b>	<b>1,139</b>	<b>981</b>	<b>1,265</b>	<b>850</b>	<b>228</b>	<b>200</b>	<b>374</b>	<b>960</b>	<b>10,366</b>	<b>100%</b>
OTTER TRAWL	1,035	973	927	1,162	1,127	910	1,221	839	221	164	345	867	9,792	94%
GILLNET	125	69	26	14	9	30	11	7	4	3	22	58	378	4%
HOOK	0	0	0	1	0	0	0	0	0	0	0	0	2	0%
OTHER GEARS	19	5	3	8	3	41	33	4	3	33	7	35	193	2%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY99 - APR00	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	14	5	38%	8	59%	0	0%	14	98%	0	0%	0	0%	0	0%
Gloucester, MA	393	195	50%	82	21%	116	29%	223	57%	154	39%	0	0%	16	4%
Boston, MA	534	44	8%	46	9%	444	83%	534	100%	0	0%	0	0%	0	0%
New Bedford, MA	5,893	87	1%	1,993	34%	3,813	65%	5,780	98%	0	0%	0	0%	114	2%
Point Judith, RI	954	0	0%	14	1%	940	99%	919	96%	1	0%	0	0%	34	4%
MAINE	16	7	41%	8	53%	1	0%	15	98%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	20	19	97%	0	0%	0	0%	13	66%	7	33%	0	0%	0	0%
MASSACHUSETTS	7,512	725	10%	2,178	29%	4,609	61%	7,004	93%	360	5%	2	0%	146	2%
RHODE ISLAND	1,158	0	0%	33	3%	1,125	97%	1,112	96%	11	1%	0	0%	35	3%
CONNECTICUT	367	0	0%	20	6%	346	94%	364	99%	0	0%	0	0%	3	1%
NEW YORK	706	0	0%	3	0%	703	100%	703	100%	0	0%	0	0%	3	0%
NEW JERSEY	586	1	0%	1	0%	584	100%	579	99%	0	0%	0	0%	6	1%
OTHER NORTHEAST	2	0	0%	0	0%	2	97%	1	62%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>10,366</b>	<b>751</b>	<b>7%</b>	<b>2,245</b>	<b>22%</b>	<b>7,370</b>	<b>71%</b>	<b>9,792</b>	<b>94%</b>	<b>378</b>	<b>4%</b>	<b>2</b>	<b>0%</b>	<b>193</b>	<b>2%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.

**Table 7.A. - Preliminary Prorated Witch Flounder Landings**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
<b>GULF OF MAINE/ GB</b>	<b>434</b>	<b>719</b>	<b>460</b>	<b>448</b>	<b>249</b>	<b>264</b>	<b>271</b>	<b>336</b>	<b>288</b>	<b>420</b>	<b>480</b>	<b>398</b>	<b>4,767</b>	<b>97%</b>
OTTER TRAWL	417	671	439	429	246	262	267	335	280	418	473	395	4,632	95%
GILLNET	12	39	18	16	3	1	2	0	0	0	0	0	90	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	6	9	3	3	0	2	2	0	8	2	7	3	45	1%
<b>SNE/ MID-ATLANTIC</b>	<b>28</b>	<b>24</b>	<b>8</b>	<b>4</b>	<b>9</b>	<b>8</b>	<b>9</b>	<b>12</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>10</b>	<b>129</b>	<b>3%</b>
OTTER TRAWL	27	24	8	4	9	8	9	12	6	6	6	10	128	3%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	1	0	0	0	0	0	0	0	0	0	0	0	1	0%
<b>ALL AREAS</b>	<b>462</b>	<b>743</b>	<b>468</b>	<b>452</b>	<b>258</b>	<b>272</b>	<b>280</b>	<b>348</b>	<b>294</b>	<b>426</b>	<b>486</b>	<b>407</b>	<b>4,896</b>	<b>100%</b>
OTTER TRAWL	444	696	447	433	255	270	276	347	286	424	479	405	4,760	97%
GILLNET	12	39	18	16	3	1	2	0	0	0	0	0	90	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	6	9	3	3	0	2	2	0	8	2	7	3	46	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY 99 - APR 00	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,578	1,571	100%	7	0%	1,570	100%	0	0%	0	0%	8	0%
Gloucester, MA	772	771	100%	1	0%	711	92%	45	6%	0	0%	15	2%
Boston, MA	508	502	99%	6	1%	499	98%	0	0%	0	0%	9	2%
New Bedford, MA	828	810	98%	18	2%	820	99%	0	0%	0	0%	8	1%
Point Judith, RI	141	80	56%	62	44%	141	100%	0	0%	0	0%	0	0%
MAINE	2,155	2,147	100%	8	0%	2,147	100%	0	0%	0	0%	8	0%
NEW HAMPSHIRE	49	49	100%	0	0%	44	89%	5	11%	0	0%	0	0%
MASSACHUSETTS	2,364	2,340	99%	25	1%	2,244	95%	84	4%	0	0%	36	2%
RHODE ISLAND	294	222	75%	72	25%	294	100%	0	0%	0	0%	0	0%
CONNECTICUT	12	4	31%	8	69%	11	90%	0	0%	0	0%	1	10%
NEW YORK	12	5	42%	7	58%	12	100%	0	0%	0	0%	0	0%
NEW JERSEY	9	1	0%	8	91%	8	91%	0	0%	0	0%	1	0%
OTHER NORTHEAST	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>4,896</b>	<b>4,767</b>	<b>97%</b>	<b>129</b>	<b>3%</b>	<b>4,760</b>	<b>97%</b>	<b>90</b>	<b>2%</b>	<b>0</b>	<b>0%</b>	<b>46</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 8.A. - Preliminary Prorated Windowpane Flounder Landings**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
<b>GULF OF MAINE/ GB</b>	<b>8</b>	<b>5</b>	<b>6</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>35</b>	<b>7</b>	<b>3</b>	<b>38</b>	<b>135</b>	<b>78</b>	<b>328</b>	<b>55%</b>
OTTER TRAWL	8	5	6	5	4	3	35	7	3	38	135	75	324	54%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	1	0	0	0	0	0	0	0	0	3	4	1%
<b>SNE/ MID-ATLANTIC</b>	<b>11</b>	<b>5</b>	<b>10</b>	<b>7</b>	<b>28</b>	<b>4</b>	<b>4</b>	<b>20</b>	<b>21</b>	<b>36</b>	<b>62</b>	<b>64</b>	<b>272</b>	<b>45%</b>
OTTER TRAWL	11	5	10	7	28	4	4	20	21	36	55	63	263	44%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	7	1	9	1%
<b>ALL AREAS</b>	<b>19</b>	<b>10</b>	<b>17</b>	<b>12</b>	<b>32</b>	<b>7</b>	<b>38</b>	<b>28</b>	<b>24</b>	<b>74</b>	<b>197</b>	<b>142</b>	<b>600</b>	<b>100%</b>
OTTER TRAWL	19	10	16	12	32	7	38	27	24	74	190	138	587	98%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	1	0	0	0	0	0	0	0	7	4	13	2%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY 99 - APR 00	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	6	6	100%	0	0%	6	93%	0	0%	0	0%	0	0%
Boston, MA	3	3	100%	0	0%	3	100%	0	0%	0	0%	0	0%
New Bedford, MA	286	250	87%	36	13%	275	96%	0	0%	0	0%	11	4%
Point Judith, RI	65	33	51%	32	49%	65	99%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
MASSACHUSETTS	302	265	88%	37	12%	290	96%	0	0%	0	0%	12	4%
RHODE ISLAND	85	47	55%	39	45%	85	99%	0	0%	0	0%	0	0%
CONNECTICUT	15	10	63%	6	37%	15	100%	0	0%	0	0%	0	0%
NEW YORK	73	4	6%	69	94%	73	99%	0	0%	0	0%	1	0%
NEW JERSEY	122	0	0%	122	100%	122	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>600</b>	<b>328</b>	<b>55%</b>	<b>272</b>	<b>45%</b>	<b>587</b>	<b>98%</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>13</b>	<b>2%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.



**Table 9 - Preliminary Multispecies Landings\*\***

		MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00		1999/2000*	
		1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May99-Apr00 as a % of Target TAC	Target TAC 1000 Lbs
ATLANTIC POLLOCK	1999/2000	554	662	934	652	694	522	902	922	752	787	1,010	440	8,832	23%	16%	
REDFISH	1999/2000	68	98	47	37	63	65	52	59	55	43	54	35	677	2%	1%	
WHITE HAKE	1999/2000	395	762	822	722	633	459	383	274	273	352	429	424	5,928	15%	11%	
AMERICAN PLAICE	1999/2000	802	1,099	740	580	511	364	482	570	365	411	524	555	7,003	18%	12%	
WINTER FLOUNDER	1999/2000	1,180	1,048	956	1,186	1,139	981	1,265	850	228	200	374	960	10,366	27%	18%	
WITCH FLOUNDER	1999/2000	462	743	468	452	258	272	280	348	294	426	486	407	4,896	13%	9%	
WINDOWPANE FLDR	1999/2000	19	10	17	12	32	7	38	28	24	74	197	142	600	2%	1%	
<b>TOTAL</b>	<b>1999/2000</b>	<b>3,480</b>	<b>4,421</b>	<b>3,984</b>	<b>3,641</b>	<b>3,330</b>	<b>2,671</b>	<b>3,403</b>	<b>3,050</b>	<b>1,992</b>	<b>2,293</b>	<b>3,074</b>	<b>2,963</b>	<b>38,302</b>		<b>68%</b>	<b>56,200</b>

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

**Table 10.A. - Preliminary Silver Hake Landings by Stock Area**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
<b>GULF OF MAINE</b>	<b>2</b>	<b>426</b>	<b>1,955</b>	<b>2,494</b>	<b>1,882</b>	<b>1,205</b>	<b>1,134</b>	<b>185</b>	<b>123</b>	<b>127</b>	<b>267</b>	<b>11</b>	<b>9,810</b>	<b>34%</b>
OTTER TRAWL	1	417	1,913	2,482	1,870	1,202	1,121	183	122	125	266	10	9,712	33%
GILLNET	1	8	38	6	7	4	12	3	0	2	2	1	84	0%
HOOK	0	0	3	6	0	0	0	0	0	0	0	0	10	0%
OTHER GEARS	0	0	0	0	4	0	0	0	0	0	0	0	5	0%
<b>SNE/ MID-ATLANTIC</b>	<b>3,257</b>	<b>2,269</b>	<b>633</b>	<b>521</b>	<b>427</b>	<b>1,189</b>	<b>959</b>	<b>1,348</b>	<b>2,261</b>	<b>2,180</b>	<b>2,184</b>	<b>2,005</b>	<b>19,235</b>	<b>66%</b>
OTTER TRAWL	3,198	2,269	633	520	426	1,185	958	1,345	2,242	2,178	2,178	2,004	19,138	66%
GILLNET	13	0	0	0	0	3	0	3	19	0	1	0	39	0%
HOOK	1	0	0	1	1	0	0	0	0	0	1	1	6	0%
OTHER GEARS	45	0	0	0	0	0	1	0	0	2	4	0	53	0%
<b>ALL AREAS</b>	<b>3,259</b>	<b>2,695</b>	<b>2,588</b>	<b>3,015</b>	<b>2,309</b>	<b>2,394</b>	<b>2,093</b>	<b>1,534</b>	<b>2,383</b>	<b>2,308</b>	<b>2,452</b>	<b>2,016</b>	<b>29,045</b>	<b>100%</b>
OTTER TRAWL	3,199	2,686	2,547	3,002	2,296	2,387	2,079	1,528	2,364	2,303	2,444	2,014	28,850	99%
GILLNET	14	8	38	6	7	7	13	5	19	2	2	1	122	0%
HOOK	1	0	3	7	1	0	0	0	0	1	1	1	16	0%
OTHER GEARS	45	0	0	0	4	0	1	1	0	2	4	0	57	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY 99 - APR 00	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	143	143	100%	0	0%	130	91%	2	2%	10	7%	0	0%
Gloucester, MA	2,695	2,694	100%	1	0%	2,644	98%	50	2%	0	0%	1	0%
Boston, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
New Bedford, MA	147	19	13%	128	87%	145	99%	2	1%	0	0%	0	0%
Point Judith, RI	8,341	1,647	20%	6,694	80%	8,323	100%	0	0%	2	0%	16	0%
MAINE	146	146	100%	0	0%	133	91%	2	2%	10	7%	0	0%
NEW HAMPSHIRE	234	233	100%	1	0%	208	89%	26	11%	0	0%	0	0%
MASSACHUSETTS	4,669	4,490	96%	179	4%	4,606	99%	58	1%	0	0%	5	0%
RHODE ISLAND	8,725	1,656	19%	7,070	81%	8,672	99%	31	0%	2	0%	20	0%
CONNECTICUT	7,320	2,209	30%	5,111	70%	7,320	100%	0	0%	0	0%	0	0%
NEW YORK	7,213	1,075	15%	6,138	85%	7,173	99%	5	0%	3	0%	32	0%
NEW JERSEY	739	1	0%	737	100%	737	100%	1	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>29,045</b>	<b>9,810</b>	<b>34%</b>	<b>19,235</b>	<b>66%</b>	<b>28,850</b>	<b>99%</b>	<b>122</b>	<b>0%</b>	<b>16</b>	<b>0%</b>	<b>57</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 11.A. - Preliminary Monkfish Landings by Stock Area**

	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR - 2000	APR - 2000	MAY 99 - APR 00		1999/2000*	
															May99-Apr00 as a % of Target TAC	Target TAC 1000 Lbs
<b>NORTHERN</b>	<b>1,607</b>	<b>2,532</b>	<b>1,604</b>	<b>1,683</b>	<b>1,566</b>	<b>1,589</b>	<b>1,678</b>	<b>1,750</b>	<b>1,415</b>	<b>1,980</b>	<b>2,308</b>	<b>1,718</b>	<b>21,429</b>	<b>40%</b>	<b>171%</b>	<b>12,507</b>
OTTER TRAWL	1,376	1,985	1,023	1,008	958	901	1,149	1,408	1,256	1,912	2,203	1,505	16,684	31%	133%	
GILLNET	162	432	519	524	458	489	360	271	114	36	96	179	3,640	7%	29%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	70	115	62	151	149	199	168	71	44	32	9	34	1,104	2%	9%	
<b>SOUTHERN</b>	<b>5,708</b>	<b>3,873</b>	<b>1,603</b>	<b>1,425</b>	<b>1,020</b>	<b>2,906</b>	<b>3,246</b>	<b>2,688</b>	<b>1,930</b>	<b>2,612</b>	<b>2,405</b>	<b>2,134</b>	<b>31,550</b>	<b>60%</b>	<b>238%</b>	<b>13,281</b>
OTTER TRAWL	1,488	1,146	659	563	559	1,535	1,134	902	456	1,502	1,350	571	11,865	22%	89%	
GILLNET	3,770	2,325	547	202	105	702	1,766	1,613	1,345	853	817	1,284	15,329	29%	115%	
HOOK	1	0	0	0	0	0	0	0	0	0	0	0	2	0%	0%	
OTHER GEARS	451	402	397	659	356	668	346	173	129	256	237	279	4,353	8%	33%	
<b>ALL AREAS</b>	<b>7,315</b>	<b>6,405</b>	<b>3,208</b>	<b>3,108</b>	<b>2,586</b>	<b>4,495</b>	<b>4,923</b>	<b>4,438</b>	<b>3,345</b>	<b>4,592</b>	<b>4,713</b>	<b>3,851</b>	<b>52,979</b>	<b>100%</b>	<b>205%</b>	<b>25,788</b>
OTTER TRAWL	2,863	3,130	1,683	1,571	1,517	2,436	2,283	2,310	1,712	3,415	3,553	2,076	28,549	54%	111%	
GILLNET	3,932	2,757	1,066	726	563	1,192	2,126	1,883	1,460	889	913	1,463	18,969	36%	74%	
HOOK	1	0	0	1	0	0	0	0	0	0	0	0	3	0%	0%	
OTHER GEARS	520	517	458	811	505	867	514	244	173	288	246	312	5,457	10%	21%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 1999 - April 2000**

PORT/ STATE	MAY 99 - APR 00	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	6,136	6,108	100%	29	0%	5,941	97%	149	2%	0	0%	45	1%
Gloucester, MA	3,116	3,084	99%	32	1%	1,970	63%	1,121	36%	0	0%	24	1%
Boston, MA	2,343	1,837	78%	505	22%	2,237	95%	0	0%	0	0%	106	5%
New Bedford, MA	15,898	5,832	37%	10,067	63%	10,962	69%	1,103	7%	0	0%	3,833	24%
Point Judith, RI	3,871	101	3%	3,770	97%	2,393	62%	1,434	37%	1	0%	44	1%
MAINE	7,994	7,940	99%	54	1%	7,523	94%	406	5%	0	0%	64	1%
NEW HAMPSHIRE	1,424	1,371	96%	54	4%	133	9%	1,273	89%	0	0%	19	1%
MASSACHUSETTS	23,382	11,534	49%	11,848	51%	15,403	66%	3,986	17%	1	0%	3,992	17%
RHODE ISLAND	7,609	488	6%	7,120	94%	3,841	50%	3,689	48%	1	0%	78	1%
CONNECTICUT	1,522	30	2%	1,492	98%	988	65%	236	15%	0	0%	299	20%
NEW YORK	1,200	6	1%	1,194	99%	336	28%	858	72%	1	0%	5	0%
NEW JERSEY	6,319	10	0%	6,309	100%	145	2%	5,622	89%	0	0%	552	9%
OTHER NORTHEAST	3,529	51	1%	3,478	99%	181	5%	2,898	82%	0	0%	450	13%
<b>TOTAL</b>	<b>52,979</b>	<b>21,429</b>	<b>40%</b>	<b>31,550</b>	<b>60%</b>	<b>28,549</b>	<b>54%</b>	<b>18,969</b>	<b>36%</b>	<b>3</b>	<b>0%</b>	<b>5,458</b>	<b>10%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.

**Table 12.A. - Preliminary Sea Scallop Landings by Stock Area**

	MAR - 1999	APR - 1999	MAY - 1999	JUN - 1999	JUL - 1999	AUG - 1999	SEP - 1999	OCT - 1999	NOV - 1999	DEC - 1999	JAN - 2000	FEB - 2000	MAR 99 - FEB 00	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
<b>GULF OF MAINE</b>	<b>69</b>	<b>17</b>	<b>6</b>	<b>10</b>	<b>7</b>	<b>20</b>	<b>32</b>	<b>52</b>	<b>43</b>	<b>312</b>	<b>90</b>	<b>49</b>	<b>708</b>	<b>3%</b>
OTTER TRAWL	1	0	0	0	0	0	0	18	0	5	0	0	26	0%
DREDGE	69	16	6	10	7	20	32	34	42	304	88	49	676	3%
OTHER GEARS	0	1	0	0	0	0	0	0	0	3	2	0	7	0%
<b>SOUTH CHANNEL</b>	<b>186</b>	<b>284</b>	<b>405</b>	<b>711</b>	<b>216</b>	<b>302</b>	<b>233</b>	<b>437</b>	<b>209</b>	<b>271</b>	<b>155</b>	<b>173</b>	<b>3,580</b>	<b>16%</b>
OTTER TRAWL	0	0	1	5	0	0	1	0	0	0	0	1	9	0%
DREDGE	186	284	405	705	215	302	233	425	208	271	140	172	3,545	16%
OTHER GEARS	0	0	0	0	0	0	0	11	0	0	15	0	26	0%
<b>GEORGES BANK NORTH</b>	<b>54</b>	<b>207</b>	<b>48</b>	<b>701</b>	<b>1,798</b>	<b>989</b>	<b>407</b>	<b>1,249</b>	<b>678</b>	<b>161</b>	<b>54</b>	<b>82</b>	<b>6,429</b>	<b>28%</b>
OTTER TRAWL	0	0	0	0	0	11	0	10	0	2	1	1	25	0%
DREDGE	54	207	48	677	1,765	979	386	1,228	678	160	53	81	6,315	28%
OTHER GEARS	0	0	0	24	33	0	21	11	0	0	0	0	89	0%
<b>GEORGES BANK SOUTH</b>	<b>17</b>	<b>100</b>	<b>205</b>	<b>344</b>	<b>50</b>	<b>96</b>	<b>31</b>	<b>52</b>	<b>65</b>	<b>188</b>	<b>15</b>	<b>3</b>	<b>1,166</b>	<b>5%</b>
OTTER TRAWL	1	0	0	0	0	0	0	1	0	0	1	3	6	0%
DREDGE	17	100	205	322	50	96	31	52	65	188	14	0	1,139	5%
OTHER GEARS	0	0	0	22	0	0	0	0	0	0	0	0	22	0%
<b>S. NEW ENGLAND</b>	<b>11</b>	<b>27</b>	<b>14</b>	<b>25</b>	<b>24</b>	<b>60</b>	<b>5</b>	<b>24</b>	<b>13</b>	<b>1</b>	<b>1</b>	<b>8</b>	<b>213</b>	<b>1%</b>
OTTER TRAWL	10	15	14	15	21	32	0	9	13	0	0	0	129	1%
DREDGE	1	12	0	10	3	27	5	15	0	1	0	8	83	0%
OTHER GEARS	0	0	0	0	0	1	0	0	0	0	0	0	1	0%
<b>NEW YORK BIGHT</b>	<b>584</b>	<b>587</b>	<b>1,112</b>	<b>433</b>	<b>264</b>	<b>292</b>	<b>216</b>	<b>150</b>	<b>129</b>	<b>105</b>	<b>102</b>	<b>746</b>	<b>4,719</b>	<b>21%</b>
OTTER TRAWL	2	0	0	2	0	28	2	2	2	2	0	0	42	0%
DREDGE	582	587	1,111	430	264	264	214	148	126	103	102	737	4,668	21%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	8	8	0%
<b>DE / MD / VA</b>	<b>562</b>	<b>795</b>	<b>972</b>	<b>1,018</b>	<b>694</b>	<b>595</b>	<b>171</b>	<b>228</b>	<b>264</b>	<b>153</b>	<b>33</b>	<b>77</b>	<b>5,562</b>	<b>25%</b>
OTTER TRAWL	72	234	267	411	331	234	88	146	194	29	2	24	2,032	9%
DREDGE	491	561	700	594	357	361	84	81	70	124	30	43	3,497	16%
OTHER GEARS	0	0	5	12	5	0	0	0	0	0	0	10	32	0%
<b>VA / NC</b>	<b>0</b>	<b>24</b>	<b>54</b>	<b>25</b>	<b>59</b>	<b>20</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>187</b>	<b>1%</b>
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
DREDGE	0	24	54	25	59	20	3	0	0	0	0	2	186	1%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
<b>ALL AREAS</b>	<b>1,483</b>	<b>2,041</b>	<b>2,818</b>	<b>3,266</b>	<b>3,111</b>	<b>2,374</b>	<b>1,098</b>	<b>2,193</b>	<b>1,399</b>	<b>1,191</b>	<b>449</b>	<b>1,140</b>	<b>22,563</b>	<b>100%</b>
OTTER TRAWL	85	250	282	434	353	306	91	187	209	38	5	30	2,270	10%
DREDGE	1,399	1,789	2,530	2,774	2,720	2,067	986	1,984	1,189	1,150	427	1,092	20,107	89%
OTHER GEARS	0	1	5	58	38	1	21	23	0	3	17	18	186	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526  
 Georges Bank North: 561-562; Georges Bank South: 525  
 Southern New England: 537-539; New York Bight: 611-616  
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.  
 3. Gear data are based on vessel trip reports.  
 \* Fishing Year is March 1 through February 28.

**Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March 1999 - February 2000**

PORT/ STATE	MAR 99 - FEB 00	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		NEW YORK BIGHT		SOUTHERN NEW ENGLAND		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	12,378	145	1%	3,417	28%	5,408	44%	1,076	9%	153	1%	1,970	16%	188	2%	20	0%
Cape May, NJ	1,965	0	0%	0	0%	90	5%	9	0%	0	0%	531	27%	1,333	68%	3	0%
Norfolk, VA	5,448	0	0%	11	0%	182	3%	10	0%	1	0%	1,108	20%	3,973	73%	163	3%
								0									
MAINE	608	472	78%	42	7%	94	15%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	94	33	35%	5	5%	55	59%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	12,509	203	2%	3,451	28%	5,443	44%	1,076	9%	154	1%	1,972	16%	189	2%	20	0%
RHODE ISLAND	132	0	0%	2	2%	60	45%	0	0%	31	23%	38	29%	2	1%	0	0%
CONNECTICUT	761	0	0%	58	8%	229	30%	62	8%	25	3%	387	51%	0	0%	0	0%
NEW JERSEY	2,978	0	0%	10	0%	366	12%	19	1%	1	0%	1,202	40%	1,377	46%	3	0%
VIRGINIA	5,452	0	0%	11	0%	182	3%	10	0%	1	0%	1,108	20%	3,977	73%	163	3%
OTHER NORTHEAST	30	0	0%	0	0%	0	0%	0	0%	0	0%	13	44%	16	53%	1	0%
<b>TOTAL</b>	<b>22,563</b>	<b>708</b>	<b>3%</b>	<b>3,580</b>	<b>16%</b>	<b>6,429</b>	<b>28%</b>	<b>1,166</b>	<b>5%</b>	<b>213</b>	<b>1%</b>	<b>4,720</b>	<b>21%</b>	<b>5,560</b>	<b>25%</b>	<b>187</b>	<b>1%</b>

PORT/ STATE	MAR 99 - FEB 00	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	12,378	123	1%	12,117	98%	138	1%
Cape May, NJ	1,965	723	37%	1,201	61%	41	2%
Norfolk, VA	5,448	1,302	24%	4,129	76%	18	0%
MAINE	608	2	0%	601	99%	5	1%
NEW HAMPSHIRE	94	23	25%	71	75%	0	0%
MASSACHUSETTS	12,509	125	1%	12,244	98%	140	1%
RHODE ISLAND	132	31	23%	101	76%	1	0%
CONNECTICUT	761	15	2%	747	98%	0	0%
NEW JERSEY	2,978	723	24%	2,214	74%	41	1%
VIRGINIA	5,452	1,305	24%	4,129	76%	18	0%
OTHER NORTHEAST	30	24	78%	7	22%	0	0%
<b>TOTAL</b>	<b>22,563</b>	<b>2,246</b>	<b>10%</b>	<b>20,113</b>	<b>89%</b>	<b>204</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.