

Table 1.A. - Preliminary Cod Landings by Stock Area

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04		2003/2004*	
	1000 Lbs	Percent	May03-Apr04 as a % of Target TAC	Target TAC												
GULF OF MAINE	231	956	819	630	584	662	845	1,246	599	570	610	194	7,947	40%	135%	5,899
OTTER TRAWL	143	520	433	223	255	312	480	757	302	253	274	155	4,107	20%	70%	
GILLNET	77	411	373	388	309	335	346	395	232	240	243	31	3,382	17%	57%	
HOOK	3	17	2	4	9	7	5	53	47	47	60	7	260	1%	4%	
OTHER GEARS	8	8	11	15	10	7	14	42	19	30	32	1	198	1%	3%	
GEORGES BANK	1,020	2,071	1,109	1,201	592	662	591	770	501	481	1,057	2,083	12,137	60%	213%	5,694
OTTER TRAWL	971	1,771	434	306	374	570	450	531	328	426	1,009	2,006	9,177	46%	161%	
GILLNET	21	221	617	827	141	68	66	163	106	26	22	67	2,345	12%	41%	
HOOK	5	7	39	40	56	11	23	39	50	24	21	2	315	2%	6%	
OTHER GEARS	22	72	20	28	21	13	52	37	17	5	5	8	300	1%	5%	
ALL AREAS	1,250	3,027	1,928	1,831	1,176	1,324	1,436	2,016	1,100	1,050	1,667	2,277	20,084	100%	173%	11,593
OTTER TRAWL	1,114	2,291	867	529	629	882	930	1,288	630	679	1,283	2,162	13,284	66%	115%	
GILLNET	99	632	990	1,216	451	404	412	559	338	266	265	98	5,728	29%	49%	
HOOK	7	24	41	44	65	18	28	91	97	71	81	9	575	3%	5%	
OTHER GEARS	30	80	30	43	31	21	65	79	36	35	38	9	497	2%	4%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.
 3. State landings for 2004 have been updated and are complete.
 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2003 - Apr 2004

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,885	1,157	61%	728	39%	1,345	71%	523	28%	17	1%	0	0%
Gloucester, MA	4,959	3,276	66%	1,683	34%	3,006	61%	1,703	34%	135	3%	114	2%
Boston, MA	621	139	22%	482	78%	615	99%	0	0%	2	0%	4	1%
New Bedford, MA	5,913	134	2%	5,779	98%	5,905	100%	4	0%	0	0%	5	0%
Point Judith, RI	155	2	1%	153	99%	149	96%	2	1%	0	0%	4	2%
MAINE	2,318	1,590	69%	728	31%	1,566	68%	730	32%	17	1%	5	0%
NEW HAMPSHIRE	1,389	1,386	100%	3	0%	569	41%	791	57%	6	0%	23	2%
MASSACHUSETTS	15,903	4,969	31%	10,934	69%	10,770	68%	4,172	26%	515	3%	446	3%
RHODE ISLAND	399	2	0%	397	100%	360	90%	34	8%	0	0%	5	1%
CONNECTICUT	15	0	0%	15	100%	13	87%	0	0%	0	0%	1	10%
NEW YORK	60	0	0%	60	100%	6	10%	0	0%	37	62%	17	28%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	20,084	7,947	40%	12,137	60%	13,284	66%	5,728	29%	575	3%	497	2%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04		2003/2004*	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May03-Apr04 as a % of Target TAC	Target TAC 1000 Lbs
GULF OF MAINE	145	277	152	126	125	146	197	252	174	195	510	43	2,342	15%		
OTTER TRAWL	139	236	138	112	112	122	187	233	140	163	244	31	1,856	12%		
GILLNET	2	32	11	7	3	18	5	4	4	12	154	4	254	2%		
HOOK	5	9	2	3	8	6	6	15	30	21	110	8	222	1%		
OTHER GEARS	0	0	1	5	0	0	0	0	0	0	2	1	10	0%		
GEORGES BANK	1,625	1,450	610	441	478	803	744	748	826	1,450	1,279	2,777	13,231	85%	52%	25,586
OTTER TRAWL	1,624	1,436	553	428	420	681	655	703	797	1,411	1,266	2,773	12,748	82%	50%	
GILLNET	0	14	51	6	2	1	2	2	2	0	0	0	82	1%	0%	
HOOK	0	0	4	7	57	120	86	41	27	40	12	3	397	3%	2%	
OTHER GEARS	0	0	1	0	0	0	1	1	0	0	0	0	4	0%	0%	
SNE/ MID-ATLANTIC	0	0	1	0	0	0	0	0	1	0	0	0	3	0%		
OTTER TRAWL	0	0	0	0	0	0	0	0	1	0	0	0	2	0%		
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
ALL AREAS	1,770	1,727	762	567	603	949	941	1,000	1,002	1,646	1,789	2,821	15,576	100%		
OTTER TRAWL	1,763	1,672	691	539	532	803	842	937	939	1,573	1,511	2,804	14,606	94%		
GILLNET	2	46	62	13	5	19	7	7	6	12	154	4	337	2%		
HOOK	5	9	7	9	65	126	92	56	57	60	122	11	619	4%		
OTHER GEARS	0	1	2	5	1	0	1	1	0	0	2	1	14	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. State landings for 2004 have been updated and are complete.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,646	560	34%	1,086	66%	0	0%	1,618	98%	11	1%	17	1%	0	0%
Gloucester, MA	3,714	1,113	30%	2,598	70%	2	0%	3,370	91%	202	5%	134	4%	8	0%
Boston, MA	694	112	16%	581	84%	0	0%	694	100%	0	0%	0	0%	0	0%
New Bedford, MA	7,942	98	1%	7,845	99%	0	0%	7,942	100%	0	0%	0	0%	0	0%
Point Judith, RI	150	0	0%	150	100%	0	0%	150	100%	0	0%	0	0%	0	0%
MAINE	1,723	637	37%	1,086	63%	0	0%	1,689	98%	16	1%	17	1%	0	0%
NEW HAMPSHIRE	94	94	100%	0	0%	0	0%	56	60%	27	29%	10	10%	1	0%
MASSACHUSETTS	13,291	1,611	12%	11,677	88%	3	0%	12,392	93%	293	2%	593	4%	13	0%
RHODE ISLAND	458	0	0%	457	100%	0	0%	458	100%	0	0%	0	0%	0	0%
CONNECTICUT	10	0	0%	10	100%	0	0%	10	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	100%	0	0%	1	91%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	15,576	2,342	15%	13,231	85%	3	0%	14,606	94%	337	2%	619	4%	14	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04		2003/2004*	
													1000 Lbs	Percent	May03-Apr04 as a % of Target TAC	Target TAC
													1000 Lbs	Percent	1000 Lbs	1000 Lbs
GULF OF MAINE	10	13	25	9	3	5	5	76	9	5	4	7	169	2%		
OTTER TRAWL	10	13	25	9	3	5	5	76	9	5	4	7	168	2%		
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
CAPE COD	124	451	253	177	158	314	170	597	139	139	377	73	2,973	28%		
OTTER TRAWL	121	401	235	171	157	314	169	597	135	72	210	68	2,648	25%		
GILLNET	4	48	17	6	1	0	1	0	4	68	167	5	321	3%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	0	2	0	0	1	0	0	1	0	0	0	1	4	0%		
GEORGES BANK	1,123	442	346	248	102	173	1,104	990	666	772	218	873	7,057	66%	41%	17,288
OTTER TRAWL	1,123	441	346	248	102	173	1,104	990	666	772	218	873	7,055	66%	41%	
GILLNET	0	2	0	0	0	0	0	0	0	0	0	0	2	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
SNE/ MID-ATLANTIC	45	25	62	107	30	17	13	23	40	47	29	48	485	5%	123%	393
OTTER TRAWL	44	24	62	107	30	17	13	22	38	47	29	47	480	4%	122%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	3	0	0	0	4	0%	1%	
ALL AREAS	1,302	931	686	541	293	509	1,291	1,686	854	964	628	1,000	10,685	100%		
OTTER TRAWL	1,297	879	668	534	291	509	1,290	1,685	847	896	461	994	10,351	97%		
GILLNET	4	50	18	6	1	0	1	0	4	68	167	6	325	3%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%		
OTHER GEARS	1	2	0	0	1	0	0	1	3	0	0	1	9	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515

Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. State landings for 2004 have been updated and are complete.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	77	13%	7	9%	61	78%	0	0%	77	100%	0	0%	0	0%	0	0%	
Gloucester, MA	1,006	5%	851	85%	104	10%	3	0%	853	85%	153	15%	0	0%	0	0%	
Boston, MA	144	3%	95	66%	45	31%	0	0%	144	100%	0	0%	0	0%	0	0%	
New Bedford, MA	7,526	1%	1,132	15%	6,225	83%	124	2%	7,524	100%	0	0%	0	0%	1	0%	
Point Judith, RI	457	2%	11	2%	259	57%	180	39%	455	99%	0	0%	0	0%	2	1%	
MAINE	78	13%	7	9%	61	78%	0	0%	77	100%	0	0%	0	0%	0	0%	
NEW HAMPSHIRE	69	68%	22	32%	0	0%	0	0%	68	98%	1	1%	0	0%	0	0%	
MASSACHUSETTS	9,608	1%	2,924	30%	6,448	67%	132	1%	9,279	97%	324	3%	0	0%	5	0%	
RHODE ISLAND	779	1%	21	3%	534	69%	217	28%	777	100%	0	0%	0	0%	3	0%	
CONNECTICUT	29	0%	0	0%	6	19%	23	81%	28	98%	0	0%	0	0%	1	0%	
NEW YORK	119	0%	0	0%	9	7%	110	93%	119	100%	0	0%	0	0%	0	0%	
NEW JERSEY	3	0%	0	0%	0	0%	3	100%	2	94%	0	0%	0	0%	0	0%	
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
TOTAL	10,685	2%	2,973	28%	7,057	66%	485	5%	10,351	97%	325	3%	0	0%	9	0%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
SNE/ NORTH	1,025	836	1,035	1,007	804	789	686	546	611	779	831	468	9,416	100%
OTTER TRAWL	811	483	363	417	389	510	466	433	535	559	812	362	6,140	65%
GILLNET	210	352	672	588	373	277	217	106	75	220	19	106	3,215	34%
HOOK	3	1	0	1	41	2	3	4	0	0	0	0	54	1%
OTHER GEARS	1	0	0	0	1	0	0	3	0	0	0	0	6	0%
MID-ATLANTIC	0	1	0	0	0	0	0	1	0	0	1	0	3	0%
OTTER TRAWL	0	1	0	0	0	0	0	0	0	0	0	0	2	0%
GILLNET	0	0	0	0	0	0	0	0	0	0	1	0	1	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
ALL AREAS	1,025	836	1,036	1,007	804	790	686	546	611	779	832	468	9,419	100%
OTTER TRAWL	811	484	364	417	389	510	466	433	535	559	812	362	6,142	65%
GILLNET	210	352	672	588	373	278	217	106	75	220	20	106	3,216	34%
HOOK	3	1	0	1	41	2	3	4	0	0	0	0	54	1%
OTHER GEARS	1	0	0	0	1	0	0	4	0	0	0	0	7	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. State landings for 2004 have been updated and are complete.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	5,213	5,213	100%	0	0%	3,802	73%	1,383	27%	28	1%	0	0%
Gloucester, MA	1,954	1,954	100%	1	0%	893	46%	1,056	54%	5	0%	0	0%
Boston, MA	519	519	100%	0	0%	519	100%	0	0%	0	0%	0	0%
New Bedford, MA	375	375	100%	0	0%	374	100%	2	0%	0	0%	0	0%
Point Judith, RI	12	12	99%	0	0%	12	100%	0	0%	0	0%	0	0%
MAINE	5,867	5,866	100%	0	0%	4,200	72%	1,637	28%	29	0%	1	0%
NEW HAMPSHIRE	532	532	100%	0	0%	59	11%	473	89%	0	0%	0	0%
MASSACHUSETTS	2,952	2,951	100%	1	0%	1,816	62%	1,105	37%	26	1%	5	0%
RHODE ISLAND	65	65	100%	0	0%	65	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	2	0	0%	2	93%	1	68%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	9,419	9,416	100%	3	0%	6,142	65%	3,216	34%	54	1%	7	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04	
	1000 Lbs	Percent												
GULF OF MAINE/ GB	268	785	521	609	541	438	396	325	271	243	262	202	4,862	99%
OTTER TRAWL	267	775	518	608	537	438	396	325	271	241	246	200	4,823	98%
GILLNET	1	9	2	1	1	0	0	0	0	2	16	1	34	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	1	0	3	0	0	0	0	0	0	1	5	0%
SNE / MID-ATLANTIC	7	6	8	1	2	0	0	0	2	2	0	7	34	1%
OTTER TRAWL	7	6	8	1	2	0	0	0	2	2	0	7	34	1%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	275	791	528	610	543	438	396	325	273	245	263	209	4,896	100%
OTTER TRAWL	274	781	525	609	539	438	396	325	273	243	246	207	4,856	99%
GILLNET	1	9	2	1	1	0	0	0	0	2	16	1	35	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	1	0	3	0	0	0	0	0	0	1	5	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for 2004 have been updated and are complete.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,587	1,585	100%	2	0%	1,586	100%	1	0%	0	0%	0	0%
Gloucester, MA	705	699	99%	6	1%	682	97%	23	3%	0	0%	0	0%
Boston, MA	395	395	100%	0	0%	395	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,148	1,131	99%	17	1%	1,148	100%	0	0%	0	0%	0	0%
Point Judith, RI	59	55	94%	4	6%	59	100%	0	0%	0	0%	0	0%
MAINE	2,274	2,270	100%	4	0%	2,268	100%	3	0%	0	0%	3	0%
NEW HAMPSHIRE	40	40	100%	0	0%	36	89%	5	11%	0	0%	0	0%
MASSACHUSETTS	2,465	2,441	99%	23	1%	2,435	99%	28	1%	0	0%	2	0%
RHODE ISLAND	113	108	95%	6	5%	113	100%	0	0%	0	0%	0	0%
CONNECTICUT	4	3	75%	1	0%	4	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,896	4,862	99%	34	1%	4,856	99%	35	1%	0	0%	5	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. State landings for 2004 have been updated and are complete.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
GULF OF MAINE	55	200	151	120	179	37	62	318	53	64	193	47	1,478	12%
OTTER TRAWL	53	163	121	102	138	33	59	317	52	50	133	46	1,267	10%
GILLNET	2	36	30	18	38	4	3	1	1	14	61	1	208	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	3	0	0	0	0	0	0	0	3	0%
GEORGES BANK	1,256	1,350	1,425	521	267	178	468	393	86	34	65	518	6,561	51%
OTTER TRAWL	1,256	1,350	1,425	521	267	178	468	392	86	34	65	518	6,559	51%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	1	0	0	0	0	0	0	0	0	0	0	0	2	0%
SNE/ MID-ATLANTIC	609	433	411	456	504	862	698	163	93	93	90	294	4,705	37%
OTTER TRAWL	590	421	397	441	502	861	692	162	92	89	89	273	4,610	36%
GILLNET	6	8	13	15	2	0	6	1	0	4	0	19	74	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
OTHER GEARS	12	3	1	0	0	0	1	1	0	0	0	2	21	0%
ALL AREAS	1,920	1,982	1,987	1,097	950	1,077	1,228	873	232	191	349	859	12,745	100%
OTTER TRAWL	1,899	1,935	1,942	1,064	908	1,072	1,219	871	231	172	288	837	12,437	98%
GILLNET	8	44	43	32	40	5	8	1	1	19	61	20	282	2%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
OTHER GEARS	13	3	1	0	3	1	1	1	1	0	0	2	26	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
 3. State landings for 2004 have been updated and are complete.
 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	118	26	22%	75	63%	18	15%	118	100%	0	0%	0	0%	0	0%
Gloucester, MA	807	559	69%	174	22%	74	9%	662	82%	145	18%	0	0%	0	0%
Boston, MA	117	55	47%	52	44%	11	9%	117	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,716	181	2%	6,109	70%	2,425	28%	8,712	100%	1	0%	0	0%	3	0%
Point Judith, RI	740	0	0%	60	8%	680	92%	740	100%	0	0%	0	0%	0	0%
MAINE	118	26	22%	75	63%	18	15%	118	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	24	24	100%	0	0%	0	0%	17	70%	7	30%	0	0%	0	0%
MASSACHUSETTS	10,442	1,427	14%	6,352	61%	2,663	25%	10,154	97%	266	3%	1	0%	21	0%
RHODE ISLAND	1,037	0	0%	125	12%	912	88%	1,028	99%	9	1%	0	0%	0	0%
CONNECTICUT	240	0	0%	7	3%	233	97%	240	100%	0	0%	0	0%	0	0%
NEW YORK	450	0	0%	3	1%	448	99%	447	99%	0	0%	0	0%	3	1%
NEW JERSEY	433	0	0%	0	0%	432	100%	432	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	12,745	1,478	12%	6,561	51%	4,705	37%	12,437	98%	282	2%	1	0%	26	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04	
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs
GULF OF MAINE/ GB	454	937	1,009	591	595	495	446	338	364	611	562	516	6,918	98%
OTTER TRAWL	454	906	987	585	593	494	445	338	364	611	561	516	6,853	97%
GILLNET	0	29	15	6	2	1	1	0	0	0	0	0	53	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	2	7	0	1	0	1	0	0	0	0	0	11	0%
SNE/ MID-ATLANTIC	11	21	13	39	14	8	0	5	4	8	7	12	140	2%
OTTER TRAWL	11	19	13	39	14	8	0	5	4	8	7	11	138	2%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	0	0	0	0	0	0	0	0	0	1	3	0%
ALL AREAS	465	958	1,022	630	609	503	446	343	368	619	568	528	7,058	100%
OTTER TRAWL	465	926	1,000	624	607	502	445	343	368	619	568	526	6,991	99%
GILLNET	0	29	15	6	2	1	1	0	0	0	0	0	53	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	3	7	0	1	0	1	0	0	0	0	1	14	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for 2004 have been updated and are complete.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - Apr 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,436	100%	3	0%	1,436	100%	1	0%	0	0%	0	0%	
Gloucester, MA	1,855	100%	5	0%	1,817	98%	37	2%	0	0%	0	0%	
Boston, MA	644	100%	0	0%	644	100%	0	0%	0	0%	0	0%	
New Bedford, MA	1,530	98%	25	2%	1,529	100%	0	0%	0	0%	1	0%	
Point Judith, RI	111	66%	38	34%	111	100%	0	0%	0	0%	0	0%	
MAINE	1,855	100%	3	0%	1,854	100%	1	0%	0	0%	1	0%	
NEW HAMPSHIRE	172	100%	0	0%	170	99%	2	1%	0	0%	0	0%	
MASSACHUSETTS	4,753	99%	33	1%	4,690	99%	50	1%	0	0%	12	0%	
RHODE ISLAND	208	80%	42	20%	208	100%	0	0%	0	0%	0	0%	
CONNECTICUT	13	54%	6	46%	12	91%	0	0%	0	0%	1	9%	
NEW YORK	11	0%	11	94%	11	100%	0	0%	0	0%	0	0%	
NEW JERSEY	41	0%	41	100%	41	100%	0	0%	0	0%	0	0%	
OTHER NORTHEAST	5	0%	5	100%	5	97%	0	0%	0	0%	0	0%	
TOTAL	7,058	98%	140	2%	6,991	99%	53	1%	0	0%	14	0%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04	
	1000 Lbs	Percent												
GULF OF MAINE/ GB	5	0	0	1	0	0	0	5	10	15	7	9	53	29%
OTTER TRAWL	5	0	0	1	0	0	0	5	10	15	7	9	53	29%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
SNE/ MID-ATLANTIC	18	6	4	5	2	2	3	7	9	16	17	43	130	71%
OTTER TRAWL	17	5	4	5	2	2	3	7	9	15	17	42	129	70%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
ALL AREAS	22	6	4	6	2	3	3	13	19	31	25	52	184	100%
OTTER TRAWL	22	6	4	6	2	3	3	13	19	31	24	51	182	99%
GILLNET	0	0	0	0	0	0	0	0	0	0	0	1	1	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. State landings for 2004 have been updated and are complete.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
Gloucester, MA	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%	
Boston, MA	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%	
New Bedford, MA	42	98%	1	0%	42	100%	0	0%	0	0%	0	0%	
Point Judith, RI	33	16%	28	84%	33	100%	0	0%	0	0%	0	0%	
MAINE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
NEW HAMPSHIRE	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%	
MASSACHUSETTS	45	98%	1	0%	45	99%	0	0%	0	0%	0	0%	
RHODE ISLAND	37	18%	30	82%	37	100%	0	0%	0	0%	0	0%	
CONNECTICUT	6	0%	5	88%	6	100%	0	0%	0	0%	0	0%	
NEW YORK	68	0%	67	100%	67	99%	0	0%	0	0%	0	0%	
NEW JERSEY	25	0%	25	100%	25	98%	1	0%	0	0%	0	0%	
OTHER NORTHEAST	1	0%	1	100%	1	0%	1	0%	0	0%	0	0%	
TOTAL	184	29%	130	71%	182	99%	1	1%	0	0%	1	0%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04		2003/2004*	
																May03-Apr04 as a % of Target TAC	Target TAC
		1000 Lbs	1000 Lbs	Percent	1000 Lbs												
ATLANTIC POLLOCK	2003/2004	565	889	902	802	733	768	1,039	1,087	1,028	927	964	620	10,324	23%	17%	
REDFISH	2003/2004	61	64	67	75	81	85	59	37	72	90	75	71	838	2%	1%	
WHITE HAKE	2003/2004	1,025	836	1,036	1,007	804	790	686	546	611	779	832	468	9,419	21%	15%	
AMERICAN PLAICE	2003/2004	275	791	528	610	543	438	396	325	273	245	263	209	4,896	11%	8%	
WINTER FLOUNDER	2003/2004	1,920	1,982	1,987	1,097	950	1,077	1,228	873	232	191	349	859	12,745	28%	21%	
WITCH FLOUNDER	2003/2004	465	958	1,022	630	609	503	446	343	368	619	568	528	7,058	16%	12%	
WINDOWPANE FLDR	2003/2004	22	6	4	6	2	3	3	13	19	31	25	52	184	0%	0%	
ALL 7 SPECIES - TOTAL	2003/2004	4,333	5,527	5,546	4,225	3,722	3,663	3,857	3,225	2,603	2,883	3,075	2,807	45,465	100%	74%	61,329

1. Landings in live weight.

2. State landings for 2004 have been updated and are complete.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04		
	1000 Lbs	1000 Lbs	Percent												
GULF OF MAINE	61	19	909	1,123	715	395	299	88	37	8	6	30	3,692	17%	
OTTER TRAWL	61	8	891	1,117	710	373	243	81	37	8	6	30	3,567	17%	
GILLNET	0	2	7	5	5	8	12	0	0	0	0	0	0	39	0%
HOOK	0	9	11	0	0	0	0	0	0	0	0	0	0	21	0%
OTHER GEARS	0	0	0	0	0	14	45	7	0	0	0	0	0	65	0%
SNE/ MID-ATLANTIC	1,155	1,742	1,465	1,194	2,002	1,322	1,002	1,288	1,314	1,812	2,008	1,437	17,740	83%	
OTTER TRAWL	1,154	1,742	1,461	1,194	2,002	1,321	1,002	1,285	1,314	1,812	2,008	1,436	17,731	83%	
GILLNET	1	0	4	0	0	0	0	2	0	0	0	1	0	9	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	1,217	1,761	2,374	2,318	2,717	1,716	1,301	1,376	1,351	1,820	2,014	1,467	21,433	100%	
OTTER TRAWL	1,215	1,750	2,352	2,312	2,712	1,694	1,245	1,366	1,351	1,820	2,014	1,467	21,298	99%	
GILLNET	1	2	10	5	5	9	12	3	0	0	1	0	0	48	0%
HOOK	0	9	11	0	0	0	0	0	0	0	0	0	0	21	0%
OTHER GEARS	0	0	0	0	0	14	45	7	0	0	0	0	0	65	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. State landings for 2004 have been updated and are complete.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	3	3	100%	0	0%	2	79%	0	0%	1	0%	0	0%
Gloucester, MA	515	497	97%	18	3%	464	90%	30	6%	20	4%	0	0%
Boston, MA	31	13	40%	19	60%	31	100%	0	0%	0	0%	0	0%
New Bedford, MA	5,620	1,541	27%	4,079	73%	5,619	100%	1	0%	0	0%	0	0%
Point Judith, RI	6,565	725	11%	5,840	89%	6,565	100%	0	0%	0	0%	0	0%
MAINE	3	3	100%	0	0%	2	79%	0	0%	1	0%	0	0%
NEW HAMPSHIRE	183	183	100%	0	0%	178	97%	5	3%	0	0%	0	0%
MASSACHUSETTS	6,484	2,364	36%	4,119	64%	6,363	98%	35	1%	21	0%	65	1%
RHODE ISLAND	7,129	729	10%	6,400	90%	7,126	100%	4	0%	0	0%	0	0%
CONNECTICUT	2,583	171	7%	2,412	93%	2,583	100%	0	0%	0	0%	0	0%
NEW YORK	4,771	242	5%	4,529	95%	4,769	100%	2	0%	0	0%	0	0%
NEW JERSEY	275	0	0%	275	100%	275	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	5	0	0%	5	100%	2	41%	3	59%	0	0%	0	0%
TOTAL	21,433	3,692	17%	17,740	83%	21,298	99%	48	0%	21	0%	65	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
 Southern New England: 525-552, 611-639

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR - 2004	APR - 2004	MAY 03 - APR 04		2003/2004*	
	1000 Lbs	Percent	May03-Apr04 as a % of Target TAC	Target TAC												
																1000 Lbs
NORTHERN	1,535	2,705	2,613	2,700	2,572	3,240	2,878	2,073	2,058	3,147	3,495	2,191	31,207	54%	80%	39,039
OTTER TRAWL	1,372	1,713	1,386	1,394	1,712	2,506	2,192	1,775	1,913	2,970	3,339	1,915	24,190	42%	62%	
GILLNET	159	967	1,098	1,243	829	712	646	278	143	175	156	276	6,682	12%	17%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%	
OTHER GEARS	4	24	128	63	31	22	40	19	1	2	0	0	333	1%	1%	
SOUTHERN	4,375	4,348	1,605	1,148	558	1,726	3,371	2,149	2,373	2,147	1,300	1,790	26,891	46%	119%	22,511
OTTER TRAWL	232	282	266	569	335	268	323	205	234	376	311	199	3,600	6%	16%	
GILLNET	3,900	3,820	1,074	229	118	1,174	2,723	1,750	1,950	1,569	828	1,423	20,559	35%	91%	
HOOK	0	0	0	0	0	0	0	1	0	0	0	0	1	0%	0%	
OTHER GEARS	243	246	266	350	105	285	325	193	189	201	161	168	2,731	5%	12%	
ALL AREAS	5,910	7,053	4,218	3,848	3,130	4,967	6,249	4,222	4,430	5,294	4,795	3,982	58,098	100%	94%	61,551
OTTER TRAWL	1,604	1,996	1,652	1,963	2,047	2,774	2,515	1,980	2,147	3,346	3,650	2,115	27,791	48%	45%	
GILLNET	4,059	4,787	2,172	1,472	947	1,885	3,369	2,028	2,094	1,744	983	1,699	27,241	47%	44%	
HOOK	0	0	0	0	0	0	0	1	0	0	0	0	2	0%	0%	
OTHER GEARS	247	270	394	412	136	307	364	213	190	203	161	168	3,064	5%	5%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for 2004 have been updated and are complete.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 03 - Apr 04

PORT/ STATE	MAY 03 - APR 04	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent						
Portland, ME	9,337	9,289	99%	48	1%	9,005	96%	331	4%	1	0%	0	0%
Gloucester, MA	6,257	6,175	99%	83	1%	3,569	57%	2,683	43%	0	0%	5	0%
Boston, MA	2,734	2,723	100%	11	0%	2,734	100%	0	0%	0	0%	0	0%
New Bedford, MA	12,457	6,558	53%	5,899	47%	6,576	53%	4,004	32%	0	0%	1,878	15%
Point Judith, RI	3,511	111	3%	3,400	97%	1,288	37%	2,165	62%	0	0%	57	2%
MAINE	11,383	11,326	100%	57	0%	10,851	95%	526	5%	1	0%	6	0%
NEW HAMPSHIRE	1,561	1,561	100%	0	0%	105	7%	1,451	93%	0	0%	6	0%
MASSACHUSETTS	25,383	17,134	68%	8,249	32%	13,534	53%	9,936	39%	1	0%	1,912	8%
RHODE ISLAND	7,538	1,152	15%	6,387	85%	2,365	31%	4,992	66%	0	0%	181	2%
CONNECTICUT	1,229	16	1%	1,213	99%	159	13%	759	62%	0	0%	311	25%
NEW YORK	1,751	3	0%	1,748	100%	333	19%	1,411	81%	1	0%	5	0%
NEW JERSEY	7,383	14	0%	7,369	100%	137	2%	6,805	92%	0	0%	441	6%
OTHER NORTHEAST	1,869	1	0%	1,869	100%	306	16%	1,361	73%	0	0%	202	11%
TOTAL	58,098	31,207	54%	26,891	46%	27,791	48%	27,241	47%	2	0%	3,064	5%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. State landings for 2004 have been updated and are complete.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	MAR - 2003	APR - 2003	MAY - 2003	JUN - 2003	JUL - 2003	AUG - 2003	SEP - 2003	OCT - 2003	NOV - 2003	DEC - 2003	JAN - 2004	FEB - 2004	MAR 03 - FEB 04	
	1000 Lbs	Percent												
GULF OF MAINE	66	105	68	43	34	15	22	18	16	11	12	59	471	1%
OTTER TRAWL	3	1	1	1	1	1	0	0	1	1	1	4	14	0%
DREDGE	64	104	68	42	33	14	21	17	15	10	11	55	454	1%
OTHER GEARS	0	0	0	0	1	0	1	1	0	0	0	0	3	0%
SOUTH CHANNEL	533	410	328	699	1,413	818	438	232	302	540	127	367	6,207	11%
OTTER TRAWL	0	0	21	1	3	1	1	1	2	0	0	1	30	0%
DREDGE	533	410	307	699	1,410	817	437	231	300	540	127	366	6,177	11%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
GEORGES BANK NOR	44	379	942	516	238	354	3	8	14	24	53	182	2,759	5%
OTTER TRAWL	0	0	1	0	0	0	0	0	2	0	0	0	3	0%
DREDGE	44	379	941	516	238	354	3	8	13	24	53	182	2,756	5%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
GEORGES BANK SOUT	5	56	80	145	497	432	119	104	46	42	149	21	1,695	3%
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
DREDGE	5	55	80	145	497	432	119	104	45	42	149	21	1,694	3%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
S. NEW ENGLAND	35	20	18	0	27	4	7	12	25	10	0	16	175	0%
OTTER TRAWL	0	0	4	0	0	4	7	12	0	0	0	0	28	0%
DREDGE	35	20	14	0	27	0	0	0	25	10	0	16	147	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
NEW YORK BIGHT	2,323	2,223	2,710	2,725	1,770	979	1,476	2,356	1,451	673	611	817	20,113	35%
OTTER TRAWL	25	29	47	31	45	4	2	2	9	3	4	19	221	0%
DREDGE	2,298	2,194	2,662	2,694	1,725	975	1,474	2,353	1,442	670	607	797	19,891	35%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
DE / MD / VA	969	1,546	3,205	3,474	3,172	3,294	1,745	2,799	1,895	957	590	1,441	25,087	44%
OTTER TRAWL	89	107	455	468	486	434	158	308	165	33	16	33	2,752	5%
DREDGE	880	1,438	2,749	3,007	2,686	2,860	1,587	2,491	1,730	924	574	1,408	22,335	39%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
VA / NC	11	26	109	44	55	96	14	27	50	0	13	18	464	1%
OTTER TRAWL	1	0	0	5	16	6	2	3	2	0	0	0	37	0%
DREDGE	10	26	108	39	39	90	12	24	47	0	13	18	427	1%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	3,986	4,764	7,460	7,648	7,207	5,993	3,824	5,555	3,798	2,259	1,556	2,922	56,971	100%
OTTER TRAWL	118	138	530	506	551	450	171	325	180	38	21	58	3,086	5%
DREDGE	3,868	4,626	6,930	7,142	6,655	5,542	3,653	5,228	3,617	2,221	1,535	2,864	53,881	95%
OTHER GEARS	0	0	0	0	1	0	1	2	0	0	0	0	4	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

- 2. Landings in meat weight.
- 3. State landings for 2004 have been updated and are complete.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is March 1 through February 28.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March 03 - Feb. 04

PORT/ STATE	MAR 03 - FEB 04	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	24,677	42	0%	5,619	23%	2,682	11%	1,695	7%	137	1%	11,681	47%	2,794	11%	26	0%
Cape May, NJ	7,189	3	0%	0	0%	0	0%	0	0%	13	0%	2,737	38%	4,412	61%	24	0%
Norfolk, VA	17,608	0	0%	21	0%	0	0%	0	0%	19	0%	1,155	7%	16,039	91%	374	2%
MAINE	92	38	41%	51	56%	3	3%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	101	13	13%	87	87%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	25,536	417	2%	6,045	24%	2,692	11%	1,695	7%	142	1%	11,717	46%	2,802	11%	26	0%
RHODE ISLAND	74	0	0%	1	0%	7	10%	0	0%	1	0%	65	88%	0	0%	0	0%
CONNECTICUT	1,957	0	0%	2	0%	56	3%	0	0%	0	0%	1,846	94%	53	3%	0	0%
NEW JERSEY	10,824	3	0%	1	0%	0	0%	0	0%	13	0%	5,272	49%	5,510	51%	24	0%
VIRGINIA	18,108	0	0%	21	0%	0	0%	0	0%	19	0%	1,177	7%	16,479	91%	413	2%
OTHER NORTHEAST	279	0	0%	0	0%	0	0%	0	0%	0	0%	35	13%	242	87%	1	0%
TOTAL	56,971	471	1%	6,207	11%	2,759	5%	1,695	3%	175	0%	20,113	35%	25,087	44%	464	1%

PORT/ STATE	MAR 03 - FEB 04	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	24,677	9	0%	24,668	100%	0	0%
Cape May, NJ	7,189	1,029	14%	6,160	86%	0	0%
Norfolk, VA	17,608	1,626	9%	15,982	91%	0	0%
MAINE	92	3	3%	87	95%	2	2%
NEW HAMPSHIRE	101	0	0%	100	100%	0	0%
MASSACHUSETTS	25,536	29	0%	25,506	100%	1	0%
RHODE ISLAND	74	2	3%	72	97%	0	0%
CONNECTICUT	1,957	1	0%	1,956	100%	0	0%
NEW JERSEY	10,824	1,095	10%	9,727	90%	1	0%
VIRGINIA	18,108	1,844	10%	16,265	90%	0	0%
OTHER NORTHEAST	279	112	40%	166	60%	0	0%
TOTAL	56,971	3,086	5%	53,881	95%	4	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. State landings for 2004 have been updated and are complete.

3. Landings in meat weight.

4. Gear data are based on vessel trip reports.