

Table 1.A. - Preliminary Cod Landings by Stock Area

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		2004/2005*		2003/2004*		Fishing
															May04-Apr05 as a % of Target TAC	Target TAC*	May03-Apr04 as a % of Target TAC	Target TAC	Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent		1000 Lbs		1000 Lbs	1000 Lbs
GULF OF MAINE	202	993	1,437	657	577	528	787	1,223	958	444	385	177	8,368	57%	78%	10,692	135%	5,899	
OTTER TRAWL	127	473	705	194	258	221	355	605	560	260	177	111	4,046	27%	38%		70%		
GILLNET	67	513	715	454	313	304	427	531	294	123	167	49	3,959	27%	37%		57%		
HOOK	0	4	6	3	2	1	0	69	82	45	35	15	263	2%	2%		4%		
OTHER GEARS	8	4	10	6	4	2	4	18	22	16	6	1	100	1%	1%		3%		
GEORGES BANK	641	583	385	331	452	363	462	359	234	421	814	1,325	6,369	43%	98%	6,501	213%	5,694	
OTTER TRAWL	573	378	98	148	262	287	396	283	168	394	788	1,312	5,088	35%	78%		161%		
GILLNET	55	110	200	121	88	19	18	36	33	7	1	3	691	5%	11%		41%		
HOOK	1	2	18	34	74	48	13	23	23	18	24	8	285	2%	4%		6%		
OTHER GEARS	11	92	68	28	28	10	35	18	9	3	1	2	305	2%	5%		5%		
ALL AREAS	842	1,576	1,822	988	1,029	891	1,249	1,583	1,191	866	1,199	1,501	14,737	100%	86%	17,194	173%	11,593	
OTTER TRAWL	700	850	803	342	521	508	752	888	728	654	965	1,423	9,134	62%	53%		115%		
GILLNET	122	623	916	576	401	323	446	567	327	130	168	52	4,650	32%	27%		49%		
HOOK	1	6	24	37	76	49	13	92	104	63	59	23	548	4%	3%		5%		
OTHER GEARS	19	96	79	34	31	12	39	36	31	19	7	2	405	3%	2%		4%		
LANDINGS - ALL AREAS																			
Fishing Year 2004/2005	842	1,576	1,822	988	1,029	891	1,249	1,583	1,191	866	1,199	1,501	14,737						14,737
Fishing Year 2003/2004	1,250	3,027	1,928	1,831	1,176	1,324	1,436	2,016	1,100	1,050	1,667	2,277	20,084						20,084
Fishing Year 2002/2003	2,012	2,962	2,456	1,810	1,333	1,229	1,486	2,481	1,657	1,238	3,183	3,480	25,327						25,327
Fishing Year 2001/2002	2,728	4,580	3,165	2,335	2,006	2,000	2,562	2,961	2,505	2,534	3,117	5,017	35,510						35,510

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY04 is 8,706 thousand lbs (3,949 mt).

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2004 - Apr 2005

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,528	1,155	76%	373	24%	1,040	68%	480	31%	8	1%	0	0%
Gloucester, MA	4,490	3,694	82%	796	18%	2,343	52%	1,943	43%	157	4%	46	1%
Boston, MA	672	237	35%	435	65%	665	99%	0	0%	6	1%	1	0%
New Bedford, MA	3,210	49	2%	3,161	98%	3,207	100%	1	0%	0	0%	1	0%
Point Judith, RI	83	4	5%	79	95%	81	98%	0	0%	1	1%	0	0%
MAINE	1,980	1,607	81%	373	19%	1,183	60%	787	40%	8	0%	2	0%
NEW HAMPSHIRE	1,691	1,683	100%	7	0%	640	38%	1,039	61%	0	0%	11	1%
MASSACHUSETTS	10,841	5,073	47%	5,768	53%	7,143	66%	2,811	26%	502	5%	386	4%
RHODE ISLAND	180	4	2%	176	98%	162	90%	13	7%	1	1%	3	2%
CONNECTICUT	4	0	0%	4	100%	4	99%	0	0%	0	0%	0	0%
NEW YORK	41	0	0%	41	100%	1	3%	0	0%	37	89%	3	7%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	14,737	8,368	57%	6,369	43%	9,134	62%	4,650	32%	548	4%	405	3%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		2004/2005*		2003/2004*		Fishing
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May04-Apr05 as a % of Target TAC	Target TAC*	May03-Apr04 as a % of Target TAC	Target TAC	Landings
GULF OF MAINE	39	334	233	129	169	89	129	173	213	193	371	64	2,136	12%					
OTTER TRAWL	35	291	215	117	162	79	123	163	125	135	168	34	1,645	9%					
GILLNET	2	38	15	7	5	9	6	3	2	18	69	6	178	1%					
HOOK	1	4	3	4	2	1	0	8	84	41	134	24	305	2%					
OTHER GEARS	1	0	1	2	1	0	0	0	2	0	0	0	7	0%					
GEORGES BANK	965	2,198	1,242	899	953	813	1,169	1,505	560	1,894	1,691	1,416	15,307	88%	46%	32,970	52%	25,586	
OTTER TRAWL	961	2,177	1,162	738	684	672	759	730	543	1,893	1,691	1,405	13,414	77%	41%		50%		
GILLNET	3	19	19	10	7	1	2	0	0	0	0	0	62	0%	0%		0%		
HOOK	0	0	61	104	224	96	398	775	17	1	0	11	1,688	10%	5%		2%		
OTHER GEARS	0	1	1	48	39	44	10	0	0	0	0	0	143	1%	0%		0%		
SNE/ MID-ATLANTIC	0	0	0	2	11	0	12	0	7	0	0	0	33	0%					
OTTER TRAWL	0	0	0	0	0	0	12	0	7	0	0	0	20	0%					
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	1	11	0	0	0	0	0	0	0	13	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
ALL AREAS	1,004	2,532	1,475	1,030	1,134	903	1,311	1,679	780	2,087	2,062	1,481	17,477	100%					
OTTER TRAWL	996	2,468	1,376	855	845	751	894	893	675	2,027	1,859	1,439	15,080	86%					
GILLNET	5	57	33	16	11	11	8	3	3	18	69	6	240	1%					
HOOK	2	5	64	109	237	98	398	784	100	42	134	35	2,007	11%					
OTHER GEARS	1	2	2	50	40	44	10	0	2	0	0	0	150	1%					
LANDINGS - ALL AREAS																			
Fishing Year 2004/2005	1,004	2,532	1,475	1,030	1,134	903	1,311	1,679	780	2,087	2,062	1,481	17,477						17,477
Fishing Year 2003/2004	1,770	1,727	762	567	603	949	941	1,000	1,002	1,646	1,789	2,821	15,576						15,576
Fishing Year 2002/2003	1,583	1,802	1,612	960	1,149	1,317	547	607	994	1,517	1,679	2,432	16,198						16,198
Fishing Year 2001/2002	720	840	822	1,004	1,205	1,151	654	898	1,574	2,003	1,419	2,051	14,341						14,341

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY04 is 54,796 thousand lbs (24,855 mt).

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,024	408	20%	1,616	80%	1	0%	2,011	99%	6	0%	6	0%	1	0%
Gloucester, MA	3,850	1,118	29%	2,725	71%	7	0%	3,305	86%	131	3%	277	7%	137	4%
Boston, MA	882	86	10%	795	90%	0	0%	881	100%	0	0%	0	0%	1	0%
New Bedford, MA	7,988	67	1%	7,909	99%	12	0%	7,984	100%	0	0%	0	0%	4	0%
Point Judith, RI	414	87	21%	327	79%	0	0%	414	100%	0	0%	0	0%	0	0%
MAINE	2,079	462	22%	1,616	78%	1	0%	2,043	98%	28	1%	6	0%	2	0%
NEW HAMPSHIRE	128	127	99%	1	0%	0	0%	104	81%	23	18%	1	1%	0	0%
MASSACHUSETTS	14,743	1,460	10%	13,251	90%	32	0%	12,407	84%	190	1%	1,999	14%	147	1%
RHODE ISLAND	526	87	17%	439	83%	0	0%	526	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	17,477	2,136	12%	15,307	88%	33	0%	15,080	86%	240	1%	2,007	11%	150	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		2004/2005*		2003/2004*		Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May04-Apr05 as a % of Target TAC	Target TAC*	May03-Apr04 as a % of Target TAC	Target TAC	
GULF OF MAINE	63	41	7	9	5	5	5	13	13	3	5	4	174	1%					
OTTER TRAWL	63	40	7	9	5	5	5	13	13	3	5	3	172	1%					
GILLNET	0	0	0	0	0	0	0	0	0	0	0	1	2	0%					
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
CAPE COD	62	192	84	92	133	29	33	282	108	117	222	19	1,372	10%					
OTTER TRAWL	53	171	80	90	132	29	33	281	104	39	100	13	1,124	8%					
GILLNET	9	20	4	1	0	0	0	0	4	78	122	6	245	2%					
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	1	0	1	0	0	0	0	0	0	0	0	3	0%					
GEORGES BANK	1,384	2,866	3,252	2,691	641	127	13	3	324	665	238	97	12,302	86%	93%	13,228	41%	17,288	
OTTER TRAWL	1,384	2,866	3,250	2,691	641	127	5	0	323	665	238	97	12,288	86%	93%		41%		
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	2	0	0	0	8	3	1	0	0	0	14	0%	0%		0%		
SNE/ MID-ATLANTIC	29	114	43	56	22	7	8	53	33	44	17	25	452	3%	29%	1,559	123%	393	
OTTER TRAWL	29	114	43	56	22	7	8	53	33	44	17	24	450	3%	29%		122%		
GILLNET	1	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	0%		1%		
ALL AREAS	1,538	3,213	3,387	2,848	802	168	59	350	478	829	482	145	14,299	100%					
OTTER TRAWL	1,528	3,192	3,380	2,846	801	168	50	347	473	751	361	138	14,034	98%					
GILLNET	10	21	4	1	0	0	0	0	4	78	122	7	248	2%					
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	1	2	1	0	0	9	3	1	0	0	0	18	0%					
LANDINGS - ALL AREAS																			
Fishing Year 2004/2005	1,538	3,213	3,387	2,848	802	168	59	350	478	829	482	145	14,299					14,299	
Fishing Year 2003/2004	1,302	931	686	541	293	509	1,291	1,686	854	964	628	1,000	10,685					10,685	
Fishing Year 2002/2003	1,359	1,157	577	485	681	710	365	1,448	1,145	1,170	1,487	1,191	11,774					11,774	
Fishing Year 2001/2002	2,412	1,452	796	853	583	913	951	1,618	1,328	1,027	1,529	1,140	14,604					14,604	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY04 is 25,823 thousand lbs (11,713 mt).

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	26	2	7%	8	33%	15	60%	0	0%	25	99%	0	0%	0	0%	0	0%
Gloucester, MA	644	12	2%	494	77%	138	22%	0	0%	519	81%	125	19%	0	0%	0	0%
Boston, MA	402	4	1%	87	22%	310	77%	0	0%	402	100%	0	0%	0	0%	0	0%
New Bedford, MA	11,436	2	0%	160	1%	11,149	97%	124	1%	11,423	100%	0	0%	0	0%	13	0%
Point Judith, RI	518	88	17%	1	0%	315	61%	114	22%	516	100%	0	0%	0	0%	2	0%
MAINE	26	2	8%	8	32%	15	59%	0	0%	26	99%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	70	53	75%	17	24%	0	0%	0	0%	69	98%	1	2%	0	0%	0	0%
MASSACHUSETTS	13,104	31	0%	1,313	10%	11,631	89%	129	1%	12,843	98%	246	2%	0	0%	15	0%
RHODE ISLAND	1,036	88	8%	32	3%	653	63%	263	25%	1,034	100%	1	0%	0	0%	2	0%
CONNECTICUT	20	0	0%	0	0%	0	0%	20	99%	20	99%	0	0%	0	0%	0	0%
NEW YORK	38	0	0%	0	0%	2	5%	37	95%	38	100%	0	0%	0	0%	0	0%
NEW JERSEY	4	0	0%	1	26%	0	0%	3	74%	4	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	14,299	174	1%	1,372	10%	12,302	86%	452	3%	14,034	98%	248	2%	0	0%	18	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05	Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
SNE/ NORTH	497	705	790	860	628	463	462	523	553	663	519	273	6,937	98%
OTTER TRAWL	316	443	334	359	328	208	275	450	476	622	466	240	4,516	64%
GILLNET	181	261	450	499	291	255	182	54	77	41	54	33	2,378	34%
HOOK	0	0	4	2	9	0	3	19	0	0	0	0	38	1%
OTHER GEARS	0	2	2	0	0	0	2	0	0	0	0	0	6	0%
MID-ATLANTIC	7	38	12	8	3	5	13	1	0	3	8	13	111	2%
OTTER TRAWL	7	38	1	1	0	1	13	1	0	3	8	13	87	1%
GILLNET	0	0	0	0	1	3	0	0	0	0	0	0	4	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	1	11	6	2	0	0	0	0	0	0	0	20	0%
ALL AREAS	504	743	802	867	631	468	476	524	553	665	527	287	7,048	100%
OTTER TRAWL	323	480	335	360	328	209	289	451	476	625	473	253	4,602	65%
GILLNET	181	261	450	499	291	258	182	54	77	41	54	33	2,382	34%
HOOK	0	0	4	2	9	0	3	19	0	0	0	0	38	1%
OTHER GEARS	0	2	13	6	3	0	2	0	0	0	0	0	26	0%
LANDINGS - ALL AREAS														
Fishing Year 2004/2005	504	743	802	867	631	468	476	524	553	665	527	287	7,048	7,048
Fishing Year 2003/2004	1,025	836	1,036	1,007	804	790	686	546	611	779	832	468	9,419	9,419
Fishing Year 2002/2003	382	502	685	706	666	600	531	578	801	637	1,010	588	7,686	7,686
Fishing Year 2001/2002	571	681	972	822	711	768	661	630	656	664	693	516	8,344	8,344

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	4,119	4,113	100%	5	0%	2,876	70%	1,237	30%	6	0%	0	0%
Gloucester, MA	1,235	1,226	99%	10	1%	539	44%	694	56%	3	0%	0	0%
Boston, MA	551	551	100%	0	0%	551	100%	0	0%	0	0%	0	0%
New Bedford, MA	269	269	100%	1	0%	268	99%	2	1%	0	0%	0	0%
Point Judith, RI	24	23	97%	1	0%	24	100%	0	0%	0	0%	0	0%
MAINE	4,465	4,459	100%	5	0%	3,095	69%	1,363	31%	6	0%	1	0%
NEW HAMPSHIRE	324	320	99%	4	1%	22	7%	301	93%	0	0%	1	0%
MASSACHUSETTS	2,138	2,127	99%	11	1%	1,384	65%	718	34%	32	2%	4	0%
RHODE ISLAND	31	30	98%	1	0%	31	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	89	0	0%	89	99%	69	77%	0	0%	0	0%	20	23%
NEW JERSEY	1	0	0%	1	100%	1	95%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	7,048	6,937	98%	111	2%	4,602	65%	2,382	34%	38	1%	26	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	126	447	390	459	496	243	305	292	305	224	181	164	3,634	100%	
OTTER TRAWL	126	440	387	457	496	243	305	292	301	224	178	162	3,611	99%	
GILLNET	1	6	3	1	0	0	0	0	0	0	3	1	15	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	2	1	1	0	0	0	0	4	0	0	0	8	0%	
SNE / MID-ATLANTIC	3	0	0	1	0	0	3	0	0	0	0	1	9	0%	
OTTER TRAWL	3	0	0	1	0	0	3	0	0	0	0	1	9	0%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
ALL AREAS	130	448	390	460	496	243	308	292	305	225	182	164	3,644	100%	
OTTER TRAWL	129	440	387	458	496	243	308	292	301	224	179	163	3,620	99%	
GILLNET	1	6	3	1	0	0	0	0	0	0	3	1	15	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	2	1	1	0	0	0	0	4	0	0	0	8	0%	
LANDINGS - ALL AREAS															
Fishing Year 2004/2005	130	448	390	460	496	243	308	292	305	225	182	164	3,644		3,644
Fishing Year 2003/2004	275	791	528	610	543	438	396	325	273	245	263	209	4,896		4,896
Fishing Year 2002/2003	471	665	757	682	710	555	470	481	459	262	427	298	6,236		6,236
Fishing Year 2001/2002	878	1,514	1,226	798	801	682	647	690	839	497	580	827	9,978		9,978

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,387	1,382	100%	4	0%	1,382	100%	1	0%	0	0%	4	0%
Gloucester, MA	511	510	100%	2	0%	503	98%	8	2%	0	0%	0	0%
Boston, MA	395	395	100%	0	0%	395	100%	0	0%	0	0%	0	0%
New Bedford, MA	887	886	100%	1	0%	886	100%	0	0%	0	0%	1	0%
Point Judith, RI	47	47	100%	0	0%	47	100%	0	0%	0	0%	0	0%
MAINE	1,587	1,583	100%	4	0%	1,582	100%	1	0%	0	0%	4	0%
NEW HAMPSHIRE	51	51	100%	0	0%	46	91%	5	9%	0	0%	0	0%
MASSACHUSETTS	1,948	1,944	100%	4	0%	1,934	99%	9	0%	0	0%	4	0%
RHODE ISLAND	57	57	99%	0	0%	57	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,644	3,634	100%	9	0%	3,620	99%	15	0%	0	0%	8	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	76	150	85	108	154	22	63	216	57	18	72	33	1,053	11%	
OTTER TRAWL	74	117	65	94	140	20	60	214	57	13	49	30	933	9%	
GILLNET	2	33	20	14	14	2	2	1	0	5	23	3	119	1%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	
GEORGES BANK	939	1,150	1,124	836	727	345	346	435	62	53	27	71	6,116	62%	
OTTER TRAWL	939	1,150	1,124	836	727	345	346	435	61	53	16	71	6,103	62%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	12	0	12	0%	
SNE/ MID-ATLANTIC	466	186	157	200	382	460	354	239	94	26	41	106	2,712	27%	
OTTER TRAWL	426	182	154	195	379	459	353	239	93	24	40	96	2,642	27%	
GILLNET	18	3	2	4	2	0	0	0	0	1	0	10	40	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	22	1	1	0	1	1	0	0	0	1	0	1	29	0%	
ALL AREAS	1,481	1,486	1,366	1,144	1,263	827	763	890	213	98	140	210	9,881	100%	
OTTER TRAWL	1,439	1,449	1,343	1,126	1,247	824	760	888	212	90	105	196	9,679	98%	
GILLNET	20	36	22	18	16	3	3	2	0	6	23	13	160	2%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	22	1	1	1	1	1	0	1	1	1	12	1	42	0%	
LANDINGS - ALL AREAS															
Fishing Year 2004/2005	1,481	1,486	1,366	1,144	1,263	827	763	890	213	98	140	210	9,881		9,881
Fishing Year 2003/2004	1,920	1,982	1,987	1,097	950	1,077	1,228	873	232	191	349	859	12,745		12,745
Fishing Year 2002/2003	1,633	1,841	1,261	861	1,306	1,130	1,004	1,111	442	221	489	642	11,941		11,941
Fishing Year 2001/2002	1,656	1,926	1,444	1,574	1,437	1,766	1,469	1,274	495	654	494	1,195	15,383		15,383

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	25	8	33%	12	47%	5	20%	25	100%	0	0%	0	0%	0	0%
Gloucester, MA	573	416	73%	116	20%	42	7%	483	84%	90	16%	0	0%	0	0%
Boston, MA	198	45	23%	33	17%	120	61%	198	100%	0	0%	0	0%	0	0%
New Bedford, MA	6,947	53	1%	5,758	83%	1,136	16%	6,933	100%	0	0%	0	0%	13	0%
Point Judith, RI	614	7	1%	86	14%	521	85%	614	100%	0	0%	0	0%	0	0%
MAINE	26	9	34%	12	46%	5	20%	26	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	23	23	99%	0	0%	0	0%	18	81%	4	19%	0	0%	0	0%
MASSACHUSETTS	8,360	1,014	12%	5,963	71%	1,382	17%	8,176	98%	145	2%	0	0%	38	0%
RHODE ISLAND	741	7	1%	139	19%	595	80%	731	99%	10	1%	0	0%	1	0%
CONNECTICUT	170	0	0%	0	0%	170	100%	170	100%	0	0%	0	0%	0	0%
NEW YORK	223	0	0%	1	0%	222	100%	220	99%	0	0%	0	0%	2	1%
NEW JERSEY	337	0	0%	0	0%	337	100%	337	100%	0	0%	0	0%	1	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	9,881	1,053	11%	6,116	62%	2,712	27%	9,679	98%	160	2%	0	0%	42	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	278	740	716	562	641	375	492	437	431	434	635	550	6,291	98%	
OTTER TRAWL	278	712	698	554	640	374	491	435	428	434	635	550	6,229	97%	
GILLNET	0	21	9	3	1	1	1	2	0	0	0	0	39	1%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	6	9	4	0	0	0	0	3	0	0	0	22	0%	
SNE/ MID-ATLANTIC	14	5	18	35	5	2	12	13	7	3	3	7	122	2%	
OTTER TRAWL	14	5	17	35	5	0	12	13	7	3	3	7	121	2%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	1	0	0	0	0	0	0	1	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
ALL AREAS	291	745	733	596	646	376	504	450	438	437	638	557	6,413	100%	
OTTER TRAWL	291	717	716	589	645	374	503	448	434	437	638	557	6,350	99%	
GILLNET	0	21	9	3	1	1	1	2	0	0	0	0	39	1%	
HOOK	0	0	0	0	0	1	0	0	0	0	0	0	1	0%	
OTHER GEARS	0	6	9	4	0	0	0	0	3	0	0	0	22	0%	
LANDINGS - ALL AREAS															
Fishing Year 2004/2005	291	745	733	596	646	376	504	450	438	437	638	557	6,413		6,413
Fishing Year 2003/2004	465	958	1,022	630	609	503	446	343	368	619	568	528	7,058		7,058
Fishing Year 2002/2003	361	708	942	684	561	359	334	310	318	536	667	389	6,168		6,168
Fishing Year 2001/2002	495	911	711	574	531	381	373	503	573	594	682	918	7,246		7,246

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,741	1,734	100%	7	0%	1,738	100%	0	0%	0	0%	3	0%
Gloucester, MA	1,270	1,262	99%	8	1%	1,238	97%	33	3%	0	0%	0	0%
Boston, MA	616	612	99%	4	1%	616	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,485	1,474	99%	11	1%	1,484	100%	0	0%	0	0%	1	0%
Point Judith, RI	71	65	91%	6	9%	71	100%	0	0%	0	0%	0	0%
MAINE	2,085	2,078	100%	7	0%	2,082	100%	0	0%	0	0%	3	0%
NEW HAMPSHIRE	179	179	100%	0	0%	176	99%	3	1%	0	0%	0	0%
MASSACHUSETTS	3,963	3,937	99%	25	1%	3,907	99%	36	1%	0	0%	19	0%
RHODE ISLAND	111	97	87%	14	13%	111	100%	0	0%	0	0%	0	0%
CONNECTICUT	2	0	0%	2	100%	2	96%	0	0%	0	0%	0	0%
NEW YORK	10	0	0%	9	99%	10	100%	0	0%	0	0%	0	0%
NEW JERSEY	53	0	0%	53	100%	52	97%	0	0%	1	3%	0	0%
OTHER NORTHEAST	11	0	0%	11	100%	11	99%	0	0%	0	0%	0	0%
TOTAL	6,413	6,291	98%	122	2%	6,350	99%	39	1%	1	0%	22	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	1	0	0	0	2	1	8	2	11	32	15	16	90	52%	
OTTER TRAWL	1	0	0	0	2	1	8	2	11	32	15	16	90	52%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
SNE/ MID-ATLANTIC	12	3	9	5	5	1	4	7	3	5	8	21	83	48%	
OTTER TRAWL	11	3	9	5	5	1	3	7	3	5	8	21	81	47%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	1%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	1	0	0	0	0	0	0	0	0	0	0	0	1	1%	
ALL AREAS	13	4	9	5	8	3	11	9	14	37	23	38	173	100%	
OTTER TRAWL	12	4	9	5	7	3	11	9	14	37	23	37	171	99%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	1%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	1	0	0	0	0	0	0	0	0	0	0	0	1	1%	
LANDINGS - ALL AREAS															
Fishing Year 2004/2005	13	4	9	5	8	3	11	9	14	37	23	38	173		173
Fishing Year 2003/2004	22	6	4	6	2	3	3	13	19	31	25	52	184		184
Fishing Year 2002/2003	19	7	3	2	2	2	4	19	18	16	15	28	135		135
Fishing Year 2001/2002	12	6	9	15	15	6	16	25	44	33	29	49	261		261

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
New Bedford, MA	88	83	95%	4	5%	88	100%	0	0%	0	0%	0	0%
Point Judith, RI	15	2	14%	13	86%	15	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	92	87	95%	5	5%	91	99%	0	0%	0	0%	1	0%
RHODE ISLAND	16	2	14%	13	86%	16	100%	0	0%	0	0%	0	0%
CONNECTICUT	3	0	0%	3	100%	3	100%	0	0%	0	0%	0	0%
NEW YORK	25	0	0%	25	100%	24	98%	0	0%	0	0%	0	0%
NEW JERSEY	38	0	0%	38	100%	37	97%	1	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	173	90	52%	83	48%	171	99%	1	1%	0	0%	1	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		2004/2005*	
		1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May04-Apr05 as a % of Target TAC	Target TAC 1000 Lbs
ATLANTIC POLLOCK	2004/2005	718	1,050	907	832	819	1,031	1,224	1,055	1,096	1,122	1,558	707	12,121	30%	16%	
REDFISH	2004/2005	33	41	55	73	103	102	81	79	75	104	207	117	1,070	3%	1%	
WHITE HAKE	2004/2005	504	743	802	867	631	468	476	524	553	665	527	287	7,048	17%	9%	
AMERICAN PLAICE	2004/2005	130	448	390	460	496	243	308	292	305	225	182	164	3,644	9%	5%	
WINTER FLOUNDER	2004/2005	1,481	1,486	1,366	1,144	1,263	827	763	890	213	98	140	210	9,881	24%	13%	
WITCH FLOUNDER	2004/2005	291	745	733	596	646	376	504	450	438	437	638	557	6,413	16%	8%	
WINDOWPANE FLDR	2004/2005	13	4	9	5	8	3	11	9	14	37	23	38	173	0%	0%	
ALL 7 SPECIES - TOTAL	2004/ 2005	3,171	4,517	4,263	3,977	3,968	3,050	3,367	3,299	2,695	2,689	3,274	2,079	40,349	100%	52%	76,917

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	10	65	145	517	872	161	77	45	4	13	15	3	1,926	11%	
OTTER TRAWL	10	64	142	506	865	150	75	42	3	12	15	3	1,886	11%	
GILLNET	0	0	4	10	7	6	2	4	0	1	0	0	34	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	5	0	0	0	0	0	0	5	0%	
SNE/ MID-ATLANTIC	1,506	1,720	1,723	1,546	1,132	999	1,079	637	994	941	1,729	1,294	15,298	89%	
OTTER TRAWL	1,506	1,720	1,723	1,546	1,132	999	1,078	637	994	941	1,729	1,294	15,298	89%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
ALL AREAS	1,516	1,784	1,868	2,063	2,003	1,160	1,155	683	998	954	1,744	1,296	17,224	100%	
OTTER TRAWL	1,516	1,784	1,864	2,052	1,996	1,149	1,153	679	998	953	1,744	1,296	17,184	100%	
GILLNET	0	0	4	10	7	6	2	4	0	1	0	0	35	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	5	0	0	0	0	0	0	6	0%	
LANDINGS - ALL AREAS															
Fishing Year 2004/2005	1,516	1,784	1,868	2,063	2,003	1,160	1,155	683	998	954	1,744	1,296	17,224		17,224
Fishing Year 2003/2004	1,217	1,761	2,374	2,318	2,717	1,716	1,301	1,376	1,351	1,820	2,014	1,467	21,433		21,433
Fishing Year 2002/2003	1,795	1,359	1,691	1,685	1,820	1,420	1,146	921	1,096	1,093	1,248	467	15,741		15,741
Fishing Year 2001/2002	2,683	2,748	2,788	3,225	2,449	2,066	1,685	1,161	1,167	1,943	1,553	1,118	24,585		24,585

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	476	446	94%	30	6%	446	94%	31	6%	0	0%	0	0%
Boston, MA	1	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
New Bedford, MA	5,216	700	13%	4,517	87%	5,216	100%	0	0%	0	0%	0	0%
Point Judith, RI	3,418	101	3%	3,318	97%	3,418	100%	0	0%	0	0%	0	0%
MAINE	1	1	100%	0	0%	1	82%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	125	125	100%	0	0%	122	98%	2	2%	0	0%	0	0%
MASSACHUSETTS	5,766	1,220	21%	4,547	79%	5,730	99%	32	1%	0	0%	5	0%
RHODE ISLAND	3,643	207	6%	3,436	94%	3,643	100%	0	0%	0	0%	0	0%
CONNECTICUT	3,191	373	12%	2,818	88%	3,191	100%	0	0%	0	0%	0	0%
NEW YORK	4,311	0	0%	4,311	100%	4,310	100%	0	0%	0	0%	0	0%
NEW JERSEY	186	0	0%	186	100%	186	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	17,224	1,926	11%	15,298	89%	17,184	100%	35	0%	0	0%	6	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR - 2005	APR - 2005	MAY 04 - APR 05		2004/2005*		2003/2004*		Fishing
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent	May04-Apr05 as a % of Target TAC	Target TAC 1000 Lbs	May03-Apr04 as a % of Target TAC	Target TAC 1000 Lbs	Landings 1000 Lbs
NORTHERN	1,479	2,155	2,432	2,434	2,490	2,128	2,611	2,448	1,805	1,937	2,058	1,928	25,905	65%	69%	37,408	80%	39,039	
OTTER TRAWL	1,008	1,139	1,194	1,393	1,472	1,443	1,862	1,808	1,656	1,777	1,854	1,670	18,276	46%	49%		62%		
GILLNET	471	994	1,215	1,033	1,018	683	748	638	106	160	194	258	7,517	19%	20%		17%		
HOOK	0	0	0	0	0	0	1	2	0	0	0	0	4	0%	0%		0%		
OTHER GEARS	0	23	23	7	0	1	1	0	43	0	9	0	108	0%	0%		1%		
SOUTHERN	2,505	2,208	1,053	608	383	614	1,365	1,259	983	637	698	1,341	13,654	35%	91%	14,930	119%	22,511	
OTTER TRAWL	133	447	407	350	233	150	152	302	236	245	320	238	3,214	8%	22%		16%		
GILLNET	2,151	1,566	475	101	7	251	1,030	855	702	309	301	979	8,727	22%	58%		91%		
HOOK	0	0	0	0	0	0	0	0	3	0	0	0	4	0%	0%		0%		
OTHER GEARS	221	195	170	157	143	214	183	102	42	83	77	123	1,710	4%	11%		12%		
ALL AREAS	3,984	4,363	3,485	3,042	2,874	2,741	3,976	3,707	2,788	2,574	2,756	3,269	39,559	100%	76%	52,338	94%	61,551	
OTTER TRAWL	1,141	1,587	1,601	1,743	1,705	1,592	2,014	2,110	1,892	2,023	2,175	1,909	21,490	54%	41%		45%		
GILLNET	2,622	2,559	1,690	1,134	1,025	934	1,778	1,493	808	468	495	1,237	16,244	41%	31%		44%		
HOOK	0	0	0	0	0	0	1	3	3	0	0	0	7	0%	0%		0%		
OTHER GEARS	221	217	194	164	144	215	184	102	85	83	86	123	1,818	5%	3%		5%		
LANDINGS - ALL AREAS																			
Fishing Year 2004/2005	3,984	4,363	3,485	3,042	2,874	2,741	3,976	3,707	2,788	2,574	2,756	3,269	39,559						39,559
Fishing Year 2003/2004	5,910	7,053	4,218	3,848	3,130	4,967	6,249	4,222	4,430	5,294	4,795	3,982	58,098						58,098
Fishing Year 2002/2003	3,470	4,614	3,284	3,047	3,360	3,623	4,270	4,858	4,443	3,885	5,801	3,423	48,077						48,077
Fishing Year 2001/2002	4,500	5,415	3,727	3,316	3,296	4,467	5,853	6,580	5,392	4,269	4,457	5,876	57,148						57,148

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 04 - Apr 05

PORT/ STATE	MAY 04 - APR 05	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	7,571	7,509	99%	62	1%	7,050	93%	480	6%	0	0%	42	1%
Gloucester, MA	5,287	5,221	99%	66	1%	2,404	45%	2,883	55%	0	0%	0	0%
Boston, MA	2,975	2,878	97%	97	3%	2,975	100%	0	0%	0	0%	0	0%
New Bedford, MA	9,214	5,495	60%	3,719	40%	5,890	64%	2,181	24%	0	0%	1,143	12%
Point Judith, RI	1,588	127	8%	1,460	92%	554	35%	1,024	64%	0	0%	10	1%
MAINE	8,969	8,898	99%	70	1%	8,132	91%	794	9%	0	0%	42	0%
NEW HAMPSHIRE	1,692	1,685	100%	6	0%	198	12%	1,492	88%	0	0%	1	0%
MASSACHUSETTS	19,779	15,096	76%	4,683	24%	11,733	59%	6,881	35%	4	0%	1,162	6%
RHODE ISLAND	3,220	214	7%	3,006	93%	695	22%	2,433	76%	0	0%	92	3%
CONNECTICUT	668	3	1%	665	99%	89	13%	433	65%	0	0%	146	22%
NEW YORK	1,166	7	1%	1,159	99%	300	26%	860	74%	3	0%	3	0%
NEW JERSEY	3,234	1	0%	3,233	100%	123	4%	2,877	89%	0	0%	235	7%
OTHER NORTHEAST	831	0	0%	831	100%	219	26%	474	57%	0	0%	138	17%
TOTAL	39,559	25,905	65%	13,654	35%	21,490	54%	16,244	41%	7	0%	1,818	5%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562

Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	MAR - 2004	APR - 2004	MAY - 2004	JUN - 2004	JUL - 2004	AUG - 2004	SEP - 2004	OCT - 2004	NOV - 2004	DEC - 2004	JAN - 2005	FEB - 2005	MAR 04 - FEB 05	Fishing Year* Landings
	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	1000 Lbs	Percent
GULF OF MAINE	28	48	42	38	12	9	15	4	15	15	12	17	254	0%
OTTER TRAWL	5	2	4	0	0	0	1	0	0	6	0	0	19	0%
DREDGE	23	46	37	37	11	9	14	4	15	10	12	17	235	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	1	0%
SOUTH CHANNEL	159	67	127	169	306	281	294	148	928	890	751	269	4,388	7%
OTTER TRAWL	0	0	0	2	3	1	3	1	1	0	0	2	14	0%
DREDGE	159	66	126	167	303	280	291	147	927	890	751	267	4,374	7%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
GEORGES BANK NORTH	26	0	1	137	179	26	34	0	1,696	2,055	796	63	5,012	8%
OTTER TRAWL	0	0	1	27	25	19	6	0	0	0	0	0	80	0%
DREDGE	26	0	0	110	154	7	27	0	1,696	2,055	796	63	4,932	8%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
GEORGES BANK SOUTH	70	0	22	33	67	198	238	149	195	130	269	184	1,553	2%
OTTER TRAWL	0	0	0	2	1	1	0	1	0	0	2	10	17	0%
DREDGE	70	0	21	31	66	197	238	148	195	130	267	174	1,536	2%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
S. NEW ENGLAND	13	0	3	10	36	77	35	14	45	47	30	4	313	0%
OTTER TRAWL	0	0	2	0	1	0	1	0	3	2	0	0	9	0%
DREDGE	13	0	1	9	35	76	34	14	42	45	29	4	303	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
NEW YORK BIGHT	2,223	3,046	3,633	3,402	2,576	2,426	1,865	1,470	741	365	508	1,305	23,562	36%
OTTER TRAWL	1	15	38	43	126	88	51	12	7	10	31	26	448	1%
DREDGE	2,223	3,030	3,594	3,359	2,450	2,338	1,812	1,458	734	355	478	1,279	23,110	36%
OTHER GEARS	0	0	1	0	0	0	2	0	1	0	0	0	4	0%
DE / MD / VA	2,587	3,282	4,009	4,617	3,570	3,084	2,453	2,327	1,996	579	329	582	29,415	45%
OTTER TRAWL	126	270	343	445	411	315	219	316	169	17	34	17	2,685	4%
DREDGE	2,461	3,011	3,666	4,172	3,133	2,768	2,234	2,010	1,827	562	294	565	26,704	41%
OTHER GEARS	0	0	0	0	26	0	0	0	0	0	0	0	26	0%
VA / NC	1	32	140	33	12	1	33	55	25	2	0	0	333	1%
OTTER TRAWL	0	2	3	10	12	1	0	0	0	2	0	0	29	0%
DREDGE	1	30	136	23	0	0	33	55	25	0	0	0	304	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	5,106	6,474	7,976	8,438	6,758	6,101	4,967	4,167	5,641	4,084	2,694	2,425	64,832	100%
OTTER TRAWL	132	290	392	529	580	426	281	330	180	37	67	56	3,301	5%
DREDGE	4,974	6,184	7,582	7,909	6,153	5,676	4,684	3,836	5,460	4,047	2,627	2,368	61,499	95%
OTHER GEARS	0	0	1	0	26	0	2	0	1	0	0	0	31	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is March 1 through February 29.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, Mar 04 - Feb 05

PORT/ STATE	MAR 04 - FEB 05	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	28,005	24	0%	3,382	12%	4,297	15%	1,515	5%	60	0%	13,770	49%	4,932	18%	25	0%
Cape May, NJ	9,424	0	0%	98	1%	56	1%	0	0%	0	0%	2,182	23%	7,002	74%	86	1%
Norfolk, VA	18,216	0	0%	107	1%	159	1%	20	0%	0	0%	2,691	15%	15,067	83%	171	1%
MAINE	18	14	79%	2	14%	1	7%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	85	8	9%	30	35%	35	41%	0	0%	13	15%	0	0%	0	0%	0	0%
MASSACHUSETTS	28,794	232	1%	3,871	13%	4,353	15%	1,515	5%	74	0%	13,793	48%	4,932	17%	25	0%
RHODE ISLAND	322	0	0%	144	45%	73	23%	0	0%	53	16%	48	15%	5	2%	0	0%
CONNECTICUT	2,160	0	0%	110	5%	220	10%	18	1%	102	5%	1,609	74%	100	5%	0	0%
NEW JERSEY	13,826	0	0%	124	1%	131	1%	0	0%	20	0%	5,244	38%	8,199	59%	108	1%
VIRGINIA	19,081	0	0%	107	1%	159	1%	20	0%	0	0%	2,693	14%	15,904	83%	198	1%
OTHER NORTHEAST	545	0	0%	2	0%	40	7%	0	0%	51	9%	176	32%	275	50%	2	0%
TOTAL	64,832	254	0%	4,388	7%	5,012	8%	1,553	2%	313	0%	23,562	36%	29,415	45%	333	1%

PORT/ STATE	MAR 04 - FEB 05	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	28,005	107	0%	27,898	100%	1	0%
Cape May, NJ	9,424	1,461	15%	7,963	85%	0	0%
Norfolk, VA	18,216	1,086	6%	17,105	94%	26	0%
MAINE	18	1	8%	16	92%	0	0%
NEW HAMPSHIRE	85	6	7%	79	93%	0	0%
MASSACHUSETTS	28,794	127	0%	28,665	100%	2	0%
RHODE ISLAND	322	5	1%	317	98%	0	0%
CONNECTICUT	2,160	19	1%	2,141	99%	0	0%
NEW JERSEY	13,826	1,493	11%	12,331	89%	2	0%
VIRGINIA	19,081	1,500	8%	17,556	92%	26	0%
OTHER NORTHEAST	545	151	28%	394	72%	1	0%
TOTAL	64,832	3,301	5%	61,499	95%	31	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

