

July 11, 2008

TAC Report Summary
Commercial Landings and Target Quota Utilization
(May 2007 – April 2008)

| Species & Stock Area | 2007 FY Commercial Landings | Percent of TAC | Target TAC |
|------------------------|-----------------------------|----------------|---------------|
| | (metric tons) | % | (metric tons) |
| Cod | | | |
| GOM | 4,373 | N/A* | 10,020* |
| GB | 4,005 | 48% | 8,416 |
| Haddock | | | |
| GOM | 401 | 32% | 1,254 |
| GB | 3,947 | 4% | 90,599 |
| Yellowtail | | | |
| CC/GOM | 521 | N/A* | 1,078* |
| GB | 753 | N/A* | 900* |
| SNE/MA | 200 | N/A* | 213* |
| | | | |
| Pollock | 8,908 | N/A* | 12,005* |
| | | | |
| Redfish - 500s | 990 | 48% | 2,075 |
| | | | |
| White Hake | 1,451 | 87%** | 1,676** |
| | | | |
| American Plaice | 1,042 | N/A* | 3,243* |
| Winter Flounder | | | |
| GOM | 252 | N/A | N/A |
| GB | 827 | 52% | 1,604 |
| SNE/MA | 1,474 | N/A* | 3,016* |
| | | | |
| Witch Flounder | 1,105 | 22% | 5,075 |
| Windowpane | | | |
| North | 62 | 16% | 389 |
| South | 84 | 51% | 166 |
| | | | |
| Ocean Pout | 3 | 8% | 38 |
| Monkfish | | | |
| Northern Area | 5,050 | 101% | 5,000 |
| Southern Area | 7,180 | 141% | 5,100 |

Landings statistics for species without target TACs including scallops, silver hake, and red hake are available in the attachment.
**TAC includes commercial landings, and discards, recreational landings, or Canadian landings. Only commercial landings are available for monitoring.*

***TAC only includes lengths greater than 60 cm. Landings data include all lengths.*

Monkfish quotas were revised on October 22, 2007 and the new quota figures are presented above.

Attachment

Northeast Preliminary Fisheries Statistics

Multispecies (May 2007 – April 2008) & Scallop (March – April 2008)

Fishery Statistics Office
Northeast Regional Office
National Marine Fisheries Service
Gloucester, MA 01930

July 2008

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer electronic and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

- Note:** 1) **Data of selected species are reported in detail (see table of contents).**
2) **This report will become available on the NMFS website:**
<http://www.greateratlantic.fisheries.noaa.gov/ro/fso/mul.htm>.

TABLE OF CONTENTS

Page

COD

| | |
|--|---|
| Tables 1.A - Preliminary Landings by Stock Area..... | 1 |
| 1.B - Preliminary Landings by Major Ports and States | 2 |

HADDOCK

| | |
|--|---|
| Tables 2.A - Preliminary Landings by Stock Area..... | 3 |
| 2.B - Preliminary Landings by Major Ports and States | 4 |

YELLOWTAIL FLOUNDER

| | |
|--|---|
| Tables 3.A - Preliminary Landings by Stock Area..... | 5 |
| 3.B - Preliminary Landings by Major Ports and States | 6 |

ATLANTIC POLLOCK

| | |
|--|---|
| Tables 4.A - Preliminary Landings by Stock Area..... | 7 |
| 4.B - Preliminary Landings by Major Ports and States | 8 |

REDFISH

| | |
|--|----|
| Tables 5.A - Preliminary Landings by Stock Area..... | 9 |
| 5.B - Preliminary Landings by Major Ports and States | 10 |

WHITE HAKE

| | |
|--|----|
| Tables 6.A - Preliminary Landings by Stock Area..... | 11 |
| 6.B - Preliminary Landings by Major Ports and States | 12 |

AMERICAN PLAICE

| | |
|--|----|
| Tables 7.A - Preliminary Landings by Stock Area..... | 13 |
| 7.B - Preliminary Landings by Major Ports and States | 14 |

WINTER FLOUNDER

| | |
|--|----|
| Tables 8.A - Preliminary Landings by Stock Area..... | 15 |
| 8.B - Preliminary Landings by Major Ports and States | 16 |

WITCH FLOUNDER

| | |
|--|----|
| Tables 9.A - Preliminary Landings by Stock Area..... | 17 |
| 9.B - Preliminary Landings by Major Ports and States | 18 |

WINDOWPANE FLOUNDER

| | |
|---|----|
| Tables 10.A - Preliminary Landings by Stock Area..... | 19 |
| 10.B - Preliminary Landings by Major Ports and States | 20 |

SILVER HAKE

| | |
|---|----|
| Tables 11.A - Preliminary Landings by Year and Month | 21 |
| 11.B - Preliminary Landings by Major Ports and States | 22 |

RED HAKE

| | |
|---|----|
| Tables 12.A - Preliminary Landings by Year and Month | 23 |
| 12.B - Preliminary Landings by Major Ports and States | 24 |

MONKFISH

| | |
|---|----|
| Tables 13.A - Preliminary Landings by Year and Month | 25 |
| 13.B - Preliminary Landings by Major Ports and States | 26 |

SCALLOP

Tables 14.A - Preliminary Landings by Year and Month 27
14.B - Preliminary Landings by Major Ports and States 28

STATISTICAL AREAS

A chart for the 3 Digit Statistical Areas 29

Table 1.A. - Preliminary Commercial Cod Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing |
|-----------------------------|------------|--------------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------------|-----------------|--|-----------------|--|----------------|-------------|
| | | | | | | | | | | | | | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC* | May06- Apr07as a % of Target TAC | Target TAC* | Landings |
| | | | | | | | | | | | | | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons |
| GULF OF MAINE | 12 | 479 | 595 | 293 | 287 | 251 | 279 | 666 | 578 | 450 | 413 | 70 | 4,373 | 52% | N/A | 10,020** | N/A | 5,146** | |
| OTTER TRAWL | 8 | 210 | 236 | 84 | 103 | 87 | 85 | 262 | 235 | 226 | 243 | 56 | 1,835 | 22% | | | | | |
| GILLNET | 2 | 263 | 357 | 207 | 179 | 161 | 193 | 377 | 298 | 160 | 113 | 12 | 2,320 | 28% | | | | | |
| HOOK | 1 | 0 | 1 | 1 | 4 | 2 | 1 | 12 | 31 | 57 | 50 | 2 | 162 | 2% | | | | | |
| OTHER GEARS | 0 | 5 | 2 | 1 | 1 | 1 | 1 | 15 | 14 | 8 | 8 | 0 | 56 | 1% | | | | | |
| GEORGES BANK | 263 | 566 | 425 | 330 | 277 | 383 | 280 | 281 | 135 | 246 | 367 | 453 | 4,005 | 48% | 48% | 8,416 | 48% | 6,132 | |
| OTTER TRAWL | 216 | 508 | 279 | 177 | 213 | 311 | 243 | 247 | 106 | 241 | 363 | 427 | 3,333 | 40% | 40% | | 42% | | |
| GILLNET | 3 | 48 | 143 | 151 | 61 | 69 | 35 | 26 | 16 | 4 | 3 | 10 | 568 | 7% | 7% | | 4% | | |
| HOOK | 43 | 7 | 2 | 1 | 1 | 1 | 0 | 2 | 0 | 0 | 0 | 10 | 68 | 1% | 1% | | 1% | | |
| OTHER GEARS | 1 | 3 | 1 | 1 | 1 | 3 | 2 | 6 | 12 | 1 | 1 | 5 | 37 | 0% | 0% | | 1% | | |
| ALL AREAS | 274 | 1,045 | 1,020 | 624 | 564 | 634 | 560 | 947 | 713 | 696 | 780 | 523 | 8,378 | 100% | | | | | |
| OTTER TRAWL | 224 | 718 | 515 | 261 | 316 | 398 | 327 | 509 | 342 | 467 | 606 | 484 | 5,167 | 62% | | | | | |
| GILLNET | 5 | 311 | 500 | 358 | 240 | 229 | 228 | 403 | 314 | 164 | 115 | 22 | 2,888 | 34% | | | | | |
| HOOK | 44 | 7 | 2 | 3 | 5 | 3 | 2 | 14 | 31 | 57 | 50 | 11 | 230 | 3% | | | | | |
| OTHER GEARS | 1 | 8 | 4 | 2 | 3 | 3 | 3 | 21 | 25 | 9 | 8 | 5 | 93 | 1% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 274 | 1,045 | 1,020 | 624 | 564 | 634 | 560 | 947 | 713 | 696 | 780 | 523 | 8,378 | | | | | | 8,378 |
| Fishing Year 2006 | 207 | 692 | 591 | 440 | 385 | 427 | 530 | 915 | 457 | 311 | 691 | 517 | 6,163 | | | | | | 6,163 |
| Fishing Year 2005 | 327 | 881 | 829 | 521 | 358 | 308 | 320 | 608 | 446 | 316 | 445 | 341 | 5,699 | | | | | | 5,699 |
| Fishing Year 2004 | 375 | 726 | 828 | 443 | 461 | 406 | 562 | 714 | 538 | 390 | 544 | 679 | 6,667 | | | | | | 6,667 |
| Fishing Year 2003 | 567 | 1,373 | 875 | 830 | 533 | 601 | 651 | 914 | 499 | 476 | 756 | 1,033 | 9,110 | | | | | | 9,110 |
| Fishing Year 2002 | 913 | 1,343 | 1,114 | 821 | 605 | 557 | 674 | 1,125 | 752 | 562 | 1,444 | 1,578 | 11,488 | | | | | | 11,488 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards, and recreational landings.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 9,822 metric tons (21,653 thousand lbs.)

Table 1.B. - Preliminary Commercial Cod Landings by Major Ports and States, May 07 - April 08

| PORT/ STATE | MAY 07 - APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------|-----------------|---------------|------------|--------------|------------|--------------|------------|--------------|------------|-------------|-----------|-------------|-----------|
| | | GULF OF MAINE | | GEORGES BANK | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 515 | 339 | 66% | 176 | 34% | 341 | 66% | 160 | 31% | 9 | 2% | 5 | 1% |
| Gloucester, MA | 3,087 | 2,782 | 90% | 305 | 10% | 1,342 | 43% | 1,557 | 50% | 151 | 5% | 37 | 1% |
| Boston, MA | 434 | 76 | 17% | 358 | 83% | 434 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 2,293 | 7 | 0% | 2,286 | 100% | 2,292 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Point Judith, RI | 105 | 0 | 0% | 105 | 100% | 102 | 97% | 0 | 0% | 0 | 0% | 3 | 3% |
| MAINE | 626 | 451 | 72% | 176 | 28% | 375 | 60% | 237 | 38% | 9 | 1% | 5 | 1% |
| NEW HAMPSHIRE | 537 | 535 | 100% | 2 | 0% | 164 | 30% | 371 | 69% | 0 | 0% | 2 | 0% |
| MASSACHUSETTS | 7,027 | 3,387 | 48% | 3,639 | 52% | 4,462 | 64% | 2,265 | 32% | 221 | 3% | 79 | 1% |
| RHODE ISLAND | 167 | 0 | 0% | 167 | 100% | 148 | 89% | 15 | 9% | 0 | 0% | 4 | 2% |
| CONNECTICUT | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 21 | 0 | 0% | 21 | 100% | 18 | 86% | 0 | 0% | 0 | 0% | 3 | 14% |
| NEW JERSEY | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 8,378 | 4,373 | 52% | 4,005 | 48% | 5,167 | 62% | 2,888 | 34% | 230 | 3% | 93 | 1% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Commercial Haddock Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing Year* Landings |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|-----------------|----------------------------------|---------------|----------------------------------|---------------|------------------------|
| | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC* | May06-Apr07 as a % of Target TAC | Target TAC* | Metric Tons |
| | | | | | | | | | | | | | | | | Metric Tons | Metric Tons | Metric Tons | Metric Tons |
| GULF OF MAINE | 4 | 47 | 24 | 19 | 23 | 37 | 43 | 17 | 22 | 34 | 112 | 20 | 401 | 9% | 32% | 1,254 | 50% | 1,279 | |
| OTTER TRAWL | 3 | 44 | 19 | 15 | 15 | 30 | 33 | 15 | 13 | 25 | 67 | 10 | 288 | 7% | 23% | | 31% | | |
| GILLNET | 0 | 3 | 4 | 2 | 3 | 3 | 3 | 1 | 2 | 5 | 20 | 0 | 47 | 1% | 4% | | 5% | | |
| HOOK | 0 | 0 | 1 | 3 | 5 | 4 | 7 | 0 | 7 | 3 | 24 | 9 | 65 | 1% | 5% | | 13% | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | 0% | | 1% | | |
| GEORGES BANK | 470 | 392 | 167 | 167 | 155 | 440 | 392 | 292 | 226 | 462 | 318 | 466 | 3,947 | 91% | 4% | 90,599 | 6% | 35,309 | |
| OTTER TRAWL | 455 | 386 | 166 | 165 | 154 | 304 | 374 | 257 | 225 | 462 | 317 | 429 | 3,695 | 85% | 4% | | 5% | | |
| GILLNET | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 7 | 0% | 0% | | 0% | | |
| HOOK | 14 | 3 | 1 | 1 | 0 | 135 | 16 | 33 | 0 | 0 | 1 | 16 | 221 | 5% | 0% | | 1% | | |
| OTHER GEARS | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 21 | 24 | 1% | 0% | | 0% | | |
| SNE/ MID-ATLANTIC | 0 | 1 | 0 | 3 | 6 | 0 | 10 | 0% | | | | | |
| OTTER TRAWL | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 5 | 0 | 9 | 0% | | | | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| ALL AREAS | 473 | 440 | 191 | 186 | 178 | 477 | 435 | 309 | 248 | 499 | 435 | 486 | 4,358 | 100% | | | | | |
| OTTER TRAWL | 459 | 431 | 185 | 180 | 169 | 333 | 407 | 272 | 238 | 491 | 390 | 439 | 3,993 | 92% | | | | | |
| GILLNET | 0 | 5 | 4 | 2 | 3 | 4 | 4 | 2 | 2 | 5 | 20 | 0 | 53 | 1% | | | | | |
| HOOK | 15 | 3 | 2 | 4 | 6 | 140 | 23 | 34 | 7 | 3 | 25 | 26 | 287 | 7% | | | | | |
| OTHER GEARS | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 21 | 25 | 1% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 473 | 440 | 191 | 186 | 178 | 477 | 435 | 309 | 248 | 499 | 435 | 486 | 4,358 | | | | | | 4,358 |
| Fishing Year 2006 | 424 | 400 | 95 | 171 | 219 | 303 | 168 | 157 | 116 | 104 | 353 | 349 | 2,858 | | | | | | 2,858 |
| Fishing Year 2005 | 675 | 1,367 | 422 | 340 | 387 | 603 | 529 | 310 | 161 | 248 | 336 | 590 | 5,969 | | | | | | 5,969 |
| Fishing Year 2004 | 464 | 1,126 | 673 | 459 | 489 | 425 | 545 | 740 | 367 | 937 | 930 | 670 | 7,826 | | | | | | 7,826 |
| Fishing Year 2003 | 803 | 783 | 346 | 257 | 274 | 430 | 427 | 454 | 454 | 746 | 812 | 1,279 | 7,065 | | | | | | 7,065 |
| Fishing Year 2002 | 718 | 817 | 731 | 435 | 521 | 597 | 248 | 275 | 451 | 688 | 762 | 1,103 | 7,347 | | | | | | 7,347 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 103,329 metric tons (227,795 thousand lbs.)

Table 2.B. - Preliminary Commercial Haddock Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07-APR 08 | STOCK AREAS | | | | | | GEAR TYPES | | | | | | | |
|------------------|---------------|---------------|-----------|--------------|------------|--------------|-----------|--------------|------------|-------------|-----------|-------------|-----------|-------------|-----------|
| | | GULF OF MAINE | | GEORGES BANK | | MID-ATLANTIC | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 517 | 48 | 9% | 468 | 91% | 0 | 0% | 468 | 91% | 2 | 0% | 26 | 5% | 21 | 4% |
| Gloucester, MA | 746 | 258 | 35% | 487 | 65% | 1 | 0% | 669 | 90% | 36 | 5% | 38 | 5% | 2 | 0% |
| Boston, MA | 375 | 32 | 9% | 342 | 91% | 0 | 0% | 375 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 2,298 | 3 | 0% | 2,286 | 99% | 9 | 0% | 2,298 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Point Judith, RI | 49 | 0 | 0% | 49 | 100% | 0 | 0% | 48 | 98% | 0 | 0% | 0 | 0% | 1 | 0% |
| MAINE | 523 | 55 | 11% | 468 | 89% | 0 | 0% | 474 | 91% | 2 | 0% | 26 | 5% | 21 | 4% |
| NEW HAMPSHIRE | 14 | 14 | 99% | 0 | 0% | 0 | 0% | 10 | 67% | 5 | 32% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 3,710 | 332 | 9% | 3,368 | 91% | 10 | 0% | 3,400 | 92% | 46 | 1% | 261 | 7% | 3 | 0% |
| RHODE ISLAND | 110 | 0 | 0% | 110 | 100% | 0 | 0% | 109 | 99% | 0 | 0% | 0 | 0% | 1 | 0% |
| CONNECTICUT | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 4,358 | 401 | 9% | 3,947 | 91% | 10 | 0% | 3,993 | 92% | 53 | 1% | 287 | 7% | 25 | 1% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Commercial Yellowtail Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07- APR 08 | | 2007* | | 2006* | | Fishing Year* |
|-------------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------|-----------------|----------------------------------|-------------|----------------------------------|-------------|---------------|
| | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC* | May06-Apr07 as a % of Target TAC | Target TAC* | Metric Tons |
| | | | | | | | | | | | | | | | | Metric Tons | | Metric Tons | Metric Tons |
| GULF OF MAINE | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 4 | 3 | 2 | 4 | 1 | 22 | 2% | | | | | |
| OTTER TRAWL | 0 | 2 | 2 | 2 | 1 | 1 | 1 | 4 | 3 | 2 | 4 | 1 | 22 | 1% | | | | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| CAPE COD | 8 | 57 | 43 | 36 | 47 | 29 | 21 | 48 | 46 | 49 | 107 | 7 | 499 | 34% | | | | | |
| OTTER TRAWL | 5 | 35 | 35 | 34 | 47 | 29 | 21 | 47 | 32 | 27 | 70 | 6 | 390 | 26% | | | | | |
| GILLNET | 2 | 22 | 8 | 2 | 0 | 0 | 0 | 1 | 13 | 22 | 35 | 0 | 106 | 7% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| GULF OF MAINE & CAPE COD | 8 | 59 | 45 | 38 | 48 | 30 | 21 | 52 | 49 | 51 | 112 | 8 | 521 | 35% | N/A | 1,078** | N/A | 650** | |
| GEORGES BANK | 147 | 84 | 32 | 24 | 14 | 24 | 17 | 239 | 170 | 0 | 0 | 0 | 753 | 51% | N/A | 900** | N/A | 2,070** | |
| OTTER TRAWL | 147 | 84 | 32 | 23 | 14 | 24 | 17 | 239 | 170 | 0 | 0 | 0 | 751 | 51% | | | | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | | | | | |
| SNE/ MID-ATLANTIC | 5 | 2 | 7 | 17 | 11 | 12 | 8 | 23 | 23 | 26 | 28 | 36 | 200 | 14% | N/A | 213** | N/A | 146** | |
| OTTER TRAWL | 5 | 2 | 7 | 17 | 11 | 12 | 8 | 23 | 23 | 26 | 28 | 35 | 198 | 13% | | | | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| ALL AREAS | 160 | 146 | 84 | 79 | 73 | 66 | 46 | 314 | 243 | 78 | 140 | 44 | 1,473 | 100% | | | | | |
| OTTER TRAWL | 157 | 123 | 76 | 76 | 73 | 66 | 46 | 313 | 229 | 56 | 103 | 42 | 1,360 | 92% | | | | | |
| GILLNET | 2 | 22 | 8 | 2 | 0 | 0 | 0 | 1 | 13 | 22 | 35 | 1 | 107 | 7% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 160 | 146 | 84 | 79 | 73 | 66 | 46 | 314 | 243 | 78 | 140 | 44 | 1,473 | | | | | | 1,473 |
| Fishing Year 2006 | 235 | 211 | 176 | 130 | 87 | 59 | 84 | 203 | 173 | 211 | 237 | 156 | 1,960 | | | | | | 1,960 |
| Fishing Year 2005 | 442 | 542 | 628 | 435 | 174 | 131 | 348 | 540 | 221 | 326 | 207 | 26 | 4,021 | | | | | | 4,021 |
| Fishing Year 2004 | 700 | 1,455 | 1,573 | 1,299 | 358 | 74 | 27 | 160 | 215 | 376 | 220 | 64 | 6,522 | | | | | | 6,522 |
| Fishing Year 2003 | 591 | 422 | 311 | 245 | 133 | 231 | 585 | 765 | 387 | 437 | 285 | 454 | 4,846 | | | | | | 4,846 |
| Fishing Year 2002 | 616 | 525 | 262 | 220 | 309 | 322 | 166 | 657 | 519 | 531 | 674 | 540 | 5,341 | | | | | | 5,341 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 1,250 metric tons (2,756 thousand lbs.)

Table 3.B. - Preliminary Commercial Yellowtail Flounder Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07 - APR 08 | STOCK AREAS | | | | | | | | GEAR TYPES | | | | | | | |
|------------------|-----------------|---------------|-----------|-------------|------------|--------------|------------|----------------------|------------|--------------|------------|-------------|-----------|-------------|-----------|-------------|-----------|
| | | GULF OF MAINE | | CAPE COD | | GEORGES BANK | | SOUTHERN NEW ENGLAND | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 8 | 0 | 0% | 3 | 35% | 5 | 59% | 0 | 0% | 8 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Gloucester, MA | 248 | 15 | 6% | 212 | 86% | 20 | 8% | 0 | 0% | 181 | 73% | 67 | 27% | 0 | 0% | 0 | 0% |
| Boston, MA | 37 | 0 | 0% | 21 | 58% | 15 | 41% | 0 | 0% | 37 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 764 | 0 | 0% | 83 | 11% | 658 | 86% | 23 | 3% | 763 | 100% | 0 | 0% | 0 | 0% | 1 | 0% |
| Point Judith, RI | 160 | 0 | 0% | 0 | 0% | 36 | 23% | 124 | 77% | 158 | 99% | 0 | 0% | 0 | 0% | 1 | 1% |
| MAINE | 8 | 0 | 0% | 3 | 35% | 5 | 59% | 0 | 0% | 8 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 8 | 5 | 70% | 2 | 30% | 0 | 0% | 0 | 0% | 8 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 1,242 | 16 | 1% | 493 | 40% | 706 | 57% | 26 | 2% | 1,131 | 91% | 107 | 9% | 3 | 0% | 1 | 0% |
| RHODE ISLAND | 180 | 0 | 0% | 0 | 0% | 42 | 23% | 138 | 77% | 178 | 99% | 0 | 0% | 0 | 0% | 1 | 1% |
| CONNECTICUT | 7 | 0 | 0% | 0 | 0% | 0 | 0% | 7 | 100% | 7 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 29 | 0 | 0% | 0 | 0% | 0 | 0% | 29 | 100% | 29 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 1,473 | 22 | 2% | 499 | 34% | 753 | 51% | 200 | 14% | 1,360 | 92% | 107 | 7% | 3 | 0% | 2 | 0% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Commercial Atlantic Pollock Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing Year* | |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|--------------|-------------|-------------|-------------|-----------------|-------------|-----------------|--|---------------|--|---------------|-------------|
| | | | | | | | | | | | | | | | | May07-Apr08 as a % of Target TAC | Target TAC | May06-Apr07 as a % of Target TAC | Target TAC | Landings |
| | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Percent of Area | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons |
| 400's & 500's | 616 | 674 | 829 | 508 | 618 | 794 | 1,161 | 917 | 1,088 | 645 | 662 | 384 | 8,894 | 100% | | | | | | |
| OTTER TRAWL | 566 | 500 | 526 | 316 | 398 | 306 | 202 | 251 | 868 | 605 | 607 | 328 | 5,471 | 61% | | | | | | |
| GILLNET | 50 | 172 | 304 | 191 | 218 | 487 | 959 | 664 | 219 | 40 | 55 | 56 | 3,415 | 38% | | | | | | |
| HOOK | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0% | | | | | | |
| OTHER GEAR | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 4 | 0% | | | | | | |
| 600's | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 0 | 14 | 0% | | | | | | |
| OTTER TRAWL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 | 0 | 6 | 0% | | | | | | |
| GILLNET | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0% | | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | | |
| OTHER GEAR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | | |
| ALL AREAS | 616 | 674 | 837 | 508 | 618 | 794 | 1,161 | 917 | 1,088 | 647 | 666 | 384 | 8,908 | 100% | N/A | 12,005** | N/A | 12005** | | |
| OTTER TRAWL | 566 | 500 | 526 | 316 | 398 | 306 | 202 | 251 | 868 | 607 | 611 | 328 | 5,477 | 61% | | | | | | |
| GILLNET | 50 | 172 | 311 | 191 | 218 | 487 | 959 | 664 | 219 | 40 | 55 | 57 | 3,423 | 38% | | | | | | |
| HOOK | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0% | | | | | | |
| OTHER GEAR | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 4 | 0% | | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 616 | 674 | 837 | 508 | 618 | 794 | 1,161 | 917 | 1,088 | 647 | 666 | 384 | 8,908 | | | | | | | 8,908 |
| Fishing Year 2006 | 160 | 443 | 515 | 456 | 453 | 460 | 1,021 | 721 | 556 | 649 | 730 | 314 | 6,480 | | | | | | | 6,480 |
| Fishing Year 2005 | 337 | 460 | 787 | 515 | 496 | 693 | 643 | 537 | 525 | 375 | 670 | 289 | 6,327 | | | | | | | 6,327 |
| Fishing Year 2004 | 309 | 465 | 405 | 371 | 369 | 472 | 549 | 478 | 501 | 506 | 710 | 321 | 5,456 | | | | | | | 5,456 |
| Fishing Year 2003 | 209 | 413 | 209 | 413 | 374 | 385 | 293 | 355 | 414 | 496 | 518 | 402 | 4,480 | | | | | | | 4,480 |
| Fishing Year 2002 | 194 | 432 | 286 | 432 | 455 | 338 | 242 | 318 | 291 | 324 | 409 | 193 | 3,914 | | | | | | | 3,914 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes US and Canadian landings.

Table 4.B. - Preliminary Commercial Pollock Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07- APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------------|----------------|---------------|-------------|-----------|-------------|--------------|-------------|--------------|-------------|----------|-------------|-------------|-------------|
| | | 400's & 500's | | 600's | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons |
| Portland, ME | 1,566 | 1,566 | 100% | 0 | 0% | 651 | 42% | 912 | 58% | 2 | 0% | 0 | 0% |
| Gloucester, MA | 4,088 | 4,075 | 100% | 12 | 0% | 2,689 | 66% | 1,395 | 34% | 2 | 0% | 2 | 0% |
| Boston, MA | 1,575 | 1,575 | 100% | 0 | 0% | 1,575 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 443 | 442 | 100% | 1 | 0% | 443 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Point Judith, RI | 9 | 9 | 100% | 0 | 0% | 8 | 88% | 0 | 0% | 0 | 0% | 1 | 12% |
| MAINE | 1,728 | 1,728 | 100% | 0 | 0% | 682 | 39% | 1,043 | 60% | 2 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 867 | 867 | 100% | 0 | 0% | 18 | 2% | 849 | 98% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 6,286 | 6,272 | 100% | 13 | 0% | 4,757 | 76% | 1,524 | 24% | 2 | 0% | 3 | 0% |
| RHODE ISLAND | 27 | 27 | 100% | 0 | 0% | 20 | 73% | 6 | 23% | 0 | 0% | 1 | 4% |
| CONNECTICUT | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 8,908 | 8,894 | 100% | 14 | 0% | 5,477 | 61% | 3,423 | 38% | 4 | 0% | 4 | 0% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Commercial Redfish Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|-----------------|--|---------------|--|---------------|-------------|
| | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC | May06-Apr07 as a % of Target TAC | Target TAC | Landings |
| | | | | | | | | | | | | | | | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons |
| 400's | 0 | 2 | 0 | 2 | 0% | | | | | |
| OTTER TRAWL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0% | | | | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEAR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| 500's | 84 | 96 | 55 | 45 | 75 | 76 | 51 | 43 | 119 | 111 | 132 | 103 | 990 | 100% | 48% | 2,075 | 26% | 1,946 | |
| OTTER TRAWL | 81 | 89 | 46 | 39 | 68 | 66 | 47 | 42 | 116 | 97 | 126 | 93 | 911 | 92% | 44% | | 23% | | |
| GILLNET | 3 | 7 | 9 | 6 | 6 | 9 | 4 | 1 | 3 | 14 | 6 | 9 | 76 | 8% | 4% | | 3% | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | 0% | | 0% | | |
| OTHER GEAR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0% | 0% | | 0% | | |
| 600's | 0 | 0 | 1 | 0 | 1 | 0% | | | | | |
| OTTER TRAWL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | | | | | |
| GILLNET | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEAR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| ALL AREAS | 84 | 96 | 56 | 45 | 75 | 76 | 52 | 44 | 119 | 111 | 133 | 103 | 994 | 100% | | | | | |
| OTTER TRAWL | 81 | 89 | 46 | 39 | 68 | 66 | 47 | 42 | 116 | 97 | 128 | 93 | 914 | 92% | | | | | |
| GILLNET | 3 | 7 | 9 | 6 | 6 | 9 | 4 | 1 | 3 | 14 | 6 | 9 | 76 | 8% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | | | | | |
| OTHER GEAR | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 84 | 96 | 56 | 45 | 75 | 76 | 52 | 44 | 119 | 111 | 133 | 103 | 994 | | | | | | 994 |
| Fishing Year 2006 | 11 | 31 | 27 | 34 | 37 | 35 | 29 | 52 | 65 | 72 | 75 | 46 | 513 | | | | | | 513 |
| Fishing Year 2005 | 32 | 44 | 32 | 38 | 47 | 42 | 46 | 47 | 60 | 71 | 89 | 33 | 582 | | | | | | 582 |
| Fishing Year 2004 | 15 | 19 | 25 | 33 | 47 | 46 | 37 | 36 | 34 | 48 | 92 | 53 | 485 | | | | | | 485 |
| Fishing Year 2003 | 28 | 29 | 22 | 21 | 98 | 39 | 27 | 17 | 32 | 37 | 34 | 32 | 415 | | | | | | 415 |
| Fishing Year 2002 | 28 | 28 | 14 | 17 | 22 | 18 | 17 | 20 | 32 | 26 | 67 | 18 | 307 | | | | | | 307 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary Commercial Redfish Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07 - APR 08 | STOCK AREAS | | | | | | GEAR TYPES | | | | | | | |
|------------------|-----------------|-------------|-----------|-------------|-------------|-------------|-----------|-------------|------------|-------------|-----------|-------------|-----------|-------------|-----------|
| | | 400s | | 500s | | 600s | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 118 | 0 | 0% | 118 | 100% | 0 | 0% | 79 | 68% | 36 | 31% | 1 | 1% | 1 | 0% |
| Gloucester, MA | 354 | 2 | 1% | 351 | 99% | 1 | 0% | 329 | 93% | 25 | 7% | 0 | 0% | 0 | 0% |
| Boston, MA | 369 | 0 | 0% | 369 | 100% | 0 | 0% | 369 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 103 | 0 | 0% | 103 | 100% | 0 | 0% | 103 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Point Judith, RI | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| MAINE | 123 | 0 | 0% | 123 | 100% | 0 | 0% | 82 | 67% | 39 | 32% | 1 | 1% | 1 | 0% |
| NEW HAMPSHIRE | 4 | 0 | 0% | 4 | 100% | 0 | 0% | 2 | 47% | 2 | 52% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 865 | 2 | 0% | 862 | 100% | 1 | 0% | 828 | 96% | 35 | 4% | 1 | 0% | 0 | 0% |
| RHODE ISLAND | 1 | 0 | 0% | 1 | 0% | 0 | 0% | 1 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| CONNECTICUT | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 994 | 2 | 0% | 990 | 100% | 1 | 0% | 914 | 92% | 76 | 8% | 2 | 0% | 1 | 0% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Commercial White Hake Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|-----------------|--|----------------|--|---------------|-------------|
| | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC | May06-Apr07 as a % of Target TAC | Target TAC | Landings |
| | | | | | | | | | | | | | | | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons |
| SNE/ NORTH | 92 | 181 | 184 | 174 | 137 | 142 | 117 | 78 | 88 | 87 | 87 | 55 | 1,422 | 98% | | | | | |
| OTTER TRAWL | 82 | 120 | 52 | 87 | 106 | 102 | 90 | 74 | 83 | 85 | 78 | 49 | 1,009 | 70% | | | | | |
| GILLNET | 9 | 61 | 132 | 86 | 31 | 40 | 27 | 3 | 4 | 3 | 9 | 7 | 410 | 28% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| MID-ATLANTIC | 5 | 1 | 6 | 0 | 1 | 1 | 2 | 2 | 3 | 6 | 1 | 1 | 29 | 2% | | | | | |
| OTTER TRAWL | 5 | 1 | 0 | 0 | 1 | 1 | 2 | 2 | 0 | 6 | 1 | 1 | 19 | 1% | | | | | |
| GILLNET | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 3 | 0% | | | | | |
| ALL AREAS | 97 | 182 | 191 | 174 | 137 | 143 | 119 | 80 | 91 | 93 | 88 | 57 | 1,451 | 100% | 87% | 1,676** | 67% | 2,056 | |
| OTTER TRAWL | 88 | 121 | 52 | 87 | 107 | 103 | 92 | 76 | 83 | 90 | 78 | 50 | 1,028 | 71% | | | | | |
| GILLNET | 9 | 61 | 138 | 86 | 31 | 40 | 27 | 3 | 4 | 3 | 9 | 7 | 417 | 29% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 3 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 3 | 0% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 97 | 182 | 191 | 174 | 137 | 143 | 119 | 80 | 91 | 93 | 88 | 57 | 1,451 | | | | | | 1,451 |
| Fishing Year 2006 | 65 | 113 | 167 | 150 | 116 | 130 | 126 | 121 | 118 | 102 | 109 | 65 | 1,381 | | | | | | 1,381 |
| Fishing Year 2005 | 192 | 283 | 240 | 297 | 207 | 174 | 176 | 148 | 219 | 213 | 184 | 85 | 2,417 | | | | | | 2,417 |
| Fishing Year 2004 | 229 | 337 | 365 | 393 | 285 | 212 | 215 | 238 | 252 | 269 | 240 | 128 | 3,163 | | | | | | 3,163 |
| Fishing Year 2003 | 465 | 379 | 470 | 457 | 365 | 358 | 311 | 248 | 277 | 353 | 377 | 212 | 4,272 | | | | | | 4,272 |
| Fishing Year 2002 | 173 | 228 | 311 | 320 | 302 | 272 | 241 | 262 | 363 | 289 | 458 | 267 | 3,486 | | | | | | 3,486 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC only includes lengths greater than 60 cm. Landings data include all lengths.

Table 6.B. - Preliminary Commercial White Hake Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07-APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------|---------------|----------------------|------------|--------------|-----------|--------------|------------|-------------|------------|-------------|-----------|-------------|-----------|
| | | SOUTHERN NEW ENGLAND | | MID-ATLANTIC | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 457 | 456 | 100% | 0 | 0% | 267 | 58% | 190 | 42% | 0 | 0% | 0 | 0% |
| Gloucester, MA | 575 | 565 | 98% | 11 | 2% | 433 | 75% | 142 | 25% | 0 | 0% | 0 | 0% |
| Boston, MA | 240 | 240 | 100% | 0 | 0% | 240 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 54 | 54 | 100% | 0 | 0% | 54 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Point Judith, RI | 2 | 2 | 100% | 0 | 0% | 2 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| | | | | | | | | | | | | | |
| MAINE | 508 | 508 | 100% | 0 | 0% | 278 | 55% | 231 | 45% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 39 | 39 | 100% | 0 | 0% | 0 | 0% | 39 | 99% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 881 | 870 | 99% | 11 | 1% | 731 | 83% | 147 | 17% | 3 | 0% | 0 | 0% |
| RHODE ISLAND | 2 | 2 | 100% | 0 | 0% | 2 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| CONNECTICUT | 1 | 1 | 85% | 0 | 0% | 1 | 86% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 19 | 2 | 9% | 17 | 91% | 16 | 84% | 0 | 0% | 0 | 0% | 3 | 15% |
| NEW JERSEY | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 1,451 | 1,422 | 98% | 29 | 2% | 1,028 | 71% | 417 | 29% | 3 | 0% | 3 | 0% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Commercial American Plaice Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing Year* |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|-----------------|----------------------------------|----------------|----------------------------------|----------------|---------------|
| | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC | May06-Apr07 as a % of Target TAC | Target TAC | Landings |
| | | | | | | | | | | | | | | | | Metric Tons | | Metric Tons | Metric Tons |
| GULF OF MAINE/ GB | 54 | 121 | 103 | 96 | 116 | 105 | 73 | 76 | 85 | 88 | 62 | 54 | 1,031 | 99% | | | | | |
| OTTER TRAWL | 54 | 119 | 102 | 95 | 116 | 105 | 73 | 76 | 85 | 87 | 61 | 53 | 1,026 | 98% | | | | | |
| GILLNET | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | | | | | |
| SNE / MID-ATLANTIC | 0 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 3 | 1 | 0 | 11 | 1% | | | | | |
| OTTER TRAWL | 0 | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 3 | 1 | 0 | 11 | 1% | | | | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| ALL AREAS | 54 | 125 | 103 | 96 | 116 | 105 | 73 | 76 | 86 | 91 | 63 | 54 | 1,042 | 100% | N/A | 3,243** | N/A | 3,666** | |
| OTTER TRAWL | 54 | 124 | 102 | 95 | 116 | 105 | 73 | 76 | 86 | 91 | 62 | 54 | 1,037 | 100% | | | | | |
| GILLNET | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 54 | 125 | 103 | 96 | 116 | 105 | 73 | 76 | 86 | 91 | 63 | 54 | 1,042 | | | | | | 1,042 |
| Fishing Year 2006 | 40 | 157 | 80 | 94 | 126 | 84 | 100 | 82 | 76 | 55 | 62 | 47 | 1,005 | | | | | | 1,005 |
| Fishing Year 2005 | 86 | 171 | 115 | 127 | 123 | 95 | 116 | 105 | 121 | 102 | 76 | 49 | 1,287 | | | | | | 1,275 |
| Fishing Year 2004 | 59 | 205 | 179 | 221 | 215 | 108 | 140 | 132 | 141 | 100 | 82 | 74 | 1,656 | | | | | | 1,656 |
| Fishing Year 2003 | 125 | 359 | 240 | 276 | 246 | 199 | 180 | 147 | 124 | 111 | 118 | 95 | 2,220 | | | | | | 2,220 |
| Fishing Year 2002 | 214 | 302 | 343 | 309 | 322 | 252 | 213 | 218 | 208 | 119 | 194 | 135 | 2,829 | | | | | | 2,829 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards.

Table 7.B. - Preliminary Commercial American Plaice Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07 - APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------|-----------------|---------------|------------|----------------------|-----------|--------------|-------------|-------------|-----------|-------------|-----------|-------------|-----------|
| | | GULF OF MAINE | | SOUTHERN NEW ENGLAND | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 215 | 215 | 100% | 0 | 0% | 215 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Gloucester, MA | 389 | 383 | 98% | 6 | 2% | 387 | 99% | 2 | 1% | 0 | 0% | 0 | 0% |
| Boston, MA | 187 | 187 | 100% | 0 | 0% | 187 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 191 | 188 | 98% | 3 | 2% | 191 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Point Judith, RI | 17 | 16 | 98% | 0 | 0% | 16 | 98% | 0 | 0% | 0 | 0% | 0 | 0% |
| MAINE | 227 | 227 | 100% | 0 | 0% | 226 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 4 | 4 | 100% | 0 | 0% | 3 | 86% | 1 | 0% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 784 | 775 | 99% | 9 | 1% | 781 | 100% | 3 | 0% | 0 | 0% | 0 | 0% |
| RHODE ISLAND | 26 | 25 | 97% | 1 | 0% | 26 | 99% | 0 | 0% | 0 | 0% | 0 | 0% |
| CONNECTICUT | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 1 | 0 | 0% | 1 | 0% | 1 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 1,042 | 1,031 | 99% | 11 | 1% | 1,037 | 100% | 4 | 0% | 0 | 0% | 1 | 0% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Commercial Winter Flounder Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing Year* |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|-----------------|----------------------------------|---------------------------|----------------------------------|---------------------------|---------------|
| | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC Metric Tons | May06-Apr07 as a % of Target TAC | Target TAC Metric Tons | Metric Tons |
| GULF OF MAINE | 18 | 21 | 31 | 24 | 31 | 8 | 7 | 27 | 18 | 14 | 46 | 7 | 252 | 10% | N/A | ** | N/A | *** | |
| OTTER TRAWL | 18 | 13 | 23 | 17 | 25 | 7 | 5 | 25 | 17 | 11 | 35 | 7 | 203 | 8% | | | | | |
| GILLNET | 0 | 7 | 8 | 7 | 6 | 1 | 1 | 2 | 1 | 3 | 11 | 0 | 49 | 2% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| GEORGES BANK | 97 | 210 | 114 | 88 | 53 | 50 | 90 | 81 | 8 | 0 | 1 | 33 | 827 | 32% | 52% | 1,604 | 68% | 1,424 | |
| OTTER TRAWL | 96 | 208 | 113 | 87 | 52 | 49 | 90 | 81 | 8 | 0 | 1 | 33 | 819 | 32% | 51% | | 68% | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| OTHER GEARS | 0 | 2 | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0% | 0% | | 0% | | |
| SNE/ MID-ATLANTIC | 214 | 105 | 139 | 216 | 219 | 191 | 139 | 80 | 29 | 12 | 28 | 102 | 1,474 | 58% | N/A | 3,016*** | N/A | 2,481*** | |
| OTTER TRAWL | 209 | 100 | 137 | 213 | 217 | 189 | 139 | 79 | 28 | 12 | 27 | 91 | 1,441 | 56% | | | | | |
| GILLNET | 5 | 5 | 1 | 3 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 9 | 27 | 1% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 6 | 0% | | | | | |
| ALL AREAS | 329 | 335 | 283 | 329 | 304 | 249 | 236 | 188 | 55 | 27 | 75 | 143 | 2,553 | 100% | | | | | |
| OTTER TRAWL | 323 | 321 | 273 | 318 | 294 | 245 | 234 | 185 | 53 | 23 | 63 | 131 | 2,463 | 96% | | | | | |
| GILLNET | 5 | 12 | 9 | 10 | 8 | 2 | 2 | 3 | 1 | 3 | 11 | 9 | 76 | 3% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | | | | | |
| OTHER GEARS | 1 | 2 | 1 | 1 | 2 | 1 | 0 | 1 | 0 | 0 | 1 | 3 | 14 | 1% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 329 | 335 | 283 | 329 | 304 | 249 | 236 | 188 | 55 | 27 | 75 | 143 | 2,553 | | | | | | 2,553 |
| Fishing Year 2006 | 308 | 334 | 326 | 245 | 388 | 256 | 260 | 247 | 109 | 40 | 61 | 164 | 2,738 | | | | | | 2,738 |
| Fishing Year 2005 | 335 | 903 | 647 | 397 | 417 | 260 | 232 | 173 | 81 | 43 | 82 | 160 | 3,728 | | | | | | 3,728 |
| Fishing Year 2004 | 675 | 668 | 620 | 525 | 567 | 376 | 345 | 405 | 95 | 44 | 64 | 96 | 4,481 | | | | | | 4,481 |
| Fishing Year 2003 | 871 | 899 | 901 | 498 | 431 | 489 | 557 | 396 | 105 | 87 | 158 | 390 | 5,781 | | | | | | 5,781 |
| Fishing Year 2002 | 741 | 835 | 572 | 391 | 593 | 513 | 456 | 504 | 201 | 100 | 222 | 291 | 5,417 | | | | | | 5,417 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** GARM II did not develop a TAC for GOM winter flounder because of uncertainties in the assessment.

*** TAC includes commercial landings and discards, and recreational landings.

Table 8.B. - Preliminary Commercial Winter Flounder Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 0 -APR 08 | STOCK AREAS | | | | | | GEAR TYPES | | | | | | | |
|------------------|---------------|---------------|------------|--------------|------------|----------------------|------------|--------------|------------|-------------|-----------|-------------|-----------|-------------|-----------|
| | | GULF OF MAINE | | GEORGES BANK | | SOUTHERN NEW ENGLAND | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 48 | 3 | 6% | 12 | 24% | 33 | 69% | 48 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Gloucester, MA | 114 | 95 | 83% | 17 | 15% | 2 | 1% | 81 | 71% | 33 | 29% | 0 | 0% | 0 | 0% |
| Boston, MA | 62 | 5 | 9% | 11 | 18% | 46 | 73% | 62 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 1,274 | 1 | 0% | 740 | 58% | 532 | 42% | 1,267 | 99% | 0 | 0% | 0 | 0% | 7 | 1% |
| Point Judith, RI | 443 | 0 | 0% | 27 | 6% | 416 | 94% | 440 | 99% | 1 | 0% | 0 | 0% | 2 | 1% |
| MAINE | 48 | 3 | 6% | 12 | 24% | 33 | 69% | 48 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 3 | 3 | 100% | 0 | 0% | 0 | 0% | 2 | 61% | 1 | 39% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 1,644 | 246 | 15% | 775 | 47% | 623 | 38% | 1,574 | 96% | 62 | 4% | 1 | 0% | 7 | 0% |
| RHODE ISLAND | 490 | 0 | 0% | 40 | 8% | 450 | 92% | 472 | 96% | 12 | 2% | 0 | 0% | 6 | 1% |
| CONNECTICUT | 40 | 0 | 0% | 0 | 0% | 40 | 100% | 40 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 158 | 0 | 0% | 0 | 0% | 158 | 100% | 157 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 170 | 0 | 0% | 0 | 0% | 170 | 100% | 170 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 2,553 | 252 | 10% | 827 | 32% | 1,474 | 58% | 2,463 | 96% | 76 | 3% | 1 | 0% | 14 | 1% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 9.A. - Preliminary Commercial Witch Flounder Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing Year* Landings |
|-----------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------------|-------------|----------------------------------|--------------|----------------------------------|--------------|------------------------|
| | | | | | | | | | | | | | | | May07-Apr08 as a % of Target TAC | Target TAC | May06-Apr07 as a % of Target TAC | Target TAC | |
| | | | | | | | | | | | | | | | Metric Tons | Metric Tons | Metric Tons | Metric Tons | |
| GULF OF MAINE/ GB | 65 | 147 | 126 | 67 | 63 | 70 | 45 | 75 | 111 | 106 | 88 | 106 | 1,068 | 97% | | | | | |
| OTTER TRAWL | 64 | 143 | 122 | 66 | 63 | 70 | 44 | 75 | 111 | 106 | 88 | 106 | 1,057 | 96% | | | | | |
| GILLNET | 0 | 4 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 1% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | | | | | |
| SNE/ MID-ATLANTIC | 0 | 3 | 4 | 7 | 6 | 2 | 2 | 0 | 6 | 2 | 2 | 2 | 37 | 3% | | | | | |
| OTTER TRAWL | 0 | 3 | 3 | 7 | 6 | 2 | 2 | 0 | 6 | 2 | 2 | 2 | 36 | 3% | | | | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | | | | | |
| ALL AREAS | 65 | 151 | 130 | 74 | 69 | 72 | 47 | 75 | 118 | 108 | 90 | 108 | 1,105 | 100% | 22% | 5,075 | 25% | 5,511 | |
| OTTER TRAWL | 65 | 146 | 125 | 73 | 68 | 72 | 46 | 75 | 117 | 108 | 90 | 107 | 1,093 | 99% | 22% | | 24% | | |
| GILLNET | 0 | 4 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 1% | 0% | | 0% | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| OTHER GEARS | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | 0% | | 0% | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 65 | 151 | 130 | 74 | 69 | 72 | 47 | 75 | 118 | 108 | 90 | 108 | 1,105 | | | | | 1,105 | |
| Fishing Year 2006 | 105 | 203 | 198 | 110 | 112 | 91 | 85 | 83 | 88 | 68 | 136 | 91 | 1,370 | | | | | 1,370 | |
| Fishing Year 2005 | 188 | 316 | 314 | 243 | 172 | 153 | 178 | 139 | 204 | 260 | 256 | 169 | 2,591 | | | | | 2,591 | |
| Fishing Year 2004 | 129 | 337 | 335 | 264 | 298 | 166 | 228 | 204 | 201 | 185 | 288 | 252 | 2,888 | | | | | 2,888 | |
| Fishing Year 2003 | 211 | 434 | 464 | 286 | 276 | 228 | 202 | 156 | 167 | 281 | 258 | 239 | 3,202 | | | | | 3,202 | |
| Fishing Year 2002 | 164 | 321 | 427 | 310 | 255 | 163 | 151 | 141 | 144 | 243 | 302 | 176 | 2,798 | | | | | 2,798 | |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 9.B. - Preliminary Commercial Witch Flounder Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07 -APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------|----------------|---------------|------------|----------------------|-----------|--------------|------------|-------------|-----------|-------------|-----------|-------------|-----------|
| | | GULF OF MAINE | | SOUTHERN NEW ENGLAND | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 200 | 199 | 99% | 1 | 1% | 200 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Gloucester, MA | 306 | 302 | 99% | 3 | 1% | 300 | 98% | 6 | 2% | 0 | 0% | 0 | 0% |
| Boston, MA | 179 | 179 | 100% | 0 | 0% | 179 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 273 | 271 | 99% | 2 | 1% | 272 | 100% | 0 | 0% | 0 | 0% | 1 | 0% |
| Point Judith, RI | 28 | 17 | 59% | 11 | 41% | 28 | 99% | 0 | 0% | 0 | 0% | 0 | 0% |
| MAINE | 223 | 222 | 99% | 1 | 1% | 222 | 100% | 1 | 0% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 9 | 9 | 100% | 0 | 0% | 8 | 93% | 1 | 0% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 819 | 812 | 99% | 6 | 1% | 809 | 99% | 8 | 1% | 0 | 0% | 1 | 0% |
| RHODE ISLAND | 37 | 25 | 67% | 12 | 33% | 37 | 98% | 0 | 0% | 0 | 0% | 1 | 0% |
| CONNECTICUT | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 3 | 0 | 0% | 2 | 100% | 3 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 9 | 0 | 0% | 9 | 100% | 9 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 5 | 0 | 0% | 5 | 100% | 5 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 1,105 | 1,068 | 97% | 37 | 3% | 1,093 | 99% | 10 | 1% | 0 | 0% | 2 | 0% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 10.A. - Preliminary Commercial Windowpane Flounder Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | 2007* | | 2006* | | Fishing Year* |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|-----------------|----------------------------------|-------------|----------------------------------|-------------|---------------|
| | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC | May06-Apr07 as a % of Target TAC | Target TAC | Landings |
| | | | | | | | | | | | | | | | | Metric Tons | Metric Tons | Metric Tons | Metric Tons |
| GULF OF MAINE/ GB | 30 | 7 | 3 | 1 | 1 | 2 | 4 | 3 | 7 | 0 | 2 | 2 | 62 | 42% | 16% | 389 | 28% | 389 | |
| OTTER TRAWL | 30 | 7 | 3 | 1 | 1 | 2 | 4 | 3 | 7 | 0 | 2 | 2 | 61 | 42% | 16% | | 28% | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| SNE/ MID-ATLANTIC | 10 | 2 | 1 | 8 | 4 | 1 | 1 | 9 | 11 | 6 | 9 | 22 | 84 | 58% | 51% | 166 | 44% | 173 | |
| OTTER TRAWL | 10 | 2 | 1 | 8 | 4 | 1 | 1 | 9 | 11 | 6 | 9 | 22 | 84 | 57% | 50% | | 43% | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| ALL AREAS | 40 | 9 | 4 | 9 | 5 | 3 | 5 | 12 | 18 | 6 | 11 | 24 | 146 | 100% | | | | | |
| OTTER TRAWL | 40 | 9 | 4 | 9 | 5 | 3 | 5 | 12 | 18 | 6 | 11 | 23 | 145 | 99% | | | | | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 40 | 9 | 4 | 9 | 5 | 3 | 5 | 12 | 18 | 6 | 11 | 24 | 146 | | | | | | 146 |
| Fishing Year 2006 | 28 | 3 | 6 | 9 | 2 | 2 | 3 | 18 | 15 | 17 | 36 | 45 | 183 | | | | | | 183 |
| Fishing Year 2005 | 12 | 3 | 2 | 4 | 3 | 1 | 4 | 7 | 3 | 5 | 9 | 13 | 67 | | | | | | 67 |
| Fishing Year 2004 | 6 | 2 | 4 | 2 | 3 | 1 | 5 | 4 | 6 | 17 | 10 | 18 | 78 | | | | | | 78 |
| Fishing Year 2003 | 10 | 3 | 2 | 3 | <1 | 1 | 1 | 6 | 9 | 14 | 11 | 23 | 82 | | | | | | 83 |
| Fishing Year 2002 | 8 | 3 | 1 | 1 | 1 | 1 | 2 | 9 | 8 | 7 | 7 | 13 | 61 | | | | | | 61 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Commercial Windowpane Flounder Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07- APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------|----------------|---------------|------------|----------------------|------------|-------------|------------|-------------|-----------|-------------|-----------|-------------|-----------|
| | | GULF OF MAINE | | SOUTHERN NEW ENGLAND | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| Gloucester, MA | 2 | 2 | 100% | 0 | 0% | 2 | 91% | 0 | 0% | 0 | 0% | 0 | 0% |
| Boston, MA | 1 | 1 | 0% | 0 | 0% | 1 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 52 | 51 | 98% | 1 | 2% | 52 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Point Judith, RI | 24 | 4 | 19% | 19 | 81% | 23 | 98% | 0 | 0% | 0 | 0% | 0 | 0% |
| MAINE | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 58 | 57 | 98% | 1 | 2% | 58 | 99% | 0 | 0% | 0 | 0% | 0 | 0% |
| RHODE ISLAND | 24 | 4 | 19% | 19 | 81% | 23 | 98% | 0 | 0% | 0 | 0% | 0 | 0% |
| CONNECTICUT | 2 | 0 | 0% | 2 | 100% | 2 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW YORK | 42 | 0 | 0% | 42 | 100% | 42 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 19 | 0 | 0% | 19 | 100% | 19 | 99% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 146 | 62 | 42% | 84 | 58% | 145 | 99% | 1 | 0% | 0 | 0% | 0 | 0% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Commercial Silver Hake Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | Fishing Year* Landings |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|-----------------|------------------------|
| | Metric Tons | Percent of Area | Metric Tons |
| GULF OF MAINE | 0 | 2 | 114 | 255 | 229 | 135 | 23 | 7 | 1 | 1 | 1 | 0 | 768 | 12% | |
| OTTER TRAWL | 0 | 1 | 114 | 255 | 228 | 133 | 22 | 7 | 1 | 1 | 1 | 0 | 763 | 12% | |
| GILLNET | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 5 | 0% | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| SNE/ MID-ATLANTIC | 569 | 545 | 363 | 584 | 536 | 377 | 277 | 300 | 410 | 458 | 608 | 440 | 5,467 | 88% | |
| OTTER TRAWL | 569 | 545 | 363 | 584 | 536 | 377 | 277 | 299 | 406 | 458 | 608 | 440 | 5,462 | 88% | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 4 | 0% | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| ALL AREAS | 569 | 547 | 477 | 840 | 765 | 512 | 300 | 306 | 411 | 460 | 609 | 440 | 6,235 | 100% | |
| OTTER TRAWL | 569 | 547 | 477 | 839 | 764 | 510 | 299 | 306 | 407 | 459 | 608 | 440 | 6,225 | 100% | |
| GILLNET | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 4 | 0 | 0 | 0 | 10 | 0% | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 569 | 547 | 477 | 840 | 765 | 512 | 300 | 306 | 411 | 460 | 609 | 440 | 6,235 | | 6,235 |
| Fishing Year 2006 | 547 | 499 | 531 | 632 | 524 | 294 | 276 | 268 | 363 | 295 | 420 | 366 | 5,015 | | 5,015 |
| Fishing Year 2005 | 691 | 873 | 830 | 973 | 827 | 382 | 271 | 352 | 255 | 375 | 576 | 404 | 6,811 | | 6,811 |
| Fishing Year 2004 | 600 | 716 | 754 | 856 | 763 | 446 | 416 | 235 | 404 | 413 | 701 | 471 | 6,776 | | 6,776 |
| Fishing Year 2003 | 580 | 326 | 895 | 544 | 1,197 | 774 | 595 | 699 | 522 | 557 | 848 | 292 | 7,828 | | 7,828 |
| Fishing Year 2002 | 814 | 616 | 767 | 764 | 826 | 644 | 520 | 418 | 497 | 496 | 566 | 212 | 7,140 | | 7,140 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562
 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Commercial Silver Hake Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07- APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------|----------------|---------------|------------|----------------------|------------|--------------|-------------|-------------|-----------|-------------|-----------|-------------|-----------|
| | | GULF OF MAINE | | SOUTHERN NEW ENGLAND | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| Gloucester, MA | 297 | 287 | 96% | 10 | 4% | 293 | 99% | 4 | 1% | 0 | 0% | 0 | 0% |
| Boston, MA | 2 | 1 | 0% | 1 | 63% | 2 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 1,188 | 252 | 21% | 936 | 79% | 1,188 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| Point Judith, RI | 2,055 | 84 | 4% | 1,971 | 96% | 2,055 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| | | | | | | | | | | | | | |
| MAINE | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 95 | 95 | 100% | 0 | 0% | 94 | 99% | 1 | 0% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 1,537 | 589 | 38% | 948 | 62% | 1,532 | 100% | 4 | 0% | 0 | 0% | 0 | 0% |
| RHODE ISLAND | 2,139 | 84 | 4% | 2,055 | 96% | 2,139 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| CONNECTICUT | 397 | 0 | 0% | 396 | 100% | 392 | 99% | 4 | 1% | 0 | 0% | 0 | 0% |
| NEW YORK | 1,594 | 0 | 0% | 1,594 | 100% | 1,594 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW JERSEY | 473 | 0 | 0% | 473 | 100% | 473 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| OTHER NORTHEAST | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| TOTAL | 6,235 | 768 | 12% | 5,467 | 88% | 6,225 | 100% | 10 | 0% | 0 | 0% | 0 | 0% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
 Southern New England: 525-552, 562, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Commercial Red Hake Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07 - APR 08 | | Fishing Year* Landings |
|-----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|-----------------|------------------------|
| | Metric Tons | Percent of Area | Metric Tons |
| GULF OF MAINE | 0 | 0 | 8 | 15 | 4 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 33 | 7% | |
| OTTER TRAWL | 0 | 0 | 8 | 15 | 4 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 32 | 7% | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| OTHER GEARS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| SNE/ MID-ATLANTIC | 52 | 30 | 41 | 50 | 45 | 30 | 18 | 32 | 34 | 39 | 32 | 29 | 431 | 93% | |
| OTTER TRAWL | 52 | 29 | 41 | 49 | 45 | 29 | 18 | 32 | 32 | 38 | 31 | 29 | 424 | 91% | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0% | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| OTHER GEARS | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 6 | 1% | |
| ALL AREAS | 52 | 30 | 49 | 65 | 49 | 34 | 19 | 32 | 34 | 39 | 32 | 29 | 464 | 100% | |
| OTTER TRAWL | 52 | 29 | 48 | 64 | 48 | 33 | 19 | 32 | 32 | 38 | 31 | 29 | 456 | 98% | |
| GILLNET | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0% | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | |
| OTHER GEARS | 1 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 0 | 6 | 1% | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 52 | 30 | 49 | 65 | 49 | 34 | 19 | 32 | 34 | 39 | 32 | 29 | 464 | | 464 |
| Fishing Year 2006 | 35 | 34 | 62 | 76 | 31 | 22 | 14 | 23 | 25 | 26 | 33 | 27 | 408 | | 408 |
| Fishing Year 2005 | 28 | 40 | 51 | 72 | 33 | 17 | 18 | 19 | 16 | 21 | 34 | 29 | 379 | | 379 |
| Fishing Year 2004 | 77 | 38 | 62 | 92 | 82 | 55 | 44 | 20 | 26 | 15 | 21 | 40 | 572 | | 572 |
| Fishing Year 2003 | 61 | 54 | 80 | 69 | 94 | 87 | 76 | 65 | 37 | 48 | 54 | 59 | 783 | | 783 |
| Fishing Year 2002 | 56 | 105 | 103 | 81 | 124 | 96 | 54 | 47 | 58 | 51 | 61 | 53 | 888 | | 888 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Red Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562
 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 12.B. - Preliminary Commercial Red Hake Landings by Major Ports and States, May 07- April 08

| PORT/ STATE | MAY 07 - APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------|-----------------|---------------|------------|----------------------|------------|-------------|----------|-------------|----------|-------------|----------|-------------|---------|
| | | GULF OF MAINE | | SOUTHERN NEW ENGLAND | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | |
| Gloucester, MA | 24 | 89% | 3 | 11% | 23 | 95% | 1 | 5% | 0 | 0% | 0 | 0% | |
| Boston, MA | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | |
| New Bedford, MA | 56 | 19% | 46 | 81% | 56 | 100% | 0 | 0% | 0 | 0% | 0 | 0% | |
| Point Judith, RI | 187 | 1% | 186 | 99% | 186 | 99% | 0 | 0% | 0 | 0% | 2 | 1% | |
| MAINE | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | |
| NEW HAMPSHIRE | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | |
| MASSACHUSETTS | 80 | 40% | 48 | 60% | 79 | 99% | 1 | 1% | 0 | 0% | 0 | 0% | |
| RHODE ISLAND | 187 | 1% | 186 | 99% | 186 | 99% | 0 | 0% | 0 | 0% | 2 | 1% | |
| CONNECTICUT | 58 | 0% | 58 | 100% | 58 | 99% | 1 | 0% | 0 | 0% | 0 | 0% | |
| NEW YORK | 91 | 0% | 91 | 100% | 89 | 98% | 0 | 0% | 0 | 0% | 2 | 2% | |
| NEW JERSEY | 47 | 0% | 47 | 100% | 44 | 95% | 0 | 0% | 0 | 0% | 2 | 5% | |
| OTHER NORTHEAST | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | |
| TOTAL | 464 | 7% | 431 | 93% | 456 | 98% | 2 | 0% | 0 | 0% | 6 | 1% | |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 13.A. - Preliminary Commercial Monkfish Landings by Stock Area

| | MAY - 2007 | JUN - 2007 | JUL - 2007 | AUG - 2007 | SEP - 2007 | OCT - 2007 | NOV - 2007 | DEC - 2007 | JAN - 2008 | FEB - 2008 | MAR - 2008 | APR - 2008 | MAY 07- APR 08 | | 2007* | | 2006* | | Fishing Year* Landings |
|-----------------------------|--------------|--------------|-------------|-------------|-------------|-------------|--------------|--------------|--------------|-------------|-------------|--------------|----------------|-----------------|----------------------------------|--------------|----------------------------------|--------------|------------------------|
| | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Metric Tons | Percent of Area | May07-Apr08 as a % of Target TAC | Target TAC | May06-Apr07 as a % of Target TAC | Target TAC | Metric Tons |
| | | | | | | | | | | | | | | | | | | | |
| NORTHERN | 231 | 404 | 522 | 471 | 460 | 504 | 338 | 387 | 446 | 474 | 419 | 393 | 5,050 | 41% | 101% | 5,000 | 86% | 7,737 | |
| OTTER TRAWL | 217 | 263 | 239 | 227 | 247 | 365 | 233 | 288 | 432 | 473 | 413 | 387 | 3,786 | 31% | 76% | | 62% | | |
| GILLNET | 12 | 140 | 264 | 186 | 166 | 97 | 79 | 94 | 13 | 1 | 6 | 6 | 1,065 | 9% | 21% | | 22% | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| OTHER GEARS | 1 | 1 | 18 | 58 | 46 | 42 | 25 | 5 | 1 | 1 | 0 | 0 | 199 | 2% | 4% | | 2% | | |
| SOUTHERN | 1,183 | 802 | 396 | 306 | 235 | 430 | 825 | 926 | 642 | 423 | 317 | 697 | 7,180 | 59% | 141% | 5,100 | 161% | 3,667 | |
| OTTER TRAWL | 133 | 111 | 123 | 133 | 99 | 144 | 82 | 84 | 94 | 175 | 143 | 134 | 1,454 | 12% | 29% | | 47% | | |
| GILLNET | 908 | 577 | 195 | 63 | 16 | 138 | 599 | 734 | 481 | 170 | 127 | 507 | 4,514 | 37% | 89% | | 92% | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | 0% | | 0% | | |
| OTHER GEARS | 142 | 115 | 77 | 109 | 120 | 149 | 144 | 107 | 67 | 78 | 47 | 57 | 1,212 | 10% | 24% | | 22% | | |
| ALL AREAS | 1,413 | 1,206 | 917 | 776 | 695 | 934 | 1,163 | 1,314 | 1,088 | 897 | 737 | 1,090 | 12,230 | 100% | | | | | |
| OTTER TRAWL | 350 | 374 | 363 | 360 | 346 | 509 | 315 | 373 | 526 | 648 | 556 | 521 | 5,240 | 43% | | | | | |
| GILLNET | 920 | 716 | 460 | 249 | 182 | 234 | 678 | 829 | 494 | 171 | 133 | 513 | 5,579 | 46% | | | | | |
| HOOK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0% | | | | | |
| OTHER GEARS | 143 | 116 | 95 | 168 | 167 | 191 | 169 | 112 | 68 | 78 | 48 | 57 | 1,411 | 12% | | | | | |
| LANDINGS - ALL AREAS | | | | | | | | | | | | | | | | | | | |
| Fishing Year 2007 | 1,413 | 1,206 | 917 | 776 | 695 | 934 | 1,163 | 1,314 | 1,088 | 897 | 737 | 1,090 | 12,230 | | | | | | 12,230 |
| Fishing Year 2006 | 1,314 | 1,490 | 1,181 | 909 | 880 | 1,104 | 1,140 | 1,130 | 967 | 671 | 951 | 848 | 12,586 | | | | | | 12,586 |
| Fishing Year 2005 | 2,040 | 3,040 | 1,862 | 1,487 | 1,343 | 1,100 | 1,616 | 1,413 | 1,523 | 1,143 | 1,309 | 1,313 | 19,189 | | | | | | 19,189 |
| Fishing Year 2004 | 1,806 | 1,979 | 1,581 | 1,380 | 1,304 | 1,243 | 1,803 | 1,681 | 1,264 | 1,173 | 1,235 | 1,478 | 17,927 | | | | | | 17,927 |
| Fishing Year 2003 | 2,681 | 3,199 | 1,913 | 1,746 | 1,420 | 2,253 | 2,823 | 1,907 | 1,976 | 2,386 | 2,172 | 1,797 | 26,273 | | | | | | 26,273 |
| Fishing Year 2002 | 1,574 | 2,093 | 1,489 | 1,382 | 1,524 | 1,643 | 1,937 | 2,203 | 2,015 | 1,762 | 2,631 | 1,553 | 21,807 | | | | | | 21,807 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- 4. Monkfish quotas for FY2007 were revised to be 5,000 mt for Northern Area and 5,100 mt for Southern Area as of October 22, 2007.
- * Fishing Year is May 1 through April 30.

Table 13.B. - Preliminary Monkfish Landings by Major Ports and States, May 07- April 2008

| PORT/ STATE | MAY 07 -APR 08 | STOCK AREAS | | | | GEAR TYPES | | | | | | | |
|------------------------|----------------|--------------|------------|--------------|-------------|--------------|------------|--------------|------------|-------------|-----------|--------------|------------|
| | | NORTHERN | | SOUTHERN | | OTTER TRAWL | | GILLNET | | HOOK | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| Portland, ME | 705 | 698 | 99% | 7 | 1% | 658 | 93% | 47 | 7% | 0 | 0% | 0 | 0% |
| Gloucester, MA | 1,711 | 1,676 | 98% | 35 | 2% | 1,206 | 70% | 505 | 30% | 0 | 0% | 0 | 0% |
| Boston, MA | 849 | 838 | 99% | 11 | 1% | 849 | 100% | 0 | 0% | 0 | 0% | 0 | 0% |
| New Bedford, MA | 3,195 | 1,200 | 38% | 1,995 | 62% | 1,522 | 48% | 758 | 24% | 0 | 0% | 915 | 29% |
| Point Judith, RI | 957 | 36 | 4% | 921 | 96% | 540 | 56% | 402 | 42% | 0 | 0% | 15 | 2% |
| MAINE | 759 | 752 | 99% | 7 | 1% | 695 | 92% | 63 | 8% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 137 | 136 | 99% | 1 | 1% | 13 | 9% | 125 | 91% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 6,475 | 4,091 | 63% | 2,384 | 37% | 3,643 | 56% | 1,906 | 29% | 0 | 0% | 925 | 14% |
| RHODE ISLAND | 1,545 | 62 | 4% | 1,483 | 96% | 623 | 40% | 843 | 55% | 0 | 0% | 79 | 5% |
| CONNECTICUT | 123 | 0 | 0% | 123 | 100% | 22 | 18% | 59 | 48% | 0 | 0% | 42 | 34% |
| NEW YORK | 773 | 3 | 0% | 770 | 100% | 103 | 13% | 659 | 85% | 0 | 0% | 11 | 1% |
| NEW JERSEY | 1,929 | 6 | 0% | 1,923 | 100% | 99 | 5% | 1,576 | 82% | 0 | 0% | 254 | 13% |
| OTHER NORTHEAST | 488 | 0 | 0% | 488 | 100% | 41 | 8% | 348 | 71% | 0 | 0% | 99 | 20% |
| TOTAL | 12,230 | 5,050 | 41% | 7,180 | 59% | 5,240 | 43% | 5,579 | 46% | 0 | 0% | 1,411 | 12% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

4. Monkfish quotas for FY2007 were revised to be 5,000 mt for Northern Area and 5,100 mt for Southern Area as of October 22, 2007.

Table 14.A. - Preliminary Commercial Sea Scallop Landings by Stock Area

| | MAR - 2008 | APR - 2008 | MARCH 07 - APRIL 08 | | Fishing Year* Landings |
|-----------------------------|--------------|--------------|---------------------|-------------|------------------------|
| | Metric Tons | Metric Tons | Metric Tons | Percent | Metric Tons |
| GULF OF MAINE | 12 | 11 | 23 | 0% | |
| OTTER TRAWL | 0 | 0 | 0 | 0% | |
| DREDGE | 12 | 10 | 22 | 0% | |
| OTHER GEARS | 0 | 0 | 0 | 0% | |
| SOUTH CHANNEL | 29 | 103 | 133 | 2% | |
| OTTER TRAWL | 0 | 0 | 0 | 0% | |
| DREDGE | 29 | 103 | 132 | 2% | |
| OTHER GEARS | 0 | 0 | 0 | 0% | |
| GEORGES BANK NORTH | 5 | 0 | 5 | 0% | |
| OTTER TRAWL | 0 | 0 | 0 | 0% | |
| DREDGE | 5 | 0 | 5 | 0% | |
| OTHER GEARS | 0 | 0 | 0 | 0% | |
| GEORGES BANK SOUTH | 20 | 49 | 69 | 1% | |
| OTTER TRAWL | 0 | 0 | 0 | 0% | |
| DREDGE | 19 | 49 | 68 | 1% | |
| OTHER GEARS | 0 | 0 | 0 | 0% | |
| S. NEW ENGLAND | 3 | 26 | 29 | 0% | |
| OTTER TRAWL | 0 | 0 | 0 | 0% | |
| DREDGE | 3 | 26 | 29 | 0% | |
| OTHER GEARS | 0 | 0 | 0 | 0% | |
| NEW YORK BIGHT | 535 | 900 | 1,435 | 24% | |
| OTTER TRAWL | 14 | 32 | 46 | 1% | |
| DREDGE | 519 | 869 | 1,388 | 23% | |
| OTHER GEARS | 1 | 0 | 1 | 0% | |
| DE / MD / VA | 2,108 | 2,129 | 4,237 | 70% | |
| OTTER TRAWL | 17 | 8 | 24 | 0% | |
| DREDGE | 2,068 | 2,111 | 4,179 | 70% | |
| OTHER GEARS | 23 | 10 | 34 | 1% | |
| VA / NC | 61 | 19 | 80 | 1% | |
| OTTER TRAWL | 2 | 0 | 2 | 0% | |
| DREDGE | 59 | 19 | 78 | 1% | |
| OTHER GEARS | 0 | 0 | 0 | 0% | |
| ALL AREAS | 2,773 | 3,238 | 6,010 | 100% | |
| OTTER TRAWL | 34 | 40 | 74 | 1% | |
| DREDGE | 2,715 | 3,187 | 5,902 | 98% | |
| OTHER GEARS | 24 | 11 | 35 | 1% | |
| LANDINGS - ALL AREAS | | | | | |
| Fishing Year 2008 | 2,773 | 3,238 | 6,010 | | |
| Fishing Year 2007 | 3,332 | 2,869 | 6,201 | | 27,478 |
| Fishing Year 2006 | 1,729 | 2,638 | 4,367 | | 25,614 |
| Fishing Year 2005 | 1,742 | 2,570 | 4,313 | | 24,966 |
| Fishing Year 2004 | 2,227 | 2,868 | 5,095 | | 28,910 |
| Fishing Year 2003 | 1,777 | 2,153 | 3,929 | | 25,497 |
| Fishing Year 2002 | 1,536 | 2,450 | 3,986 | | 23,466 |

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is March 1 through February 29.

Table 14.B. - Preliminary Commercial Scallop Landings by Major Ports and States, March - April 2008

| PORT/ STATE | MAR - APR 08 | STOCK AREAS | | | | | | | | | | | | | | | |
|-----------------|--------------|---------------|-----------|---------------|-----------|--------------------|-----------|--------------------|-----------|----------------------|-----------|----------------|------------|--------------|------------|---------------------------|-----------|
| | | GULF OF MAINE | | SOUTH CHANNEL | | GEORGES BANK NORTH | | GEORGES BANK SOUTH | | SOUTHERN NEW ENGLAND | | NEW YORK BIGHT | | DELMARVA | | VIRGINIA / NORTH CAROLINA | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| New Bedford, MA | 2,581 | 7 | 0% | 109 | 4% | 5 | 0% | 69 | 3% | 17 | 1% | 603 | 23% | 1,765 | 68% | 7 | 0% |
| Cape May, NJ | 1,142 | 0 | 0% | 6 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 124 | 11% | 1,002 | 88% | 10 | 1% |
| Norfolk, VA | 1,360 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 275 | 20% | 1,023 | 75% | 62 | 5% |
| MAINE | 5 | 5 | 100% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| NEW HAMPSHIRE | 0 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 2,613 | 18 | 1% | 127 | 5% | 5 | 0% | 69 | 3% | 19 | 1% | 604 | 23% | 1,765 | 68% | 7 | 0% |
| RHODE ISLAND | 26 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 7 | 29% | 5 | 20% | 13 | 51% | 0 | 0% |
| CONNECTICUT | 149 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 71 | 48% | 77 | 52% | 0 | 0% |
| NEW JERSEY | 1,696 | 0 | 0% | 6 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 440 | 26% | 1,240 | 73% | 10 | 1% |
| VIRGINIA | 1,370 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 275 | 20% | 1,033 | 75% | 62 | 5% |
| OTHER NORTHEAST | 152 | 0 | 0% | 0 | 0% | 0 | 0% | 0 | 0% | 2 | 2% | 40 | 26% | 108 | 71% | 1 | 1% |
| TOTAL | 6,010 | 23 | 0% | 133 | 2% | 5 | 0% | 69 | 1% | 29 | 0% | 1,435 | 24% | 4,237 | 70% | 80 | 1% |

| PORT/ STATE | MAR - APR 08 | GEAR TYPES | | | | | |
|-----------------|--------------|-------------|-----------|--------------|------------|-------------|-----------|
| | | OTTER TRAWL | | DREDGE | | OTHER GEARS | |
| | | Metric Tons | Percent | Metric Tons | Percent | Metric Tons | Percent |
| New Bedford, MA | 2,581 | 0 | 0% | 2,553 | 99% | 28 | 1% |
| Cape May, NJ | 1,142 | 14 | 1% | 1,128 | 99% | 0 | 0% |
| Norfolk, VA | 1,360 | 0 | 0% | 1,359 | 100% | 0 | 0% |
| MAINE | 5 | 0 | 0% | 5 | 100% | 0 | 0% |
| NEW HAMPSHIRE | 0 | 0 | 0% | 0 | 0% | 0 | 0% |
| MASSACHUSETTS | 2,613 | 1 | 0% | 2,584 | 99% | 28 | 1% |
| RHODE ISLAND | 26 | 0 | 0% | 25 | 99% | 0 | 0% |
| CONNECTICUT | 149 | 0 | 0% | 149 | 100% | 0 | 0% |
| NEW JERSEY | 1,696 | 32 | 2% | 1,657 | 98% | 7 | 0% |
| VIRGINIA | 1,370 | 1 | 0% | 1,370 | 100% | 0 | 0% |
| OTHER NORTHEAST | 152 | 40 | 26% | 112 | 73% | 0 | 0% |
| TOTAL | 6,010 | 74 | 1% | 5,902 | 98% | 35 | 1% |

1. The three digit statistical areas defined below are for statistical and management purposes and may not consistent with stock area delineation used for biological assessment (see the attached statistical chart)

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-565, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-615, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

- 2. Landings in meat weight.
- 3. Gear data are based on vessel trip reports.

