

February 11, 2008

TAC Report Summary

Commercial Landings and Target Quota Utilization (May – December 2007)

Species & Stock Area	2007 FY Commercial Landings	Percent of TAC	Target TAC
	(metric tons)	%	(metric tons)
Cod			
GOM	2,862	N/A*	10,020*
GB	2,805	33%	8,416
Haddock			
GOM	214	17%	1,254
GB	2,475	3%	90,599
Yellowtail			
CC/GOM	301	N/A*	1,078*
GB	581	N/A*	900*
SNE/MA	85	N/A*	213*
Pollock	6,123	N/A*	12,005*
Redfish - 500s	526	25%	2,075
White Hake	1,123	67%**	1,676**
American Plaice	748	N/A*	3,243*
Winter Flounder			
GOM	167	N/A	N/A
GB	784	49%	1,604
SNE/MA	1,303	N/A*	3,016*
Witch Flounder	682	13%	5,075
Windowpane			
North	50	13%	389
South	37	22%	166
Ocean Pout	0	0%	38
Monkfish			
Northern Area	3,317	66%	5,000
Southern Area	5,101	100%	5,100

Landings statistics for species without target TACs including scallops, silver hake, and red hake are available in the attachment.

*TAC includes commercial landings, and discards, recreational landings, or Canadian landings. Only commercial landings are available for monitoring.

**TAC only includes lengths greater than 60 cm. Landings data include all lengths.

Monkfish quotas were revised on October 22, 2007 and the new quota figures are presented above.

Attachment

Northeast Preliminary Fisheries Statistics

Multispecies (May – December 2007) & Scallop (March – December 2007)

Fishery Statistics Office
Northeast Regional Office
National Marine Fisheries Service
Gloucester, MA 01930

February 2008

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer electronic and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

Note: 1) Data of selected species are reported in detail (see table of contents).
2) This report will become available on the NMFS website:
<http://www.nero.noaa.gov/ro/fso/mul.htm>.

TABLE OF CONTENTS

	<u>Page</u>
COD	
Tables 1.A - Preliminary Landings by Stock Area.....	1
1.B - Preliminary Landings by Major Ports and States	2
HADDOCK	
Tables 2.A - Preliminary Landings by Stock Area.....	3
2.B - Preliminary Landings by Major Ports and States	4
YELLOWTIAL FLOUNDER	
Tables 3.A - Preliminary Landings by Stock Area.....	5
3.B - Preliminary Landings by Major Ports and States	6
ATLANTIC POLLOCK	
Tables 4.A - Preliminary Landings by Stock Area.....	7
4.B - Preliminary Landings by Major Ports and States	8
REDFISH	
Tables 5.A - Preliminary Landings by Stock Area.....	9
5.B - Preliminary Landings by Major Ports and States	10
WHITE HAKE	
Tables 6.A - Preliminary Landings by Stock Area.....	11
6.B - Preliminary Landings by Major Ports and States	12
AMERICAN PLAICE	
Tables 7.A - Preliminary Landings by Stock Area.....	13
7.B - Preliminary Landings by Major Ports and States	14
WINTER FLOUNDER	
Tables 8.A - Preliminary Landings by Stock Area.....	15
8.B - Preliminary Landings by Major Ports and States	16
WITCH FLOUNDER	
Tables 9.A - Preliminary Landings by Stock Area.....	17
9.B - Preliminary Landings by Major Ports and States	18
WINDOWPANE FLOUNDER	
Tables 10.A - Preliminary Landings by Stock Area.....	19
10.B - Preliminary Landings by Major Ports and States	20
SILVER HAKE	
Tables 11.A - Preliminary Landings by Year and Month	21
11.B - Preliminary Landings by Major Ports and States	22
RED HAKE	
Tables 12.A - Preliminary Landings by Year and Month	23
12.B - Preliminary Landings by Major Ports and States	24
MONKFISH	
Tables 13.A - Preliminary Landings by Year and Month	25
13.B - Preliminary Landings by Major Ports and States	26

SCALLOP

Tables	14.A - Preliminary Landings by Year and Month	27
	14.B - Preliminary Landings by Major Ports and States	28

STATISTICAL AREAS

A chart for the 3 Digit Statistical Areas	29
---	----

Table 1.A. - Preliminary Commercial Cod Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year* Landings
											May-Dec07 as a % of Target TAC	Target TAC+	May-Dec06 as a % of Target TAC	Target TAC+	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	Metric Tons
GULF OF MAINE	12	479	595	293	287	251	279	666	2,862	50%	N/A	10,020**	N/A	5,146**	
OTTER TRAWL	8	210	236	84	103	87	85	262	1,074	19%					
GILLNET	2	263	357	207	179	161	193	377	1,738	31%					
HOOK	1	0	1	1	4	2	1	12	23	0%					
OTHER GEARS	0	5	2	1	1	1	1	15	27	0%					
GEORGES BANK	263	566	425	330	277	383	280	281	2,805	50%	33%	8,416	32%	6,132	
OTTER TRAWL	216	508	279	177	213	311	243	247	2,195	39%	26%		27%		
GILLNET	3	48	143	151	61	69	35	26	535	9%	6%		4%		
HOOK	43	7	2	1	1	1	0	2	58	1%	1%		1%		
OTHER GEARS	1	3	1	1	1	3	2	6	18	0%	0%		1%		
ALL AREAS	274	1,045	1,020	624	564	634	560	947	5,667	100%					
OTTER TRAWL	224	718	515	261	316	398	327	509	3,269	58%					
GILLNET	5	311	500	358	240	229	228	403	2,272	40%					
HOOK	44	7	2	3	5	3	2	14	80	1%					
OTHER GEARS	1	8	4	2	3	3	3	21	45	1%					
LANDINGS - ALL AREAS															
Fishing Year 2007	274	1,045	1,020	624	564	634	560	947	5,667						
Fishing Year 2006	207	692	591	440	385	427	530	915	4,187						6,163
Fishing Year 2005	327	881	829	521	358	308	320	608	4,152						5,699
Fishing Year 2004	375	726	828	443	461	406	562	714	4,516						6,667
Fishing Year 2003	567	1,373	875	830	533	601	651	914	6,345						9,110
Fishing Year 2002	913	1,343	1,114	821	605	557	674	1,125	7,152						11,488

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards, and recreational landings.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 9,822 metric tons (21,653 thousand lbs.)

Table 1.B. - Preliminary Commercial Cod Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	435	296	68%	138	32%	283	65%	144	33%	8	2%	0	0%
Gloucester, MA	1,784	1,612	90%	172	10%	704	39%	1,049	59%	13	1%	18	1%
Boston, MA	270	42	15%	229	85%	270	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,532	6	0%	1,526	100%	1,531	100%	0	0%	0	0%	0	0%
Point Judith, RI	62	0	0%	62	100%	59	96%	0	0%	0	0%	3	4%
MAINE	546	408	75%	138	25%	317	58%	221	40%	8	1%	0	0%
NEW HAMPSHIRE	500	498	100%	2	0%	136	27%	361	72%	0	0%	2	0%
MASSACHUSETTS	4,518	1,956	43%	2,561	57%	2,728	60%	1,679	37%	72	2%	39	1%
RHODE ISLAND	101	0	0%	101	100%	85	85%	12	12%	0	0%	3	3%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	4	0	0%	4	99%	3	75%	0	0%	0	0%	1	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	5,667	2,862	50%	2,805	50%	3,269	58%	2,272	40%	80	1%	45	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Commercial Haddock Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year* Landings
											May-Dec07 as a % of Target TAC	Target TAC*	May-Dec06 as a % of Target TAC	Target TAC*	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	Metric Tons
GULF OF MAINE	4	47	24	19	23	37	43	17	214	8%	17%	1,254	18%	1,279	
OTTER TRAWL	3	44	19	15	15	30	33	15	173	6%	14%		15%		
GILLNET	0	3	4	2	3	3	3	1	19	1%	2%		2%		
HOOK	0	0	1	3	5	4	7	0	21	1%	2%		1%		
OTHER GEARS	0	0	0	0	0	0	0	0	1	0%	0%		0%		
GEORGES BANK	470	392	167	167	155	440	392	292	2,475	92%	3%	90,599	5%	35,309	
OTTER TRAWL	455	386	166	165	154	304	374	257	2,262	84%	2%		4%		
GILLNET	0	2	0	0	0	1	0	1	6	0%	0%		0%		
HOOK	14	3	1	1	0	135	16	33	204	8%	0%		1%		
OTHER GEARS	0	1	0	0	0	0	1	1	3	0%	0%		0%		
SNE/ MID-ATLANTIC	0	1	0	0	0	0	0	0	1	0%					
OTTER TRAWL	0	1	0	0	0	0	0	0	1	0%					
GILLNET	0	0	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%					
ALL AREAS	473	440	191	186	178	477	435	309	2,690	100%					
OTTER TRAWL	459	431	185	180	169	333	407	272	2,436	91%					
GILLNET	0	5	4	2	3	4	4	2	25	1%					
HOOK	15	3	2	4	6	140	23	34	225	8%					
OTHER GEARS	0	1	0	0	0	0	1	1	3	0%					
LANDINGS - ALL AREAS															
Fishing Year 2007	473	440	191	186	178	477	435	309	2,690						
Fishing Year 2006	424	400	95	171	219	303	168	157	1,936						2,858
Fishing Year 2005	675	1,367	422	340	387	603	529	310	4,635						5,969
Fishing Year 2004	464	1,126	673	459	489	425	545	740	4,921						7,826
Fishing Year 2003	803	783	346	257	274	430	427	454	3,773						7,065
Fishing Year 2002	718	817	731	435	521	597	248	275	4,344						7,347

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 103,329 metric tons (227,795 thousand lbs.)

Table 2.B. - Preliminary Commercial Haddock Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	373	40	11%	334	89%	0	0%	352	94%	1	0%	21	5%	0	0%
Gloucester, MA	416	113	27%	302	73%	0	0%	401	96%	12	3%	1	0%	2	1%
Boston, MA	204	12	6%	192	94%	0	0%	204	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,359	2	0%	1,356	100%	1	0%	1,358	100%	0	0%	0	0%	0	0%
Point Judith, RI	48	0	0%	48	100%	0	0%	47	98%	0	0%	0	0%	1	0%
MAINE	380	47	12%	334	88%	0	0%	358	94%	2	0%	21	5%	0	0%
NEW HAMPSHIRE	11	11	100%	0	0%	0	0%	6	60%	4	40%	0	0%	0	0%
MASSACHUSETTS	2,231	157	7%	2,073	93%	1	0%	2,005	90%	19	1%	205	9%	3	0%
RHODE ISLAND	68	0	0%	68	100%	0	0%	67	99%	0	0%	0	0%	1	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,690	214	8%	2,475	92%	1	0%	2,436	91%	25	1%	225	8%	3	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Commercial Yellowtail Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07	2007*		2006*		Fishing Year* Landings
										May-Dec07 as a % of Target TAC	Target TAC*	May-Dec06 as a % of Target TAC	Target TAC*	
											Metric Tons		Metric Tons	
GULF OF MAINE	0	2	2	2	1	1	1	4	13	1%				
OTTER TRAWL	0	2	2	2	1	1	1	4	12	1%				
GILLNET	0	0	0	0	0	0	0	0	0	0%				
HOOK	0	0	0	0	0	0	0	0	0	0%				
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%				
CAPE COD	8	57	43	36	47	29	21	48	289	30%				
OTTER TRAWL	5	35	35	34	47	29	21	47	253	26%				
GILLNET	2	22	8	2	0	0	0	1	35	4%				
HOOK	0	0	0	0	0	0	0	0	0	0%				
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%				
GULF OF MAINE & CAPE COD	8	59	45	38	48	30	21	52	301	31%	N/A	1,078**	N/A	650**
GEORGES BANK	147	84	32	24	14	24	17	239	581	60%	N/A	900**	N/A	2,070**
OTTER TRAWL	147	84	32	23	14	24	17	239	580	60%				
GILLNET	0	0	0	0	0	0	0	0	0	0%				
HOOK	0	0	0	0	0	0	0	0	0	0%				
OTHER GEARS	0	0	0	1	0	0	0	0	2	0%				
SNE/ MID-ATLANTIC	5	2	7	17	11	12	8	23	85	9%	N/A	213**	N/A	146**
OTTER TRAWL	5	2	7	17	11	12	8	23	85	9%				
GILLNET	0	0	0	0	0	0	0	0	0	0%				
HOOK	0	0	0	0	0	0	0	0	0	0%				
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%				
ALL AREAS	160	146	84	79	73	66	46	314	968	100%				
OTTER TRAWL	157	123	76	76	73	66	46	313	930	96%				
GILLNET	2	22	8	2	0	0	0	1	36	4%				
HOOK	0	0	0	0	0	0	0	0	0	0%				
OTHER GEARS	0	0	0	1	0	0	0	0	2	0%				
LANDINGS - ALL AREAS														
Fishing Year 2007	160	146	84	79	73	66	46	314	968					
Fishing Year 2006	235	211	176	130	87	59	84	203	1,184					1,960
Fishing Year 2005	442	542	628	435	174	131	348	540	3,240					4,021
Fishing Year 2004	700	1,455	1,573	1,299	358	74	27	160	5,646					6,522
Fishing Year 2003	591	422	311	245	133	231	585	765	3,283					4,846
Fishing Year 2002	616	525	262	220	309	322	166	657	3,076					5,341

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 1,250 metric tons (2,756 thousand lbs.)

Table 3.B. - Preliminary Commercial Yellowtail Flounder Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	8	0	0%	3	37%	4	58%	0	0%	8	100%	0	0%	0	0%	0	0%
Gloucester, MA	112	8	7%	85	76%	19	17%	0	0%	91	81%	21	19%	0	0%	0	0%
Boston, MA	29	0	0%	17	59%	11	40%	0	0%	29	100%	0	0%	0	0%	0	0%
New Bedford, MA	586	0	0%	81	14%	498	85%	7	1%	586	100%	0	0%	0	0%	0	0%
Point Judith, RI	90	0	0%	0	0%	36	40%	54	60%	88	99%	0	0%	0	0%	1	1%
MAINE	8	0	0%	3	37%	4	58%	0	0%	8	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	5	3	72%	1	28%	0	0%	0	0%	5	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	838	9	1%	285	34%	535	64%	9	1%	802	96%	36	4%	0	0%	1	0%
RHODE ISLAND	103	0	0%	0	0%	42	40%	61	60%	101	99%	0	0%	0	0%	1	1%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	15	0	0%	0	0%	0	0%	15	100%	15	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	968	13	1%	289	30%	581	60%	85	9%	930	96%	36	4%	0	0%	2	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
Cape Cod: 514, 521
Georges Bank: 522, 525, 542-543, 551-552, 561-562
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Commercial Atlantic Pollock Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year* Landings
											May-Dec07 as a % of Target TAC	Target TAC	May-Dec06 as a % of Target TAC	Target TAC	Metric Tons
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	
400's & 500's	616	674	829	508	618	794	1,161	917	6,116	100%					
OTTER TRAWL	566	500	526	316	398	306	202	251	3,064	50%					
GILLNET	50	172	304	191	218	487	959	664	3,044	50%					
HOOK	0	0	0	1	2	0	0	0	3	0%					
OTHER GEAR	0	1	0	0	0	1	0	2	4	0%					
600's	0	0	7	0	0	0	0	0	7	0%					
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0%					
GILLNET	0	0	7	0	0	0	0	0	7	0%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0	0	0	0	0%					
ALL AREAS	616	674	837	508	618	794	1,161	917	6,123	100%	N/A	12,005**	N/A	12005**	
OTTER TRAWL	566	500	526	316	398	306	202	251	3,064	50%					
GILLNET	50	172	311	191	218	487	959	664	3,051	50%					
HOOK	0	0	0	1	2	0	0	0	3	0%					
OTHER GEAR	0	1	0	0	0	1	0	2	4	0%					
LANDINGS - ALL AREAS															
Fishing Year 2007	616	674	837	508	618	794	1,161	917	6,123						
Fishing Year 2006	160	443	515	456	453	460	1,021	721	4,230					6,480	
Fishing Year 2005	337	460	787	515	496	693	643	537	4,468					6,327	
Fishing Year 2004	309	465	405	371	369	472	549	478	3,418					5,456	
Fishing Year 2003	209	413	209	413	374	385	293	355	2,650					4,480	
Fishing Year 2002	194	432	286	432	455	338	242	318	2,697					3,914	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes US and Canadian landings.

Table 4.B. - Preliminary Commercial Pollock Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS				GEAR TYPES							
		400's & 500's		600's		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	1,357	1,357	100%	0	0%	510	38%	845	62%	2	0%	0	0%
Gloucester, MA	2,460	2,453	100%	7	0%	1,264	51%	1,193	48%	1	0%	2	0%
Boston, MA	1,017	1,017	100%	0	0%	1,017	100%	0	0%	0	0%	0	0%
New Bedford, MA	168	168	100%	0	0%	168	100%	0	0%	0	0%	0	0%
Point Judith, RI	9	9	100%	0	0%	8	88%	0	0%	0	0%	1	12%
MAINE	1,518	1,518	100%	0	0%	541	36%	975	64%	2	0%	0	0%
NEW HAMPSHIRE	791	791	100%	0	0%	18	2%	773	98%	0	0%	0	0%
MASSACHUSETTS	3,788	3,781	100%	7	0%	2,486	66%	1,297	34%	2	0%	3	0%
RHODE ISLAND	26	26	100%	0	0%	19	72%	6	23%	0	0%	1	4%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,123	6,116	100%	7	0%	3,064	50%	3,051	50%	3	0%	4	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Commercial Redfish Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year* Landings
											May-Dec07 as a % of Target TAC	Target TAC	May-Dec06 as a % of Target TAC	Target TAC	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons
400's	0	0	0	0	0	0	0	0	0	0%					
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0%					
GILLNET	0	0	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0	0	0	0	0%					
500's	84	96	55	45	75	76	51	43	526	100%	25%	2,075	13%	1,946	
OTTER TRAWL	81	89	46	39	68	66	47	42	478	91%	23%		11%		
GILLNET	3	7	9	6	6	9	4	1	45	9%	2%		2%		
HOOK	0	0	0	0	0	1	0	0	2	0%	0%		0%		
OTHER GEAR	0	0	0	0	0	0	0	0	0	0%	0%		0%		
600's	0	0	1	0	0	0	0	0	1	0%					
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0%					
GILLNET	0	0	1	0	0	0	0	0	1	0%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0	0	0	0	0%					
ALL AREAS	84	96	56	45	75	76	52	44	527	100%					
OTTER TRAWL	81	89	46	39	68	66	47	42	479	91%					
GILLNET	3	7	9	6	6	9	4	1	45	9%					
HOOK	0	0	0	0	0	1	0	0	2	0%					
OTHER GEAR	0	0	0	0	0	0	0	0	1	0%					
LANDINGS - ALL AREAS															
Fishing Year 2007	84	96	56	45	75	76	52	44	527						513
Fishing Year 2006	11	31	27	34	37	35	29	52	256						582
Fishing Year 2005	32	44	32	38	47	42	46	47	330						485
Fishing Year 2004	15	19	25	33	47	46	37	36	257						415
Fishing Year 2003	28	29	22	21	98	39	27	17	280						307
Fishing Year 2002	28	28	14	17	22	18	17	20	163						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

2/11/2008

Table 5.B. - Preliminary Commercial Redfish Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS						GEAR TYPES							
		400s		500s		600s		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	95	0	0%	94	100%	0	0%	66	69%	28	30%	1	1%	0	0%
Gloucester, MA	149	0	0%	148	100%	1	0%	136	92%	12	8%	0	0%	0	0%
Boston, MA	220	0	0%	220	100%	0	0%	220	100%	0	0%	0	0%	0	0%
New Bedford, MA	50	0	0%	50	100%	0	0%	50	100%	0	0%	0	0%	0	0%
Point Judith, RI	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MAINE	100	0	0%	100	100%	0	0%	68	68%	31	31%	1	1%	0	0%
NEW HAMPSHIRE	4	0	0%	4	100%	0	0%	2	46%	2	53%	0	0%	0	0%
MASSACHUSETTS	422	0	0%	421	100%	1	0%	408	97%	13	3%	1	0%	0	0%
RHODE ISLAND	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	527	0	0%	526	100%	1	0%	479	91%	45	9%	2	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Commercial White Hake Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year* Landings
											May-Dec07 as a % of Target TAC	Target TAC	May-Dec06 as a % of Target TAC	Target TAC	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	Metric Tons
SNE/ NORTH	92	181	184	174	137	142	117	78	1,105	98%					
OTTER TRAWL	82	120	52	87	106	102	90	74	714	64%					
GILLNET	9	61	132	86	31	40	27	3	387	35%					
HOOK	0	0	0	0	0	0	1	2	3	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%					
MID-ATLANTIC	5	1	6	0	1	1	2	2	18	2%					
OTTER TRAWL	5	1	0	0	1	1	2	2	11	1%					
GILLNET	0	0	6	0	0	0	0	0	6	1%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%					
ALL AREAS	97	182	191	174	137	143	119	80	1,123	100%	67%	1,676**	48%	2,056	
OTTER TRAWL	88	121	52	87	107	103	92	76	726	65%			33%		
GILLNET	9	61	138	86	31	40	27	3	394	35%			14%		
HOOK	0	0	0	0	0	0	1	2	3	0%			0%		
OTHER GEARS	0	0	0	0	0	0	0	0	1	0%			0%		
LANDINGS - ALL AREAS															
Fishing Year 2007	97	182	191	174	137	143	119	80	1,123						
Fishing Year 2006	65	113	167	150	116	130	126	121	988						1,381
Fishing Year 2005	192	283	240	297	207	174	176	148	1,717						2,417
Fishing Year 2004	229	337	365	393	285	212	215	238	2,274						3,163
Fishing Year 2003	465	379	470	457	365	358	311	248	3,053						4,272
Fishing Year 2002	173	228	311	320	302	272	241	262	2,109						3,486

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC only includes lengths greater than 60 cm. Landings data include all lengths.

Table 6.B. - Preliminary Commercial White Hake Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	429	429	100%	0	0%	247	58%	182	42%	0	0%	0	0%
Gloucester, MA	392	386	98%	6	2%	264	67%	128	33%	0	0%	0	0%
Boston, MA	154	154	100%	0	0%	154	100%	0	0%	0	0%	0	0%
New Bedford, MA	31	31	100%	0	0%	31	100%	0	0%	0	0%	0	0%
Point Judith, RI	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
MAINE	480	480	100%	0	0%	258	54%	222	46%	0	0%	0	0%
NEW HAMPSHIRE	39	39	100%	0	0%	0	0%	39	99%	0	0%	0	0%
MASSACHUSETTS	588	582	99%	7	1%	452	77%	133	23%	3	0%	0	0%
RHODE ISLAND	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	1	86%	0	0%	1	86%	0	0%	0	0%	0	0%
NEW YORK	12	2	13%	10	87%	12	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,123	1,105	98%	18	2%	726	65%	394	35%	3	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Commercial American Plaice Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year*	
											May-Dec07 as a % of Target TAC	Target TAC	May-Dec06 as a % of Target TAC	Target TAC	Landings	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	Metric Tons	
GULF OF MAINE/ GB	54	121	103	96	116	105	73	76	743	99%						
OTTER TRAWL	54	119	102	95	116	105	73	76	739	99%						
GILLNET	0	1	1	0	0	0	0	0	3	0%						
HOOK	0	0	0	0	0	0	0	0	0	0%						
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%						
SNE / MID-ATLANTIC	0	5	0	0	1	0	0	0	6	1%						
OTTER TRAWL	0	5	0	0	1	0	0	0	6	1%						
GILLNET	0	0	0	0	0	0	0	0	0	0%						
HOOK	0	0	0	0	0	0	0	0	0	0%						
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%						
ALL AREAS	54	125	103	96	116	105	73	76	748	100%	N/A	3,243**	N/A	3,666**		
OTTER TRAWL	54	124	102	95	116	105	73	76	745	100%						
GILLNET	0	1	1	0	0	0	0	0	3	0%						
HOOK	0	0	0	0	0	0	0	0	0	0%						
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%						
LANDINGS - ALL AREAS																
Fishing Year 2007	54	125	103	96	116	105	73	76	748							
Fishing Year 2006	40	157	80	94	126	84	100	82	764							
Fishing Year 2005	86	171	115	127	123	95	116	105	938							
Fishing Year 2004	59	205	179	221	215	108	140	132	1,259							
Fishing Year 2003	125	359	240	276	246	199	180	147	1,772							
Fishing Year 2002	214	302	343	309	322	252	213	218	2,173							

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards.

Table 7.B. - Preliminary Commercial American Plaice Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	195	195	100%	0	0%	194	100%	0	0%	0	0%	0	0%
Gloucester, MA	240	239	99%	2	1%	239	100%	1	0%	0	0%	0	0%
Boston, MA	107	107	100%	0	0%	107	100%	0	0%	0	0%	0	0%
New Bedford, MA	149	146	98%	2	2%	149	100%	0	0%	0	0%	0	0%
Point Judith, RI	17	16	98%	0	0%	16	98%	0	0%	0	0%	0	0%
MAINE	205	205	100%	0	0%	205	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	4	4	100%	0	0%	3	84%	1	0%	0	0%	0	0%
MASSACHUSETTS	513	509	99%	4	1%	511	100%	2	0%	0	0%	0	0%
RHODE ISLAND	25	25	97%	1	0%	25	99%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	748	743	99%	6	1%	745	100%	3	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Commercial Winter Flounder Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year* Landings
											May-Dec07 as a % of Target TAC	Target TAC	May-Dec06 as a % of Target TAC	Target TAC	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	
GULF OF MAINE	18	21	31	24	31	8	7	27	167	7%	N/A	**	N/A	***	
OTTER TRAWL	18	13	23	17	25	7	5	25	134	6%					
GILLNET	0	7	8	7	6	1	1	2	33	1%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%					
GEORGES BANK	97	210	114	88	53	50	90	81	784	35%	49%	1,604	63%	1,424	
OTTER TRAWL	96	208	113	87	52	49	90	81	776	34%	48%		62%		
GILLNET	0	0	0	0	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	2	1	1	2	1	0	0	7	0%	0%		0%		
SNE/ MID-ATLANTIC	214	105	139	216	219	191	139	80	1,303	58%	N/A	3,016***	N/A	2,481***	
OTTER TRAWL	209	100	137	213	217	189	139	79	1,282	57%					
GILLNET	5	5	1	3	2	2	0	0	18	1%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	1	0	0	0	0	2	0%					
ALL AREAS	329	335	283	329	304	249	236	188	2,254	100%					
OTTER TRAWL	323	321	273	318	294	245	234	185	2,193	97%					
GILLNET	5	12	9	10	8	2	2	3	51	2%					
HOOK	0	0	0	0	0	0	0	0	1	0%					
OTHER GEARS	1	2	1	1	2	1	0	1	10	0%					
LANDINGS - ALL AREAS															
Fishing Year 2007	329	335	283	329	304	249	236	188	2,254						
Fishing Year 2006	308	334	326	245	388	256	260	247	2,365					3,728	
Fishing Year 2005	335	903	647	397	417	260	232	173	3,363					4,481	
Fishing Year 2004	675	668	620	525	567	376	345	405	4,181					5,781	
Fishing Year 2003	871	899	901	498	431	489	557	396	5,041					5,417	
Fishing Year 2002	741	835	572	391	593	513	456	504	4,603					6,977	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** GARM II did not develop a TAC for GOM winter flounder because of uncertainties in the assessment.

*** TAC includes commercial landings and discards, and recreational landings.

Table 8.B. - Preliminary Commercial Winter Flounder Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	47	3	6%	11	24%	33	71%	47	100%	0	0%	0	0%	0	0%
Gloucester, MA	67	49	73%	16	24%	1	2%	46	69%	21	31%	0	0%	0	0%
Boston, MA	59	4	7%	11	18%	44	75%	59	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,226	1	0%	700	57%	524	43%	1,220	100%	0	0%	0	0%	6	0%
Point Judith, RI	375	0	0%	26	7%	349	93%	373	99%	0	0%	0	0%	2	1%
MAINE	47	3	6%	11	24%	33	71%	47	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	2	2	100%	0	0%	0	0%	1	49%	1	51%	0	0%	0	0%
MASSACHUSETTS	1,505	162	11%	733	49%	609	40%	1,455	97%	43	3%	1	0%	6	0%
RHODE ISLAND	411	0	0%	40	10%	372	90%	402	98%	6	1%	0	0%	3	1%
CONNECTICUT	33	0	0%	0	0%	33	100%	33	100%	0	0%	0	0%	0	0%
NEW YORK	110	0	0%	0	0%	110	100%	110	100%	0	0%	0	0%	0	0%
NEW JERSEY	145	0	0%	0	0%	145	100%	145	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,254	167	7%	784	35%	1,303	58%	2,193	97%	51	2%	1	0%	10	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 9.A. - Preliminary Commercial Witch Flounder Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing
											May-Dec07 as a % of Target TAC	Target TAC	May-Dec06 as a % of Target TAC	Target TAC	Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	Metric Tons
GULF OF MAINE/ GB	65	147	126	67	63	70	45	75	657	96%					
OTTER TRAWL	64	143	122	66	63	70	44	75	646	95%					
GILLNET	0	4	4	1	0	0	0	0	10	1%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	1	0%					
SNE/ MID-ATLANTIC	0	3	4	7	6	2	2	0	25	4%					
OTTER TRAWL	0	3	3	7	6	2	2	0	24	4%					
GILLNET	0	0	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%					
ALL AREAS	65	151	130	74	69	72	47	75	682	100%	13%	5,075	18%	5,511	
OTTER TRAWL	65	146	125	73	68	72	46	75	671	98%	13%		18%		
GILLNET	0	4	4	1	0	0	0	0	10	1%	0%		0%		
HOOK	0	0	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	1	0	0	0	0		1	0%	0%		0%		
LANDINGS - ALL AREAS															
Fishing Year 2007	65	151	130	74	69	72	47	75	682						1,370
Fishing Year 2006	105	203	198	110	112	91	85	83	987						2,591
Fishing Year 2005	188	316	314	243	172	153	178	139	1,703						2,888
Fishing Year 2004	129	337	335	264	298	166	228	204	1,962						3,202
Fishing Year 2003	211	434	464	286	276	228	202	156	2,257						2,798
Fishing Year 2002	164	321	427	310	255	163	151	141	1,932						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 9.B. - Preliminary Commercial Witch Flounder Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	145	144	99%	1	1%	145	100%	0	0%	0	0%	0	0%
Gloucester, MA	154	153	99%	1	1%	149	96%	5	4%	0	0%	0	0%
Boston, MA	86	86	100%	0	0%	86	100%	0	0%	0	0%	0	0%
New Bedford, MA	165	164	100%	0	0%	164	100%	0	0%	0	0%	1	0%
Point Judith, RI	25	16	64%	9	36%	25	99%	0	0%	0	0%	0	0%
MAINE	165	163	99%	1	1%	164	99%	1	1%	0	0%	0	0%
NEW HAMPSHIRE	8	8	100%	0	0%	8	93%	1	0%	0	0%	0	0%
MASSACHUSETTS	465	462	99%	3	1%	456	98%	8	2%	0	0%	1	0%
RHODE ISLAND	33	23	71%	10	29%	32	98%	0	0%	0	0%	1	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	2	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
NEW JERSEY	9	0	0%	9	100%	9	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	682	657	96%	25	4%	671	98%	10	1%	0	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 10.A. - Preliminary Commercial Windowpane Flounder Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year* Landings
											May-Dec07 as a % of Target TAC	Target TAC	May-Dec06 as a % of Target TAC	Target TAC	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	Metric Tons
GULF OF MAINE/ GB	30	7	3	1	1	2	4	3	50	58%	13%	389	9%	389	
OTTER TRAWL	30	7	3	1	1	2	4	3	50	57%	13%		9%		
GILLNET	0	0	0	0	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	0%		0%		
SNE/ MID-ATLANTIC	10	2	1	8	4	1	1	9	37	42%	22%	166	20%	173	
OTTER TRAWL	10	2	1	8	4	1	1	9	37	42%	22%		20%		
GILLNET	0	0	0	0	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	0%		0%		
ALL AREAS	40	9	4	9	5	3	5	12	87	100%					
OTTER TRAWL	40	9	3	9	5	3	5	12	86	99%					
GILLNET	0	0	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%					
LANDINGS - ALL AREAS															
Fishing Year 2007	40	9	4	9	5	3	5	12	87						
Fishing Year 2006	28	3	6	9	2	2	3	18	70						
Fishing Year 2005	12	3	2	4	3	1	4	7	37						
Fishing Year 2004	6	2	4	2	3	1	5	4	28						
Fishing Year 2003	10	3	2	3	<1	1	1	6	25						
Fishing Year 2002	8	3	1	1	1	1	2	9	27						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Commercial Windowpane Flounder Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY - DEC 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	2	2	100%	0	0%	2	90%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	42	42	99%	0	0%	42	100%	0	0%	0	0%	0	0%
Point Judith, RI	9	4	51%	4	49%	8	96%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	46	46	99%	0	0%	46	99%	0	0%	0	0%	0	0%
RHODE ISLAND	9	4	51%	4	49%	8	96%	0	0%	0	0%	0	0%
CONNECTICUT	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	21	0	0%	21	100%	21	100%	0	0%	0	0%	0	0%
NEW JERSEY	10	0	0%	10	100%	10	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	87	50	58%	37	42%	86	99%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Commercial Silver Hake Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Metric Tons
GULF OF MAINE	0	2	114	255	229	135	23	7	765	18%	
OTTER TRAWL	0	1	114	255	228	133	22	7	760	18%	
GILLNET	0	0	0	0	1	1	1	0	5	0%	
HOOK	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	
SNE/ MID-ATLANTIC	569	545	363	584	536	377	277	300	3,551	82%	
OTTER TRAWL	569	545	363	584	536	377	277	299	3,550	82%	
GILLNET	0	0	0	0	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	
ALL AREAS	569	547	477	840	765	512	300	306	4,316	100%	
OTTER TRAWL	569	547	477	839	764	510	299	306	4,311	100%	
GILLNET	0	0	0	0	1	1	1	0	5	0%	
HOOK	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	
LANDINGS - ALL AREAS											
Fishing Year 2007	569	547	477	840	765	512	300	306	4,316		
Fishing Year 2006	547	499	531	632	524	294	276	268	3,572		5,015
Fishing Year 2005	691	873	830	973	827	382	271	352	5,200		6,811
Fishing Year 2004	600	716	754	856	763	446	416	235	4,787		6,776
Fishing Year 2003	580	326	895	544	1,197	774	595	699	5,610		7,828
Fishing Year 2002	814	616	767	764	826	644	520	418	5,369		7,140

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562
 Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

2/11/2008

Table 11.B. - Preliminary Commercial Silver Hake Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY- DEC 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	297	286	96%	10	4%	293	99%	4	1%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	1,028	250	24%	778	76%	1,028	100%	0	0%	0	0%	0	0%
Point Judith, RI	1,404	84	6%	1,320	94%	1,404	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	95	95	100%	0	0%	94	99%	1	0%	0	0%	0	0%
MASSACHUSETTS	1,374	586	43%	788	57%	1,370	100%	4	0%	0	0%	0	0%
RHODE ISLAND	1,457	84	6%	1,373	94%	1,457	100%	0	0%	0	0%	0	0%
CONNECTICUT	271	0	0%	271	100%	271	100%	0	0%	0	0%	0	0%
NEW YORK	718	0	0%	718	100%	718	100%	0	0%	0	0%	0	0%
NEW JERSEY	400	0	0%	400	100%	400	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,316	765	18%	3,551	82%	4,311	100%	5	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 562, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Commercial Red Hake Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Metric Tons
GULF OF MAINE	0	0	8	15	4	4	1	0	33	10%	
OTTER TRAWL	0	0	8	15	4	4	1	0	32	10%	
GILLNET	0	0	0	0	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	
SNE/ MID-ATLANTIC	52	30	41	50	45	30	18	32	298	90%	
OTTER TRAWL	52	29	41	49	45	29	18	32	294	89%	
GILLNET	0	0	0	0	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	1	0	1	0	0	1	0	0	4	1%	
ALL AREAS	52	30	49	65	49	34	19	32	331	100%	
OTTER TRAWL	52	29	48	64	48	33	19	32	326	99%	
GILLNET	0	0	0	0	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	1	0	1	0	0	1	0	0	4	1%	
LANDINGS - ALL AREAS											
Fishing Year 2007	52	30	49	65	49	34	19	32	331		
Fishing Year 2006	35	34	62	76	31	22	14	23	298		
Fishing Year 2005	28	40	51	72	33	17	18	19	279		
Fishing Year 2004	77	38	62	92	82	55	44	20	470		
Fishing Year 2003	61	54	80	69	94	87	76	65	585		
Fishing Year 2002	56	105	103	81	124	96	54	47	665		888

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Red Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 12.B. - Preliminary Commercial Red Hake Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY -DEC 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	24	21	89%	3	11%	23	95%	1	5%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	49	10	21%	39	79%	49	100%	0	0%	0	0%	0	0%
Point Judith, RI	119	1	1%	118	99%	119	99%	0	0%	0	0%	1	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	74	32	43%	42	57%	73	98%	1	2%	0	0%	0	0%
RHODE ISLAND	120	1	1%	119	99%	119	99%	0	0%	0	0%	1	0%
CONNECTICUT	45	0	0%	45	100%	45	100%	0	0%	0	0%	0	0%
NEW YORK	50	0	0%	50	100%	49	98%	0	0%	0	0%	1	0%
NEW JERSEY	43	0	0%	43	100%	41	95%	0	0%	0	0%	2	5%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	331	33	10%	298	90%	326	99%	1	0%	0	0%	4	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 13.A. - Preliminary Commercial Monkfish Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MAY - DECEMBER 07		2007*		2006*		Fishing Year* Landings
											May-Dec07 as a % of Target TAC	Target TAC	May-Dec06 as a % of Target TAC	Target TAC	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area		Metric Tons		Metric Tons	Metric Tons
NORTHERN	231	404	522	471	460	504	338	387	3,317	39%	66%	5,000	61%	7,737	
OTTER TRAWL	217	263	239	227	247	365	233	288	2,081	25%	42%		38%		
GILLNET	12	140	264	186	166	97	79	94	1,039	12%	21%		21%		
HOOK	0	0	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	1	1	18	58	46	42	25	5	197	2%	4%		2%		
SOUTHERN	1,183	802	396	306	235	430	825	926	5,101	61%	100%	5,100	121%	3,667	
OTTER TRAWL	133	111	123	133	99	144	82	84	909	11%	18%		34%		
GILLNET	908	577	195	63	16	138	599	734	3,230	38%	63%		70%		
HOOK	0	0	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	142	115	77	109	120	149	144	107	963	11%	19%		16%		
ALL AREAS	1,413	1,206	917	776	695	934	1,163	1,314	8,418	100%					
OTTER TRAWL	350	374	363	360	346	509	315	373	2,989	36%					
GILLNET	920	716	460	249	182	234	678	829	4,269	51%					
HOOK	0	0	0	0	0	0	0	0	0	0%					
OTHER GEARS	143	116	95	168	167	191	169	112	1,160	14%					
LANDINGS - ALL AREAS															
Fishing Year 2007	1,413	1,206	917	776	695	934	1,163	1,314	8,418						12,586 19,189 17,927 26,273 21,807
Fishing Year 2006	1,314	1,490	1,181	909	880	1,104	1,140	1,130	9,149						
Fishing Year 2005	2,040	3,040	1,862	1,487	1,343	1,100	1,616	1,413	13,901						
Fishing Year 2004	1,806	1,979	1,581	1,380	1,304	1,243	1,803	1,681	12,777						
Fishing Year 2003	2,681	3,199	1,913	1,746	1,420	2,253	2,823	1,907	17,942						
Fishing Year 2002	1,574	2,093	1,489	1,382	1,524	1,643	1,937	2,203	13,846						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

4. Monkfish quotas for FY2007 were revised to be 5,000 mt for Northern Area and 5,100 mt for Southern Area as of October 22, 2007.

* Fishing Year is May 1 through April 30.

Table 13.B. - Preliminary Monkfish Landings by Major Ports and States, May - December 2007

PORT/ STATE	MAY -DEC 07	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	553	546	99%	7	1%	506	92%	47	8%	0	0%	0	0%
Gloucester, MA	1,018	1,000	98%	18	2%	518	51%	501	49%	0	0%	0	0%
Boston, MA	403	401	100%	2	0%	403	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,181	790	36%	1,391	64%	866	40%	522	24%	0	0%	793	36%
Point Judith, RI	718	24	3%	694	97%	377	53%	325	45%	0	0%	15	2%
MAINE	593	586	99%	7	1%	530	89%	63	11%	0	0%	0	0%
NEW HAMPSHIRE	136	135	99%	1	1%	12	9%	124	91%	0	0%	0	0%
MASSACHUSETTS	4,100	2,540	62%	1,560	38%	1,838	45%	1,460	36%	0	0%	801	20%
RHODE ISLAND	1,136	48	4%	1,087	96%	445	39%	623	55%	0	0%	67	6%
CONNECTICUT	71	0	0%	71	100%	9	13%	44	62%	0	0%	18	26%
NEW YORK	673	2	0%	671	100%	69	10%	595	88%	0	0%	9	1%
NEW JERSEY	1,425	5	0%	1,420	100%	80	6%	1,154	81%	0	0%	191	13%
OTHER NORTHEAST	284	0	0%	284	100%	6	2%	205	72%	0	0%	74	26%
TOTAL	8,418	3,317	39%	5,101	61%	2,989	36%	4,269	51%	0	0%	1,160	14%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562

Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
4. Monkfish quotas for FY2007 were revised to be 5,000 mt for Northern Area and 5,100 mt for Southern Area as of October 22, 2007.

Table 14.A. - Preliminary Commercial Sea Scallop Landings by Stock Area

	MAR - 2007	APR - 2007	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	NOV - 2007	DEC - 2007	MARCH - DECEMBER 2007		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent	Metric Tons
GULF OF MAINE	16	14	16	11	20	3	7	9	4	8	109	0%	
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	1	0%	
DREDGE	16	14	16	10	20	3	7	9	4	8	108	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0%	
SOUTH CHANNEL	118	119	147	1,988	1,662	842	519	431	180	176	6,183	24%	
OTTER TRAWL	0	0	0	1	1	1	1	1	0	0	5	0%	
DREDGE	118	110	147	1,718	1,565	748	428	370	166	171	5,540	22%	
OTHER GEARS	0	9	0	270	96	94	90	60	14	5	637	2%	
GEORGES BANK NORTH	42	39	224	81	57	179	31	50	0	13	718	3%	
OTTER TRAWL	0	0	0	1	0	0	0	0	0	0	1	0%	
DREDGE	42	39	203	81	57	145	31	50	0	13	661	3%	
OTHER GEARS	0	0	22	0	0	34	0	0	0	0	56	0%	
GEORGES BANK SOUTH	38	80	111	554	660	480	249	121	11	56	2,360	9%	
OTTER TRAWL	0	2	2	1	1	1	1	1	0	1	10	0%	
DREDGE	38	78	69	508	616	424	186	104	6	55	2,084	8%	
OTHER GEARS	0	0	40	45	43	56	62	16	5	0	266	1%	
S. NEW ENGLAND	3	3	18	132	76	31	37	15	4	16	336	1%	
OTTER TRAWL	0	0	0	0	1	1	2	3	0	0	7	0%	
DREDGE	3	3	18	131	75	31	35	13	3	16	329	1%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	1	0%	
NEW YORK BIGHT	529	822	1,674	1,122	587	718	597	621	345	304	7,319	29%	
OTTER TRAWL	7	18	54	47	45	68	35	19	6	2	301	1%	
DREDGE	521	796	1,530	974	496	588	555	569	303	288	6,621	26%	
OTHER GEARS	1	8	90	102	46	63	6	33	36	14	398	2%	
DE / MD / VA	2,523	1,784	1,054	654	285	550	201	137	623	625	8,437	33%	
OTTER TRAWL	9	0	7	31	11	10	2	3	3	4	78	0%	
DREDGE	2,496	1,783	988	533	202	514	185	135	496	556	7,888	31%	
OTHER GEARS	18	0	59	91	72	26	14	0	124	65	470	2%	
VA / NC	62	7	1	0	8	0	4	4	12	3	100	0%	
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	0	0%	
DREDGE	62	7	0	0	8	0	4	4	12	3	100	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0%	
ALL AREAS	3,332	2,869	3,246	4,543	3,355	2805	1,643	1388	1,178	1,203	25,562	100%	
OTTER TRAWL	15	21	64	80	59	81	40	26	9	8	403	2%	
DREDGE	3,297	2,832	2,971	3,955	3,039	2452	1,431	1253	990	1,111	23,331	91%	
OTHER GEARS	19	17	211	508	257	272	172	109	178	85	1,828	7%	
LANDINGS - ALL AREAS													25,614 24,966 28,910 25,497 23,466
Fishing Year 2007	3,332	2,869	3,246	4,543	3,355	2,805	1,643	1,388	1,178	1,203	25,562		
Fishing Year 2006	1,729	2,638	2,726	4,262	4,258	4,053	1,973	1,429	989	770	24,826		
Fishing Year 2005	1,742	2,570	3,481	3,300	3,493	2,940	2,171	1,400	1,308	940	23,347		
Fishing Year 2004	2,227	2,868	3,854	3,791	2,907	2,695	2,166	1,834	2,438	1,807	26,587		
Fishing Year 2003	1,777	2,153	3,315	3,413	3,229	2,646	1,738	2,512	1,724	1,024	23,529		
Fishing Year 2002	1,536	2,450	2,800	3,061	2,772	2,857	2,132	1,685	1,415	1,164	21,871		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is March 1 through February 29.

Table 14.B. - Preliminary Commercial Scallop Landings by Major Ports and States, March - December 2007

PORT/ STATE	MAR -DEC 07	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	13,918	19	0%	5,038	36%	682	5%	1,978	14%	158	1%	2,546	18%	3,443	25%	53	0%
Cape May, NJ	2,907	0	0%	188	6%	5	0%	43	1%	71	2%	898	31%	1,695	58%	8	0%
Norfolk, VA	4,420	0	0%	240	5%	10	0%	156	4%	4	0%	1,751	40%	2,231	50%	28	1%
MAINE	21	20	94%	0	0%	0	0%	0	0%	0	0%	1	5%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	14,257	88	1%	5,286	37%	682	5%	1,995	14%	160	1%	2,547	18%	3,446	24%	53	0%
RHODE ISLAND	576	0	0%	234	41%	21	4%	93	16%	46	8%	159	28%	22	4%	0	0%
CONNECTICUT	499	0	0%	113	23%	0	0%	48	10%	9	2%	174	35%	155	31%	0	0%
NEW JERSEY	5,108	0	0%	301	6%	5	0%	68	1%	73	1%	2,394	47%	2,248	44%	18	0%
VIRGINIA	4,507	0	0%	240	5%	10	0%	156	3%	4	0%	1,789	40%	2,281	51%	28	1%
OTHER NORTHEAST	593	0	0%	8	1%	0	0%	0	0%	43	7%	256	43%	285	48%	0	0%
TOTAL	25,562	109	0%	6,183	24%	718	3%	2,360	9%	336	1%	7,319	29%	8,437	33%	100	0%

PORT/ STATE	MAR - DEC 07	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	13,918	104	1%	12,122	87%	1,692	12%
Cape May, NJ	2,907	87	3%	2,778	96%	43	1%
Norfolk, VA	4,420	7	0%	4,413	100%	0	0%
MAINE	21	0	0%	21	100%	0	0%
NEW HAMPSHIRE	1	0	0%	1	100%	0	0%
MASSACHUSETTS	14,257	106	1%	12,458	87%	1,693	12%
RHODE ISLAND	576	8	1%	542	94%	26	4%
CONNECTICUT	499	0	0%	498	100%	1	0%
NEW JERSEY	5,108	158	3%	4,841	95%	109	2%
VIRGINIA	4,507	29	1%	4,478	99%	0	0%
OTHER NORTHEAST	593	101	17%	492	83%	0	0%
TOTAL	25,562	403	2%	23,331	91%	1,828	7%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart)

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561
Georges Bank South: 525, Southern New England: 537-539, New York Bight: 61
Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. Landings in meat weight.
3. Gear data are based on vessel trip reports.

